PHILIPPINE BIDDING DOCUMENTS

Procurement of GOODS

Government of the Republic of the Philippines

SUPPLY AND DELIVERY OF VARIOUS MEDICAL EQUIPMENT AND MATERIALS FOR THE COLLEGE OF MEDICINE OF THE UNIVERSITY (PR-23-02-178)

Sixth Edition July 2020

Preface

These Philippine Bidding Documents (PBDs) for the procurement of Goods through Competitive Bidding have been prepared by the Government of the Philippines for use by any branch, constitutional commission or office, agency, department, bureau, office, or instrumentality of the Government of the Philippines, National Government Agencies, including Government-Owned and/or Controlled Corporations, Government Financing Institutions, State Universities and Colleges, and Local Government Unit. The procedures and practices presented in this document have been developed through broad experience, and are for mandatory use in projects that are financed in whole or in part by the Government of the Philippines or any foreign government/foreign or international financing institution in accordance with the provisions of the 2016 revised Implementing Rules and Regulations of Republic Act No. 9184.

The Bidding Documents shall clearly and adequately define, among others: (i) the objectives, scope, and expected outputs and/or results of the proposed contract or Framework Agreement, as the case may be; (ii) the eligibility requirements of Bidders; (iii) the expected contract or Framework Agreement duration, the estimated quantity in the case of procurement of goods, delivery schedule and/or time frame; and (iv) the obligations, duties, and/or functions of the winning bidder.

Care should be taken to check the relevance of the provisions of the PBDs against the requirements of the specific Goods to be procured. If duplication of a subject is inevitable in other sections of the document prepared by the Procuring Entity, care must be exercised to avoid contradictions between clauses dealing with the same matter.

Moreover, each section is prepared with notes intended only as information for the Procuring Entity or the person drafting the Bidding Documents. They shall not be included in the final documents. The following general directions should be observed when using the documents:

- a. All the documents listed in the Table of Contents are normally required for the procurement of Goods. However, they should be adapted as necessary to the circumstances of the particular Procurement Project.
- b. Specific details, such as the "name of the Procuring Entity" and "address for bid submission," should be furnished in the Instructions to Bidders, Bid Data Sheet, and Special Conditions of Contract. The final documents should contain neither blank spaces nor options.
- c. This Preface and the footnotes or notes in italics included in the Invitation to Bid, Bid Data Sheet, General Conditions of Contract, Special Conditions of Contract, Schedule of Requirements, and Specifications are not part of the text of the final document, although they contain instructions that the Procuring Entity should strictly follow.

- d. The cover should be modified as required to identify the Bidding Documents as to the Procurement Project, Project Identification Number, and Procuring Entity, in addition to the date of issue.
- e. Modifications for specific Procurement Project details should be provided in the Special Conditions of Contract as amendments to the Conditions of Contract. For easy completion, whenever reference has to be made to specific clauses in the Bid Data Sheet or Special Conditions of Contract, these terms shall be printed in bold typeface on Sections I (Instructions to Bidders) and III (General Conditions of Contract), respectively.
- f. For guidelines on the use of Bidding Forms and the procurement of Foreign-Assisted Projects, these will be covered by a separate issuance of the Government Procurement Policy Board.

Table of Contents

Glossa	ary of Acronyms, Terms, and Abbreviations	4
Sectio	n I. Invitation to Bid	7
Sectio	n II. Instructions to Bidders	10
1.	Scope of Bid	
2.	Funding Information	11
3.	Bidding Requirements	11
4.	Corrupt, Fraudulent, Collusive, and Coercive Practices	11
5.	Eligible Bidders	11
6.	Origin of Goods	13
7.	Subcontracts	13
8.	Pre-Bid Conference	13
9.	Clarification and Amendment of Bidding Documents	13
10.	Documents comprising the Bid: Eligibility and Technical Components	13
11.	Documents comprising the Bid: Financial Component	14
12.	Bid Prices	14
13.	Bid and Payment Currencies	15
14.	Bid Security	15
15.	Sealing and Marking of Bids	15
16.	Deadline for Submission of Bids	16
17.	Opening and Preliminary Examination of Bids	16
18.	Domestic Preference	16
19.	Detailed Evaluation and Comparison of Bids	16
20.	Post-Qualification	17
21.	Signing of the Contract	17
Sectio	n III. Bid Data Sheet	18
Sectio	n IV. General Conditions of Contract	20
1.	Scope of Contract	21
2.	Advance Payment and Terms of Payment	21
3.	Performance Security	21
4.	Inspection and Tests	22
5.	Warranty	22
6.	Liability of the Supplier	22
Sectio	n V. Special Conditions of Contract	23
	n VI. Schedule of Requirements	
	n VII. Technical Specifications	
	n VIII. Checklist of Technical and Financial Documents	
	ii vala vaibumuu vi aveiiiivui uliu lailiului kaliika	

Glossary of Acronyms, Terms, and Abbreviations

ABC – Approved Budget for the Contract.

BAC – Bids and Awards Committee.

Bid – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

Bidder – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

Bidding Documents – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

BIR – Bureau of Internal Revenue.

BSP – Bangko Sentral ng Pilipinas.

Consulting Services – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

CDA - Cooperative Development Authority.

Contract – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

CIF – Cost Insurance and Freight.

CIP – Carriage and Insurance Paid.

CPI – Consumer Price Index.

DDP – Refers to the quoted price of the Goods, which means "delivered duty paid."

DTI – Department of Trade and Industry.

EXW - Ex works.

FCA – "Free Carrier" shipping point.

FOB – "Free on Board" shipping point.

Foreign-funded Procurement or Foreign-Assisted Project— Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

Framework Agreement – Refers to a written agreement between a procuring entity and a supplier or service provider that identifies the terms and conditions, under which specific purchases, otherwise known as "Call-Offs," are made for the duration of the agreement. It is in the nature of an option contract between the procuring entity and the bidder(s) granting the procuring entity the option to either place an order for any of the goods or services identified in the Framework Agreement List or not buy at all, within a minimum period of one (1) year to a maximum period of three (3) years. (GPPB Resolution No. 27-2019)

GFI – Government Financial Institution.

GOCC – Government-owned and/or –controlled corporation.

Goods — Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term "related" or "analogous services" shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

GOP – Government of the Philippines.

GPPB – Government Procurement Policy Board.

INCOTERMS – International Commercial Terms.

Infrastructure Projects – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national

buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

LGUs – Local Government Units.

NFCC - Net Financial Contracting Capacity.

NGA – National Government Agency.

PhilGEPS - Philippine Government Electronic Procurement System.

Procurement Project – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

PSA – Philippine Statistics Authority.

SEC – Securities and Exchange Commission.

SLCC – Single Largest Completed Contract.

Supplier – refers to a citizen, or any corporate body or commercial company duly organized and registered under the laws where it is established, habitually established in business and engaged in the manufacture or sale of the merchandise or performance of the general services covered by his bid. (Item 3.8 of GPPB Resolution No. 13-2019, dated 23 May 2019). Supplier as used in these Bidding Documents may likewise refer to a distributor, manufacturer, contractor, or consultant.

UN – United Nations.

Section I. Invitation to Bid

Notes on the Invitation to Bid

The Invitation to Bid (IB) provides information that enables potential Bidders to decide whether to participate in the procurement at hand. The IB shall be posted in accordance with Section 21.2 of the 2016 revised IRR of RA No. 9184.

Apart from the essential items listed in the Bidding Documents, the IB should also indicate the following:

- a. The date of availability of the Bidding Documents, which shall be from the time the IB is first advertised/posted until the deadline for the submission and receipt of bids;
- b. The place where the Bidding Documents may be acquired or the website where it may be downloaded;
- c. The deadline for the submission and receipt of bids; and
- d. Any important bid evaluation criteria (*e.g.*, the application of a margin of preference in bid evaluation).

The IB should be incorporated in the Bidding Documents. The information contained in the IB must conform to the Bidding Documents and in particular to the relevant information in the Bid Data Sheet.



Republic of the Philippines WESTERN MINDANAO STATE UNIVERSITY Zamboanga City

Telefax.: 062-991-7875 www.wmsu.edu.ph

INVITATION TO BID FOR

Supply and Delivery of Various Medical Equipment and Materials for the College of Medicine of the University (PR-23-02-178)

- 1. The Western Mindanao State University, through the General Appropriation Act (GAA) Fund 2023 intends to apply the sum of Thirty Four Million Nine Hundred Four Thousand Four Hundred Pesos (Php.34,904,400.00) being the ABC to payments under the contract for Supply and Delivery of Various Medical Equipment and Materials for the College of Medicine of the University. Bids received in excess of the ABC shall be automatically rejected at bid opening.
- 2. The Western Mindanao State University now invites bids for the above Procurement Project. Delivery of the Goods is required within sixty (60) calendar days. Bidders should have completed, within three (3) years from the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II (Instructions to Bidders).
- 3. Bidding will be conducted through open competitive bidding procedures using a non-discretionary "pass/fail" criterion as specified in the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.
 - Bidding is open to all interested bidders, whether local or foreign, subject to the conditions for eligibility provided in the 2016 revised IRR of RA No. 9184.
- 4. Prospective Bidders may obtain further information from WMSU-BAC Office for Goods and inspect the Bidding Documents at the address given below during 8:00 AM to 5:00 PM.
- 5. A complete set of Bidding Documents may be acquired by interested Bidders on *May* 31 June 20, 2023 from the given address and website(s) and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB, in the amount of *Twenty Five Thousand Pesos* (*Php.25,000.00*). The Procuring Entity shall allow the bidder to present its proof of payment for the fees in person, by facsimile, or through electronic means

- 6. The Western Mindanao State University will hold a Pre-Bid Conference¹ on June 7, 2023, 9:30AM at the BAC Office, Western Mindanao State University, 2nd Floor Administrative Building, Normal Road, Baliwasan, Zamboanga City and/or through video conferencing or webcasting via Zoom, which shall be open to prospective bidders. All interested bidder/s who intent to join the Pre-Bid Conference online, you may contact the BAC Secretariat not later than June 7, 2023.
- 7. Bids must be duly received by the BAC Secretariat through manual submission at the office address indicated below, on or before *June 20, 2023 at 9:30 AM*. Late bids shall not be accepted.
- 8. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in **ITB** Clause 14.
- 9. Bid opening shall be on *June 20, 2023 at 9:30 AM* at the *BAC Office, Western Mindanao State University, 2nd Floor Administrative Building, Normal Road, Baliwasan, Zamboanga City.* Bids will be opened in the presence of the bidders' representatives who choose to attend the activity.
- 10. The *Western Mindanao State University* reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised IRR of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.
- 11. For further information, please refer to:

Maria Josefina M. Bacalla Head Secretariat Western Mindanao State University Normal Road, Baliwasan Zamboanga City Tel. No.: (062)991-7875

Email: bacsecretariate@wmsu.edu.ph

12. You may visit the following websites:

For downloading of Bidding Documents: www.wmsu.edu.ph

May 31, 2023

JOSELITO D. MADROÑAL, DPA BAC Chairperson

¹ May be deleted in case the ABC is less than One Million Pesos (PhP1,000,000) where the Procuring Entity may not hold a Pre-Bid Conference.

Section II. Instructions to Bidders

Notes on the Instructions to Bidders

This Section on the Instruction to Bidders (ITB) provides the information necessary for bidders to prepare responsive bids, in accordance with the requirements of the Procuring Entity. It also provides information on bid submission, eligibility check, opening and evaluation of bids, post-qualification, and on the award of contract.

1. Scope of Bid

The Procuring Entity, Western Mindanao State University wishes to receive Bids for the Supply and Delivery of Various Medical Equipment and Materials for the College of Medicine of the University (PR-23-02-178)

The Procurement Project (referred to herein as "Project") is composed of *Fifteen (15) items*, the details of which are described in Section VII (Technical Specifications).

2. Funding Information

- 2.1. The GOP through the source of funding as indicated below for GAA Fund 2023 in the amount of Thirty Four Million Nine Hundred Four Thousand Four Hundred Pesos (Php.34,904,400.00).
- 2.2. The source of funding is:
 - NGA, the General Appropriations Act or Special Appropriations.

3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or **IB** by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

4. Corrupt, Fraudulent, Collusive, and Coercive Practices

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex "I" of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

5. Eligible Bidders

- 5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.
- 5.2. Foreign ownership exceeding those allowed under the rules may participate pursuant to:
 - i. When a Treaty or International or Executive Agreement as provided in Section 4 of the RA No. 9184 and its 2016 revised IRR allow foreign bidders to participate;
 - ii. Citizens, corporations, or associations of a country, included in the list issued by the GPPB, the laws or regulations of which grant reciprocal rights or privileges to citizens, corporations, or associations of the Philippines;
 - iii. When the Goods sought to be procured are not available from local suppliers; or
 - iv. When there is a need to prevent situations that defeat competition or restrain trade.
 - a. Foreign ownership limited to those allowed under the rules may participate in this Project.
- 5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall have an SLCC that is at least one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA's CPI, must be at least equivalent to:
 - a. For the procurement of Non-expendable Supplies and Services: The Bidder must have completed a single contract that is similar to this Project, equivalent to at least fifty percent (50%) of the ABC.
 - b. For the procurement of Expendable Supplies: The Bidder must have completed a single contract that is similar to this Project, equivalent to at least twenty-five percent (25%) of the ABC.
 - c. For procurement where the Procuring Entity has determined, after the conduct of market research, that imposition of either (a) or (b) will likely result to failure of bidding or monopoly that will defeat the purpose of public bidding: the Bidder should comply with the following requirements:
 - i. Completed at least two (2) similar contracts, the aggregate amount of which should be equivalent to at least *fifty percent* (50%) in the case of non-expendable supplies and services or twenty-five percent (25%) in the case of expendable supplies] of the ABC for this Project; and
 - ii. The largest of these similar contracts must be equivalent to at least half of the percentage of the ABC as required above.

5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

6. Origin of Goods

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under **ITB** Clause 18.

7. Subcontracts

7.1. The Bidder may subcontract portions of the Project to the extent allowed by the Procuring Entity as stated herein, but in no case more than twenty percent (20%) of the Project.

The Procuring Entity has prescribed that: Subcontracting is not allowed.

7.2. Subcontracting of any portion of the Project does not relieve the Supplier of any liability or obligation under the Contract. The Supplier will be responsible for the acts, defaults, and negligence of any subcontractor, its agents, servants, or workmen as fully as if these were the Supplier's own acts, defaults, or negligence, or those of its agents, servants, or workmen.

8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on the June 7, 2023, 9:30 AM at the BAC Office, WMSU, Normal Road, Baliwasan, Zamboanga City and/or through videoconferencing/webcasting} as indicated in paragraph 6 of the **IB.**

9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

10. Documents comprising the Bid: Eligibility and Technical Components

10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in **Section VIII** (Checklist of Technical and Financial **Documents**).

- 10.2. The Bidder's SLCC as indicated in **ITB** Clause 5.3 should have been completed *within three* (3) years as provided in paragraph 2 of the **IB** prior to the deadline for the submission and receipt of bids.
- 10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.

11. Documents comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in **Section VIII** (Checklist of Technical and Financial **Documents**).
- 11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.
- 11.3. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.
- 11.4. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

12. Bid Prices

- 12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:
 - a. For Goods offered from within the Procuring Entity's country:
 - i. The price of the Goods quoted EXW (ex-works, ex-factory, exwarehouse, ex-showroom, or off-the-shelf, as applicable);
 - ii. The cost of all customs duties and sales and other taxes already paid or payable;
 - iii. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and
 - iv. The price of other (incidental) services, if any, listed in e.

b. For Goods offered from abroad:

- i. Unless otherwise stated in the **BDS**, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the **BDS**. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
- ii. The price of other (incidental) services, if any, as listed in **Section VII (Technical Specifications).**

13. Bid and Payment Currencies

- 13.1. For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.
- 13.2. Payment of the contract price shall be made in: Philippine Pesos.

14. Bid Security

- 14.1. The Bidder shall submit a Bid Securing Declaration² or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.
- 14.2. The Bid and bid security shall be valid **within 120 calendar days**. Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

15. Sealing and Marking of Bids

Each Bidder shall submit one copy of the first and second components of its Bid.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission or any other electronic means, the Bidder shall submit an electronic copy of its Bid,

² In the case of Framework Agreement, the undertaking shall refer to entering into contract with the Procuring Entity and furnishing of the performance security or the performance securing declaration within ten (10) calendar days from receipt of Notice to Execute Framework Agreement.

which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

16. Deadline for Submission of Bids

16.1. The Bidders shall submit on the specified date and time and either at its physical address or through online submission as indicated in paragraph 7 of the **IB.**

17. Opening and Preliminary Examination of Bids

17.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

17.2. The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

18. Domestic Preference

18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.

19. Detailed Evaluation and Comparison of Bids

- 19.1. The Procuring BAC shall immediately conduct a detailed evaluation of all Bids rated "passed," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.
- 19.2. If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case maybe. In this case, the Bid Security as required by **ITB** Clause 15 shall be submitted for each lot or item separately.
- 19.3. The descriptions of the lots or items shall be indicated in **Section VII** (**Technical Specifications**), although the ABCs of these lots or items are indicated in the **BDS** for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be

sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.

- 19.4. The Project shall be awarded as follows:
 - One Project having several items, which shall be awarded as separate contracts per item.
- 19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

20. Post-Qualification

20.2. Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the **BDS**.

21. Signing of the Contract

21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

Section III. Bid Data Sheet

Notes on the Bid Data Sheet

The Bid Data Sheet (BDS) consists of provisions that supplement, amend, or specify in detail, information, or requirements included in the ITB found in Section II, which are specific to each procurement.

This Section is intended to assist the Procuring Entity in providing the specific information in relation to corresponding clauses in the ITB and has to be prepared for each specific procurement.

The Procuring Entity should specify in the BDS information and requirements specific to the circumstances of the Procuring Entity, the processing of the procurement, and the bid evaluation criteria that will apply to the Bids. In preparing the BDS, the following aspects should be checked:

- a. Information that specifies and complements provisions of the ITB must be incorporated.
- b. Amendments and/or supplements, if any, to provisions of the ITB as necessitated by the circumstances of the specific procurement, must also be incorporated.

Bid Data Sheet

ITB					
Clause	Fran 41	حد ہذیا		a contracts similar to the Ducient shall be	
5.3	For this purpose, contracts similar to the Project shall be:				
	a. similar contracts: Various Medical Equipment and Materials				
	b.		-	ed within three (3) years prior to the deadline eipt of bids.	e for the submission
7.1	Not A	Appl	icable.		
12		•		the Goods shall be quoted DDP WMSU ommercial Terms (INCOTERMS) for this Projection	* *
14.1				y shall be in the form of a Bid Securing Declas and amounts:	ration, or any of the
	a.			ount of not less than two percent (2%) of ABC shier's/manager's check.	, if bid security is in
19.3				ndicating its quantity and ABC:	
	1.)	1	Lot	Adult Trauma Patient Simulator with Electronic Tablet	ABC - 8,500,000.00
	2.)	1	Lot	and Monitor and Software for Clinical Skills Pediatric Simulator/Manikin with Electronic Tablet, Monitor and Software for Clinical Skills	ABC - 8,500,000.00
	3.)	3	Lot	Infant Simulator/Manikin with Electronic Tablet and	ABC - 7,500,000.00
	4.)	2	Units	Monitor and Software for Clinical Skills Adult Torso Manikin with Tablet/Computer and Speakers for Auscultation Training	ABC - 3,700,000.00
	5.)	3	Units	Unilateral Breast Model for Breast Examination Skills Training	ABC - 324,000.00
	6.)	2	Units	Wearable Bilateral Breast Model for Breast Examination Skills Training	ABC - 436,000.00
	7.)	10	Units	Peripheral Intravenous Catheterization Training Arm/Model	ABC - 1,080,000.00
	8.)	1	Unit	CAE Simequip Automated External Defibrillator Simulator	ABC - 750,000.00
	9.)	2	Units	with Tablet/Monitor and Software Female Pelvis Simulator/Manikin for Obstetric & Gynecologic Skills Training	ABC - 1,580,000.00
	10.)	2	Units	Male Rectal Exam Trainer/Simulator	ABC - 676,000.00
	11.)	3	Units	Patient Simulator/Manikin for Tube Feeding Skills & Tracheostomy Care	ABC - 900,000.00
	12.)	12	Units	Suture Practice Pad with Tension Base and Dissecting Kit	ABC - 98,400.00
	13.)	3	Units	Eye Examination Simulator/Manikin	ABC - 360,000.00
	14.)	2	Units	Ear Examination Simulator/Manikin	ABC - 410,000.00
	15.)	10	Units	Teaching Stethoscope	ABC - 90,000.00
20.2	Al li requi			d permits relevant to the Project and the	corresponding law
21.2	All additional contract documents relevant to the Project that may be required by existing laws and/or the Procuring Entity.				

Section IV. General Conditions of Contract

Notes on the General Conditions of Contract

The General Conditions of Contract (GCC) in this Section, read in conjunction with the Special Conditions of Contract in Section V and other documents listed therein, should be a complete document expressing all the rights and obligations of the parties.

Matters governing performance of the Supplier, payments under the contract, or matters affecting the risks, rights, and obligations of the parties under the contract are included in the GCC and Special Conditions of Contract.

Any complementary information, which may be needed, shall be introduced only through the Special Conditions of Contract.

1. Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the **Special Conditions of Contract (SCC).**

2. Advance Payment and Terms of Payment

- 2.1. Advance payment of the contract amount is provided under Annex "D" of the revised 2016 IRR of RA No. 9184.
- 2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the **SCC**.

[Include the following clauses if Framework Agreement will be used:]

- 2.3. For a single-year Framework Agreement, prices charged by the Supplier for Goods delivered and/or services performed under a Call-Off shall not vary from the prices quoted by the Supplier in its bid.
- 2.4. For multi-year Framework Agreement, prices charged by the Supplier for Goods delivered and/or services performed under a Call-Off shall not vary from the prices quoted by the Supplier during conduct of Mini-Competition.

3. Performance Security

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than prior to the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184. [Include if Framework Agreement will be used:] In the case of Framework Agreement, the Bidder may opt to furnish the performance security or a Performance Securing Declaration as defined under the Guidelines on the Use of Framework Agreement.]

4. Inspection and Tests

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project {[Include if Framework Agreement will be used:] or Framework Agreement} specifications at no extra cost to the Procuring Entity in accordance with the Generic Procurement Manual. In addition to tests in the SCC, Section IV (Technical Specifications) shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

5. Warranty

- 5.1 In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.
- 5.2 The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

6. Liability of the Supplier

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

Section V. Special Conditions of Contract

Notes on the Special Conditions of Contract

Similar to the BDS, the clauses in this Section are intended to assist the Procuring Entity in providing contract-specific information in relation to corresponding clauses in the GCC found in Section IV.

The Special Conditions of Contract (SCC) complement the GCC, specifying contractual requirements linked to the special circumstances of the Procuring Entity, the Procuring Entity's country, the sector, and the Goods purchased. In preparing this Section, the following aspects should be checked:

- a. Information that complements provisions of the GCC must be incorporated.
- b. Amendments and/or supplements to provisions of the GCC as necessitated by the circumstances of the specific purchase, must also be incorporated.

However, no special condition which defeats or negates the general intent and purpose of the provisions of the GCC should be incorporated herein.

Special Conditions of Contract

_	Special Conditions of Contract				
GCC Clause					
1	Delivery and Documents –				
	For purposes of the Contract, "EXW," "FOB," "FCA," "CIF," "CIP," "DDP" and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows:				
	"The delivery terms applicable to this Contract are delivered WMSU Supply Office. Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination."				
	Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements).				
	For purposes of this Clause the Procuring Entity's Representative at the Project Site is <i>Mr. ALFREDO D. MONTERO, University Supply Officer</i> .				
	Incidental Services –				
	The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements:				
	 a. performance or supervision of on-site assembly and/or start-up of the supplied Goods; b. furnishing of tools required for assembly and/or maintenance of the supplied Goods; c. furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied Goods; d. performance or supervision or maintenance and/or repair of the supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and e. training of the Procuring Entity's personnel, at the Supplier's plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied Goods. 				
	The Contract price for the Goods shall include the prices charged by the Supplier for incidental services and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services.				
	Spare Parts –				
	The Supplier is required to provide all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the Supplier:				

- a. such spare parts as the Procuring Entity may elect to purchase from the Supplier, provided that this election shall not relieve the Supplier of any warranty obligations under this Contract; and
- b. in the event of termination of production of the spare parts:
 - i. advance notification to the Procuring Entity of the pending termination, in sufficient time to permit the Procuring Entity to procure needed requirements; and
 - ii. following such termination, furnishing at no cost to the Procuring Entity, the blueprints, drawings, and specifications of the spare parts, if requested.

The spare parts and other components required are listed in **Section VI** (**Schedule of Requirements**) and the cost thereof are included in the contract price.

The Supplier shall carry sufficient inventories to assure ex-stock supply of consumable spare parts or components for the Goods for a period of three times the warranty period.

Spare parts or components shall be supplied as promptly as possible, but in any case, within appropriate time period of placing the order.

Packaging -

The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the Goods' final destination and the absence of heavy handling facilities at all points in transit.

The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified below, and in any subsequent instructions ordered by the Procuring Entity.

The outer packaging must be clearly marked on at least four (4) sides as follows:

Name of the Procuring Entity
Name of the Supplier
Contract Description
Final Destination
Gross weight
Any special lifting instructions
Any special handling instructions

	Any relevant HAZCHEM classifications
	A packaging list identifying the contents and quantities of the package is to be placed on an accessible point of the outer packaging if practical. If not practical the packaging list is to be placed inside the outer packaging but outside the secondary packaging.
	Transportation –
	Where the Supplier is required under Contract to deliver the Goods CIF, CIP, or DDP, transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price.
	Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the contract price.
	Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, Goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, Goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine consulate to the port of dispatch. In the event that carriers of Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered force majeure.
	The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination.
	Intellectual Property Rights –
	The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof.
2.2	Not Applicable.
4	The inspections and tests that will be conducted are: all the applicable inspections and tests.

Section VI. Schedule of Requirements

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Item Num ber	Description	Quantity	Total	Delivered, Weeks/Mo nths
1.	Adult Trauma Patient Simulator with Electronic Tablet	1 Lot		
	and Monitor and Software for Clinical Skills			
	Specifications:			
	* High-fidelity wireless manikin of a life-size, full-bodied adult			
	with mediumor light brown skin tone; not more than 50kg			
	* Manikin's voice and examination findings can be monitored and			
	controlled wirelessly through a touchscreen, handheld			
	tablet/monitor and compatible software			
	* at least 12" Tablet and 30" monitor with the following			
	specifications or better: screen/display, 4 GB RAM, 128 GB SSD			
	* manikin should be powered by internal rechargeable lithium battery			
	* Human-like articulation of joints with full range of motion			
	Rugged Shoulder and Hip Joints to allow dragging and carrying			
	features a traumatic groin wound			
	* Airway: can simulate Head tilt/Chin lift maneuver, Bag-mask			
	Ventilation, supraglottic airway placement, Cricothyrotomy, and			
	Endotracheal intubation; can be pre-programmed to simulate			
	airway edema/occlusion			
	* Breathing: visible spontaneous bilateral chest rise and fall;			
	audible lung sounds upon auscultation of chest; oxygen			
	saturation measurable with finger oximeter			
	* Circulation: palpable carotid, radial, and femoral pulses;			
	audible heart sounds upon auscultation of chest			
	* CPR: allows chest compressions compliant with AHA CPR			
	requirements, ECG monitoring, blood pressure measurement			
	via auscultation and palpation, defibrillation, cardioversion			
	 * Allows intramuscular injections, intraosseous, and intravenous cannula insertion 			
	* Neurologic: Observable blinks and pupillary reflex, can be			
	pre-programmed to simulate convulsions/seizure			
	* Gastrointestinal: audible bowel sounds upon auscultation			
	of abdomen, allows nasogastric tube insertion			
	* Trauma: At least 1.5-liter internal fluid/blood capacity and			
	interchangeable limbs to simulate lower arm/leg amputations			
	* Sounds: has pre-recorded sounds to simulate a patient's voice			
	* Accessories must include chargers and batteries of both manikin			
	and tablet/monitor, user manual/s, replaceable/spare parts,			
	storage/transport container, and consumables, if any			

2.		1 Lot	
۷.	Pediatric Simulator/Manikin with Electronic Tablet, Monitor	Lot	
	and Software for Clinical Skills		
	Specifications:		
	* High-fidelity wireless manikin resembling life-size		
	full body of a child aged 5-7 years old with medium or light		
	brown skin tone		
	* 100-150 cm in length/height and not more than 40 kg in weight		
	* Manikin's examination findings can be monitored and controlled		
	wirelessly through a touchscreen, handheld tablet/monitor and		
	compatible software		
	monitor: 30 inches		
	* Software with various pre-programmed clinical scenarios		
	* at least 12" tablet & 30" monitor with the following		
	specifications or better:		
	- screen/display, 4 GB RAM,		
	- 128GB SSD		
	* manikin should be powered by internal rechargeable lithium battery		
	* articulation: Human-like motion of joints with full range of motion		
	such as in the neck joint, jaws, elbows, and knees; programmable		
	stiff neck		
	* Airway: Anatomically accurate oral cavity and airway which		
	allows Head tilt/Chin lift maneuver, Bag-mask Ventilation,		
	Supraglottic airway placement, Cricothyrotomy, Tracheostomy, and		
	Endotracheal intubation; can be programmed to simulate airway occlusion		
	* Cardiac: allows blood pressure measurement, ECG monitoring with		
	customizable rhythms, defibrillation/cardioversion, and chest		
	compressions that provide real-time feedback on CPR quality		
	* Circulation: palpable Carotid, Radial, and Brachial arterial pulses;		
	visible peripheral capillary refill; can simulate cyanosis;		
	allows fingerstick blood glucose measurement		
	* Gastric & Urinary: abdominal distension upon erroneous		
	ventilation/intubation; allows insertion of oro/nasogastric tube;		
	interchangeable genitalia, allows urinary catheterization		
	* Neurologic: Observable blinks and pupillary reflex, can be		
	pre-programmed to simulate convulsions/seizure		
	* Respiratory: visible spontaneous bilateral chest rise and fall; allows		
	oxygen saturation measurement; unilateral chest rise upon right		
	main stem intubation; compatible with mechanical ventilation/PEEP;		
	allows chest tube placement and needle decompression		
	* sounds: audible heart, lung, and bowel sounds		
	* Vascular access: allows intraosseous and intravenous injection and infusion		
	* Accessories must include chargers of both manikin and		
	tablet/monitor, user manual/s, replaceable/spare parts, and		
	storage container		
3.	Infant Simulator/Manikin with Electronic Tablet and Monitor and	3 Lots	
	Software for Clinical Skills		
	Specifications:		
	* High-fidelity wireless manikin resembling life-size full body		

	<u> </u>	1
of an infant or newborn with medium or light brown skin tone,		
50-70 cm in length and 4-6 kg in weight		
* Manikin's examination findings can be monitored and controlled		
wirelessly through a touchscreen, handheld tablet/monitor		
and compatible software		
* at least 12" Tablet and 30" monitor with the following		
specifications or better:		
- screen/display,		
- 4 GBRAM, 128 GB SSD		
- monitor must be at least 30 inches		
* manikin should be powered by internal rechargeable lithium		
battery		
* articulation: Human-like motion of joints with full range of motion		
such as in the neck, shoulder, elbow, hip, and knee; allows		
forearm pronation and supination		
* Airway: Anatomically accurate oral cavity and airway which allows		
Head tilt/Chin lift maneuver, Bag-mask Ventilation, Supraglottic		
airway placement, and Endotracheal intubation; can be programmed		
to simulate airway difficulty/occlusion		
* Cardiac: allows ECG monitoring with customizable rhythms,		
defibrillation/cardioversion, and chest compressions that provide		
real-time feedback on CPR quality		
* Circulation: palpable Brachial and umbilical arterial pulses;		
allows blood pressure measurement; can simulate cyanosis		
* Urinary: interchangeable genitalia, allows Urinary catheterization		
* Neurologic: programmable simulation of crying, grunting, and		
bilateral or unilateral arm movement		
* Respiratory: visible spontaneous, continuous bilateral chest rise		
and fall; unilateral chest rise upon right main stem intubation,		
and with variable respiratory rates and inspiratory/expiratory ratios		
* sounds: audible heart, lung, and bowel sounds		
* Vascular access: allows tibial intraosseous infusion, thigh		
intramuscular injection, and umbilical catheterization, and		
intravenous cannulation		
* Accessories must include chargers of both manikin and tablet/monitor,		
user manual/s, replaceable/spare parts, and storage container		
4. Adult Torso Manikin with Tablet/Computer and Speakers for	2 Units	
Auscultation Training		
Specifications:		
* Unit must include manikin with platform/pedestal, tablet/computer,		
and compatible speakers		
- Manikin with anatomically accurate neck and trunk and with		
medium or light brown skin tone		
* manikin can be wirelessly connected to tablet/computer that		
allows control of the auscultatory findings on the manikin		
- Skills that can be simulated:		
* Auscultation of normal and abnormal cardiac sounds when		
real stethoscope is applied on anterior chest points		

	* Auscultation of normal and abnormal pulmonary sounds when		
	stethoscope is applied on multiple points at the back		
	* Auscultation of normal and abnormal bowel sounds when		
	stethoscope is applied on abdominal points		
	* Accessories must include charger/s, user manual, replaceable/spare		
5.	parts, and storage/transport container Unilateral Breast Model for Breast Examination Skills Training	3 Units	
٥.	Specifications:		
	* Model includes life-size unilateral breast with light/medium		
	skin tone on a base/frame		
	* Material must be soft and waterproof resembling human skin		
	-		
	* Model allows variation of breast examination findings including		
	benign lesions, fluid-filled cyst, and malignant masses via interchangeable masses		
	* Accessories must include user manual, replaceable/spare parts, and		
6.	storage/transport container	2 Units	
0.	Wearable Bilateral Breast Model for Breast Examination Skills Training	2 Omts	
	Specifications:		
	* Model includes life-size bilateral breast with light/medium skin		
	tone on a base/torso that allows both upright and supine positions		
	* Model can be removed from base/torso and be worn by a		
	simulated patient		
	* Material must be latex-free, soft, and waterproof resembling human skin		
	* Model allows variation of breast examination findings including		
	palpation of different benign lesions, a fluid-filled cyst, and malignant		
	masses via interchangeable parts		
	* Accessories must include user manual, replaceable/spare parts, and		
7.	storage/transport container.	10 Units	
7.	Peripheral Intravenous Catheterization Training Arm/Model Specifications:	10 omes	
	* Model features adult-sized unilateral arm model including		
	the mid/upper arm, antecubital fossa, forearm, and		
	hand with light/medium skin tone		
	* allows practice of intravenous catheterization through injection of		
	veins at anatomically accurate locations in the antecubital fossa or		
	dorsum of the hand		
	- Unit must include blood bags, replaceable drainage tubes,		
8.	replaceable skin pads, a storage container, and a user manual	1 Unit	
0.	CAE Simequip Automated External Defibrillator Simulator	Tomic	
	with Tablet/Monitor and Software		
	Specifications:		
	* Tablet/monitor displays values/waveform for heart rate, respiratory		
	rate, and oxygen saturation which may be customized to simulate		
	different clinical scenarios		
	* should be compatible with Existing WMSU College of Medicine Unit CAE Apollo		
	* Able to simulate manual delivery of defibrillation, cardioversion, and pacing		
	* Provides alarm sounds to guide user		

	* Unit includes electrode made adult 12 land ECC Li-		
	* Unit includes electrode pads, adult 12-lead ECG cables,		
	a temperature probe, oxygen saturation probe, a tablet/monitor		
	with pre-installed software, charger/s, a user manual, and a		
	storage container with spaces for all hardware		
9.	Female Pelvis Simulator/Manikin for Obstetric & Gynecologic	2 Units	
	Skills Training		
	Specifications:		
	* manikin featuring life-size adult female lower abdomen and		
	pelvis with bony landmarks, light/medium skin tone, and		
	soft waterproof skin		
	* Has Anatomically accurate labia, vagina, cervix, anus, and Rectum		
	* Skills that can be simulated: pelvis and perineum inspection,		
	Vaginal examination with speculum, Bimanual palpation,		
	Cervical/Pap smear, and Digital Rectal Examination (DRE)		
	* Uterus and cervix are interchangeable to allow variation of		
	examination findings including normal uterus, uterus		
	with myomas/fibroids, nulliparous cervix, multiparous cervix, and		
	ectropion cervix		
	* Accessories must include user manual, replaceable/spare parts, and		
10	storage/transport container	2.11	
10.	Male Rectal Exam Trainer/Simulator	2 Units	
	Specifications:		
	* Unit features life-size adult male pelvis with anatomically accurate		
	perineum, buttocks, anus, rectum, and prostate stabilized by a		
	platform/pedestal which allows a prone and lateral examination		
	position		
	* Material is latex-free and covered in light/medium skin tone		
	* Skills that can be practiced: external anal inspection and digital		
	rectal examination (DRE) with prostate palpation		
	* Rectum and prostate units are interchangeable to allow		
	variation of prostate and rectal examination findings including		
	normal prostate and rectum, enlarged prostate, prostate		
	carcinoma, rectal polyp, and rectal cancer		
	* Accessories must include user manual, replaceable/spare parts, and		
11	storage/transport container	3 Units	
11.	Patient Simulator/Manikin for Tube Feeding Skills & Tracheostomy	3 Units	
	Care		
	Specifications:		
	* Unit features life-size adult Head and torso with anatomically		
	accurate oral cavity, nostrils, trachea, and esophagus stabilized		
	by a platform/pedestal which allows a supine and upright positions		
	* Material is covered in light/medium skin tone		
	* Minimum Skills that can be practiced: insertion of oro/nasogastric		
	tube (OGT/NGT), confirmation of correct tube placement,		
	feeding of liquid food via OGT/NGT, and tracheostomy care		
	& suctioning, PEG care, gastrostomy		
	* internal compartments representing stomach/lungs may be		

	filled with fluid and emptied for cleaning/washing		
	* Accessories must include user manual, replaceable/spare parts, and		
	storage/transport container		
12.	Suture Practice Pad with Tension Base and Dissecting Kit	12 Units	
12.	Specifications:	12 011165	
	* Unit must contain a silicone latex-free suture pad with at least		
	3 layers, a curved base to simulate normal skin tension, a basic		
	dissecting kit, and sutures with needles		
	* Outermost layer of pad resembles skin with light to medium skin		
	tone		
	* Minimum dimensions of suture pad: at least 10 cm in width and		
	at least 14 cm in length		
	* Skills that can be practiced: skin incision, surgical knot-tying,		
	suturing techniques, and removal of sutures		
	* Dissecting kit must have at least a surgical scapel, dissecting		
	forceps, surgical scissors, and a needle holder		
13.	Eye Examination Simulator/Manikin	3 Units	
	Specifications:		
	* Unit features life-size adult Head (with shoulders) with		
	light/medium skin tone and anatomically accurate bilateral eyes		
	- Manikin not more than 5 kg and is stable on upright position		
	- Minimum skills that can be practiced: fundus examination with		
	the use of a direct ophthalmoscope		
	* Eye examination findings are adjustable to simulate both normal		
	fundus and eye pathologies including diabetic retinopathy,		
	hypertensive retinopathy, age-related macular degeneration,		
	glaucoma, papilledema, retinal hemorrhage, and toxoplasmosis		
	* Accessories must include user manual, replaceable/spare parts, and		
	storage/transport container.		
14.	Ear Examination Simulator/Manikin	2 Units	
	Specifications:		
	* Unit features life-size adult Head (with shoulders) with light/medium		
	skin tone and anatomically accurate outer, middle, and inner ear		
	- Manikin not more than 5 kg, is stable on upright position, and		
	examined ear can be tilted upwards to simulate proper ear examination		
	- Minimum skills that can be practiced: ear examination with the		
	use of an otoscope		
	* Ear examination findings are adjustable to simulate both normal ear		
	canal and tympanic membrane and pathologies including cerumen		
	blockage, serous otitis media, mucoid otitis media, chronic		
	otitis media, tympanosclerosis, and cholesteatoma		
	* Accessories must include user manual, replaceable/spare parts, and		
	storage/transport container		
15.	Teaching Stethoscope	10 Units	
	Specifications:		
	* Stethoscope with one (1) chest piece but with two (2) tubings		
	and two (2) headsets to allow simultaneous auscultation by		
	2 individuals within the same area		

* Aluminum-based chest piece consists of diaphragm and bell		
* Each headset has bilateral rubber earpieces and aluminum ear tubes		
* Total length at least 120 cm		
* Accessories must include user manual, replaceable/spare parts, and		
storage/transport container.		

Section VII. Technical Specifications

Notes for Preparing the Technical Specifications

A set of precise and clear specifications is a prerequisite for Bidders to respond realistically and competitively to the requirements of the Procuring Entity without qualifying their Bids. In the context of Competitive Bidding, the specifications (*e.g.* production/delivery schedule, manpower requirements, and after-sales service/parts, descriptions of the lots or items) must be prepared to permit the widest possible competition and, at the same time, present a clear statement of the required standards of workmanship, materials, and performance of the goods and services to be procured. Only if this is done will the objectives of transparency, equity, efficiency, fairness, and economy in procurement be realized, responsiveness of bids be ensured, and the subsequent task of bid evaluation and post-qualification facilitated. The specifications should require that all items, materials and accessories to be included or incorporated in the goods be new, unused, and of the most recent or current models, and that they include or incorporate all recent improvements in design and materials unless otherwise provided in the Contract.

Samples of specifications from previous similar procurements are useful in this respect. The use of metric units is encouraged. Depending on the complexity of the goods and the repetitiveness of the type of procurement, it may be advantageous to standardize the General Technical Specifications and incorporate them in a separate subsection. The General Technical Specifications should cover all classes of workmanship, materials, and equipment commonly involved in manufacturing similar goods. Deletions or addenda should then adapt the General Technical Specifications to the particular procurement.

Care must be taken in drafting specifications to ensure that they are not restrictive. In the specification of standards for equipment, materials, and workmanship, recognized Philippine and international standards should be used as much as possible. Where other particular standards are used, whether national standards or other standards, the specifications should state that equipment, materials, and workmanship that meet other authoritative standards, and which ensure at least a substantially equal quality than the standards mentioned, will also be acceptable. The following clause may be inserted in the Special Conditions of Contract or the Technical Specifications.

Sample Clause: Equivalency of Standards and Codes

Wherever reference is made in the Technical Specifications to specific standards and codes to be met by the goods and materials to be furnished or tested, the provisions of the latest edition or revision of the relevant standards and codes shall apply, unless otherwise expressly stated in the Contract. Where such standards and codes are national or relate to a particular country or region, other authoritative standards that ensure substantial equivalence to the standards and codes specified will be acceptable.

Reference to brand name and catalogue number should be avoided as far as possible; where unavoidable they should always be followed by the words "or at least equivalent." References to brand names cannot be used when the funding source is the GOP.

Where appropriate, drawings, including site plans as required, may be furnished by the Procuring Entity with the Bidding Documents. Similarly, the Supplier may be requested to provide drawings or samples either with its Bid or for prior review by the Procuring Entity during contract execution.

Bidders are also required, as part of the technical specifications, to complete their statement of compliance demonstrating how the items comply with the specification.

Technical Specifications

Item	Specification	Statement of
Item	Specification	[Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and crossreferenced to that evidence. Evidence shall be in the form of manufacturer's unamended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or
		manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, postqualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable
1.	Adult Trauma Patient Simulator with Electronic Tablet and Monitor and Software for Clinical Skills	for prosecution subject to the applicable laws and issuances.]
	Specifications: * High-fidelity wireless manikin of a life-size, full-bodied adult with mediumor light brown skin tone; not more than 50kg * Manikin's voice and examination findings can be monitored and controlled wirelessly through a touchscreen, handheld	

tablet/monitor and compatible software

- * at least 12" Tablet and 30" monitor with the following specifications or better: screen/display, 4 GB RAM, 128 GB SSD
- * manikin should be powered by internal rechargeable lithium battery
- * Human-like articulation of joints with full range of motion Rugged Shoulder and Hip Joints to allow dragging and carrying features a traumatic groin wound
- * Airway: can simulate Head tilt/Chin lift maneuver, Bag-mask Ventilation, supraglottic airway placement, Cricothyrotomy, and Endotracheal intubation; can be pre-programmed to simulate airway edema/occlusion
- * Breathing: visible spontaneous bilateral chest rise and fall; audible lung sounds upon auscultation of chest; oxygen saturation measurable with finger oximeter
- * Circulation: palpable carotid, radial, and femoral pulses; audible heart sounds upon auscultation of chest
- * CPR: allows chest compressions compliant with AHA CPR requirements, ECG monitoring, blood pressure measurement via auscultation and palpation, defibrillation, cardioversion
- * Allows intramuscular injections, intraosseous, and intravenous cannula insertion
- * Neurologic: Observable blinks and pupillary reflex, can be pre-programmed to simulate convulsions/seizure
- * Gastrointestinal: audible bowel sounds upon auscultation of abdomen, allows nasogastric tube insertion
- * Trauma: At least 1.5-liter internal fluid/blood capacity and interchangeable limbs to simulate lower arm/leg amputations
- * Sounds: has pre-recorded sounds to simulate a patient's voice
- * Accessories must include chargers and batteries of both manikin and tablet/monitor, user manual/s, replaceable/spare parts, storage/transport container, and consumables, if any..

Pediatric Simulator/Manikin with Electronic Tablet, Monitor and Software for Clinical Skills

Specifications:

- * High-fidelity wireless manikin resembling life-size full body of a child aged 5-7 years old with medium or light brown skin tone
- * 100-150 cm in length/height and not more than 40 kg in weight
- * Manikin's examination findings can be monitored and controlled wirelessly through a touchscreen, handheld tablet/monitor and compatible software

monitor: 30 inches

- * Software with various pre-programmed clinical scenarios
- * at least 12" tablet & 30" monitor with the following specifications or better:
 - screen/display, 4 GB RAM,
 - 128GB SSD
- * manikin should be powered by internal rechargeable lithium battery

- * articulation: Human-like motion of joints with full range of motion such as in the neck joint, jaws, elbows, and knees; programmable stiff neck
- * Airway: Anatomically accurate oral cavity and airway which allows Head tilt/Chin lift maneuver, Bag-mask Ventilation,
 Supraglottic airway placement, Cricothyrotomy, Tracheostomy, and
 Endotracheal intubation; can be programmed to simulate airway occlusion
- * Cardiac: allows blood pressure measurement, ECG monitoring with customizable rhythms, defibrillation/cardioversion, and chest compressions that provide real-time feedback on CPR quality
- * Circulation: palpable Carotid, Radial, and Brachial arterial pulses; visible peripheral capillary refill; can simulate cyanosis; allows fingerstick blood glucose measurement
- * Gastric & Urinary: abdominal distension upon erroneous ventilation/intubation; allows insertion of oro/nasogastric tube; interchangeable genitalia, allows urinary catheterization
- * Neurologic: Observable blinks and pupillary reflex, can be pre-programmed to simulate convulsions/seizure
- * Respiratory: visible spontaneous bilateral chest rise and fall; allows oxygen saturation measurement; unilateral chest rise upon right main stem intubation; compatible with mechanical ventilation/PEEP; allows chest tube placement and needle decompression
- * sounds: audible heart, lung, and bowel sounds
- * Vascular access: allows intraosseous and intravenous injection and infusion
- * Accessories must include chargers of both manikin and tablet/monitor, user manual/s, replaceable/spare parts, and storage container

3. Infant Simulator/Manikin with Electronic Tablet and Monitor and Software for Clinical Skills

Specifications:

- * High-fidelity wireless manikin resembling life-size full body of an infant or newborn with medium or light brown skin tone, 50-70 cm in length and 4-6 kg in weight
- * Manikin's examination findings can be monitored and controlled wirelessly through a touchscreen, handheld tablet/monitor and compatible software
- * at least 12" Tablet and 30" monitor with the following specifications or better:
 - screen/display,
 - 4 GBRAM, 128 GB SSD
 - monitor must be at least 30 inches
- * manikin should be powered by internal rechargeable lithium battery
- articulation: Human-like motion of joints with full range of motion such as in the neck, shoulder, elbow, hip, and knee; allows forearm pronation and supination
- * Airway: Anatomically accurate oral cavity and airway which allows Head tilt/Chin lift maneuver, Bag-mask Ventilation, Supraglottic

	airway placement, and Endotracheal intubation; can be programmed	
	to simulate airway difficulty/occlusion	
	* Cardiac: allows ECG monitoring with customizable rhythms,	
	defibrillation/cardioversion, and chest compressions that provide	
	real-time feedback on CPR quality	
	* Circulation: palpable Brachial and umbilical arterial pulses;	
	allows blood pressure measurement; can simulate cyanosis	
	* Urinary: interchangeable genitalia, allows Urinary catheterization	
	* Neurologic: programmable simulation of crying, grunting, and	
	bilateral or unilateral arm movement	
	* Respiratory: visible spontaneous, continuous bilateral chest rise	
	and fall; unilateral chest rise upon right main stem intubation,	
	and with variable respiratory rates and inspiratory/expiratory ratios	
	* sounds: audible heart, lung, and bowel sounds	
	* Vascular access: allows tibial intraosseous infusion, thigh	
	intramuscular injection, and umbilical catheterization, and	
	intravenous cannulation	
	* Accessories must include chargers of both manikin and tablet/monitor,	
	user manual/s, replaceable/spare parts, and storage container	
4.	Adult Torso Manikin with Tablet/Computer and Speakers for	
	Auscultation Training	
	Specifications:	
	* Unit must include manikin with platform/pedestal, tablet/computer,	
	and compatible speakers	
	- Manikin with anatomically accurate neck and trunk and with	
	medium or light brown skin tone	
	* manikin can be wirelessly connected to tablet/computer that	
	allows control of the auscultatory findings on the manikin	
	- Skills that can be simulated:	
	* Auscultation of normal and abnormal cardiac sounds when	
	real stethoscope is applied on anterior chest points	
	* Auscultation of normal and abnormal pulmonary sounds when	
	stethoscope is applied on multiple points at the back	
	* Auscultation of normal and abnormal bowel sounds when	
	stethoscope is applied on abdominal points	
	* Accessories must include charger/s, user manual, replaceable/spare	
	parts, and storage/transport container	
5.	Unilateral Breast Model for Breast Examination Skills Training	
	Specifications:	
	* Model includes life-size unilateral breast with light/medium	
	skin tone on a base/frame	
	* Material must be soft and waterproof resembling human skin	
	* Model allows variation of breast examination findings including	
	benign lesions, fluid-filled cyst, and malignant masses via	
	interchangeable masses	
	* Accessories must include user manual, replaceable/spare parts, and	
	storage/transport container	

6.	Wearable Bilateral Breast Model for Breast Examination Skills Training	
	Specifications:	
	* Model includes life-size bilateral breast with light/medium skin	
	tone on a base/torso that allows both upright and supine positions	
	* Model can be removed from base/torso and be worn by a	
	simulated patient	
	* Material must be latex-free, soft, and waterproof resembling human skin	
	* Model allows variation of breast examination findings including	
	palpation of different benign lesions, a fluid-filled cyst, and malignant	
	masses via interchangeable parts	
	* Accessories must include user manual, replaceable/spare parts, and	
	storage/transport container.	
7.	Peripheral Intravenous Catheterization Training Arm/Model	
''	Specifications:	
	* Model features adult-sized unilateral arm model including	
	the mid/upper arm, antecubital fossa, forearm, and	
	hand with light/medium skin tone	
	* allows practice of intravenous catheterization through injection of	
	veins at anatomically accurate locations in the antecubital fossa or	
	dorsum of the hand	
	- Unit must include blood bags, replaceable drainage tubes,	
	replaceable skin pads, a storage container, and a user manual	
8.	CAE Simequip Automated External Defibrillator Simulator	
	with Tablet/Monitor and Software	
	Specifications:	
	* Tablet/monitor displays values/waveform for heart rate, respiratory	
	rate, and oxygen saturation which may be customized to simulate	
	different clinical scenarios	
	* should be compatible with Existing WMSU College of Medicine Unit CAE Apollo	
	* Able to simulate manual delivery of defibrillation, cardioversion, and pacing	
	* Provides alarm sounds to guide user	
	* Unit includes electrode pads, adult 12-lead ECG cables,	
	a temperature probe, oxygen saturation probe, a tablet/monitor	
	with pre-installed software, charger/s, a user manual, and a	
	storage container with spaces for all hardware	
9.	Female Pelvis Simulator/Manikin for Obstetric & Gynecologic	
,	Skills Training	
	Specifications:	
	* manikin featuring life-size adult female lower abdomen and	
	pelvis with bony landmarks, light/medium skin tone, and	
	soft waterproof skin	
	* Has Anatomically accurate labia, vagina, cervix, anus, and Rectum	
	* Skills that can be simulated: pelvis and perineum inspection,	
	Vaginal examination with speculum, Bimanual palpation,	
	Cervical/Pap smear, and Digital Rectal Examination (DRE)	
	* Uterus and cervix are interchangeable to allow variation of	
	examination findings including normal uterus, uterus	

	with myomas/fibroids, nulliparous cervix, multiparous cervix, and	
	ectropion cervix	
	* Accessories must include user manual, replaceable/spare parts, and	
	storage/transport container	
10.	Male Rectal Exam Trainer/Simulator	
	Specifications:	
	* Unit features life-size adult male pelvis with anatomically accurate	
	perineum, buttocks, anus, rectum, and prostate stabilized by a	
	platform/pedestal which allows a prone and lateral examination	
	position	
	* Material is latex-free and covered in light/medium skin tone	
	* Skills that can be practiced: external anal inspection and digital	
	rectal examination (DRE) with prostate palpation	
	* Rectum and prostate units are interchangeable to allow	
	variation of prostate and rectal examination findings including	
	normal prostate and rectum, enlarged prostate, prostate	
	carcinoma, rectal polyp, and rectal cancer	
	* Accessories must include user manual, replaceable/spare parts, and	
	storage/transport container	
11.	Patient Simulator/Manikin for Tube Feeding Skills & Tracheostomy	
	Care	
	Specifications:	
	* Unit features life-size adult Head and torso with anatomically	
	accurate oral cavity, nostrils, trachea, and esophagus stabilized	
	by a platform/pedestal which allows a supine and upright positions	
	* Material is covered in light/medium skin tone	
	* Minimum Skills that can be practiced: insertion of oro/nasogastric	
	tube (OGT/NGT), confirmation of correct tube placement,	
	feeding of liquid food via OGT/NGT, and tracheostomy care	
	& suctioning, PEG care, gastrostomy	
	* internal compartments representing stomach/lungs may be	
	filled with fluid and emptied for cleaning/washing	
	* Accessories must include user manual, replaceable/spare parts, and	
	storage/transport container	
12.	Suture Practice Pad with Tension Base and Dissecting Kit	
	Specifications:	
	* Unit must contain a silicone latex-free suture pad with at least	
	3 layers, a curved base to simulate normal skin tension, a basic	
	dissecting kit, and sutures with needles	
	* Outermost layer of pad resembles skin with light to medium skin	
	tone	
	* Minimum dimensions of suture pad: at least 10 cm in width and	
	at least 14 cm in length	
	* Skills that can be practiced: skin incision, surgical knot-tying,	
	suturing techniques, and removal of sutures	
	* Dissecting kit must have at least a surgical scapel, dissecting	
	forceps, surgical scissors, and a needle holder	
<u> </u>	- 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1	

13.	Eye Examination Simulator/Manikin			
	Specifications:			
	* Unit features life-size adult Head (with shoulders) with			
	light/medium skin tone and anatomically accurate bilateral eyes			
	- Manikin not more than 5 kg and is stable on upright position			
	- Minimum skills that can be practiced: fundus examination with			
	the use of a direct ophthalmoscope			
	* Eye examination findings are adjustable to simulate both normal			
	fundus and eye pathologies including diabetic retinopathy,			
	hypertensive retinopathy, age-related macular degeneration,			
	glaucoma, papilledema, retinal hemorrhage, and toxoplasmosis			
	* Accessories must include user manual, replaceable/spare parts, and			
	storage/transport container.			
14.	Ear Examination Simulator/Manikin			
	Specifications:			
	* Unit features life-size adult Head (with shoulders) with light/medium			
	skin tone and anatomically accurate outer, middle ,and inner ear			
	- Manikin not more than 5 kg, is stable on upright position, and			
	examined ear can be tilted upwards to simulate proper ear examination			
	- Minimum skills that can be practiced: ear examination with the			
	use of an otoscope			
	* Ear examination findings are adjustable to simulate both normal ear			
	canal and tympanic membrane and pathologies including cerumen			
	blockage, serous otitis media, mucoid otitis media, chronic			
	otitis media, tympanosclerosis, and cholesteatoma			
	* Accessories must include user manual, replaceable/spare parts, and			
	storage/transport container			
15.	Teaching Stethoscope			
	Specifications:			
	* Stethoscope with one (1) chest piece but with two (2) tubings			
	and two (2) headsets to allow simultaneous auscultation by			
	2 individuals within the same area			
	* Aluminum-based chest piece consists of diaphragm and bell			
	* Each headset has bilateral rubber earpieces and aluminum ear tubes			
	* Total length at least 120 cm			
	* Accessories must include user manual, replaceable/spare parts, and			
	storage/transport container.			

Section VIII. Checklist of Technical and Financial Documents

Notes on the Checklist of Technical and Financial Documents

The prescribed documents in the checklist are mandatory to be submitted in the Bid, but shall be subject to the following:

- a. GPPB Resolution No. 09-2020 on the efficient procurement measures during a State of Calamity or other similar issuances that shall allow the use of alternate documents in lieu of the mandated requirements; or
- b. Any subsequent GPPB issuances adjusting the documentary requirements after the effectivity of the adoption of the PBDs.

The BAC shall be checking the submitted documents of each Bidder against this checklist to ascertain if they are all present, using a non-discretionary "pass/fail" criterion pursuant to Section 30 of the 2016 revised IRR of RA No. 9184.

Checklist of Technical and Financial Documents

I. TECHNICAL COMPONENT ENVELOPE

Class "A" Documents

Leg	gal Do	<u>ocuments</u>
	(a)	Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages);
	(b)	or Registration certificate from Securities and Exchange Commission (SEC), Department of Trade and Industry (DTI) for sole proprietorship, or Cooperative Development Authority (CDA) for cooperatives or its equivalent document,
	(c)	and Mayor's or Business permit issued by the city or municipality where the principal place of business of the prospective bidder is located, or the equivalent document for Exclusive Economic Zones or Areas; and
	(d)	Tax clearance per E.O. No. 398, s. 2005, as finally reviewed and approved by the Bureau of Internal Revenue (BIR).
Teo	chnica	al Documents
	(e)	Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid; and
	(f)	Statement of the bidder's Single Largest Completed Contract (SLCC) similar to the contract to be bid, except under conditions provided for in Sections 23.4.1.3 and 23.4.2.4 of the 2016 revised IRR of RA No. 9184, within the relevant period as provided in the Bidding Documents; and
	(g)	Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission; or
	(h)	Original copy of Notarized Bid Securing Declaration; <u>and</u> Conformity with the Technical Specifications, which may include production/delivery schedule, manpower requirements, and/or aftersales/parts, if applicable; <u>and</u>
	(i)	Original duly signed Omnibus Sworn Statement (OSS); and if applicable, Original Notarized Secretary's Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder.
Fin	ancia	<u>l Documents</u>
	(j)	The Supplier's audited financial statements, showing, among others, the Supplier's total and current assets and liabilities, stamped "received" by the BIR or its duly accredited and authorized institutions, for the preceding calendar year which should not be earlier than two (2) years from the date of bid submission; and
Ш	(k)	The prospective bidder's computation of Net Financial Contracting

			Capacity (NFCC);
			or A committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation.
			Class "B" Documents
		(1)	If applicable, a duly signed joint venture agreement (JVA) in case the joint venture is already in existence;
			or duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.
II.	FIN	ANC	IAL COMPONENT ENVELOPE
		(m)	Original of duly signed and accomplished Financial Bid Form; and
		(n)	Original of duly signed and accomplished Price Schedule(s).
	Oth	er do	cumentary requirements under RA No. 9184 (as applicable)
			[For foreign bidders claiming by reason of their country's extension of reciprocal rights to Filipinos] Certification from the relevant government
			office of their country stating that Filipinos are allowed to participate in
		()	government procurement activities for the same item or product.
		(p)	<u> </u>
			Bidder or Domestic Entity.

