



**NOTICE OF AWARD**

MAR 06 2024

**HYTEC POWER, INC.**  
 #2 T. CRUZ ST. CRUZVILLE SUBD. ZABARTE ROAD,  
 NOVALICHES, QUEZON CITY PHILS.  
 CONTACT NO: 4175435/4187079

Sir/Madam:

This is to advise you that your bid dated December 28, 2023 for PR-23-10-520; Public Bidding Procurement of Supply and Delivery of Various Laboratory Equipment for the College of Agriculture of the University, with a following Contract Price is hereby accepted;

| Object of Bidding  | Total Amount in Figures | Amount in Words  |
|--|-------------------------|--|
| <b>1.) One (1) set of OVEN</b><br><i>Specifications:</i><br>. Capacity: 420L<br>. Temp. range: RT + 10~3000C<br>. Temp. Precision: 0.10C<br>. Temp. fluctuation: ±10C<br>. Ambient Temp.: 5~400C<br>. Timing Range: 1~9999min<br>. Shelves: pcs.<br>. Display: LED<br>. Consumption: 3100W<br>. Power Supply: 220V/60Hz<br>. Internal Size: (WxDxH)mm:<br>640x585x1355mm<br>. External Size: (WxDxH)mm:<br>780x730x1780mm<br>With On-Site Training<br><br><b>Offer: BIOBASE BOV-V429FI</b><br><b>Capacity: 420L</b><br><b>Temp. Range: 300°C</b><br><b>Temp. Precision: 0.1°C</b><br><b>Temp. Fluctuation: ±1°C</b><br><b>Ambient Temp.: 5~40°C</b><br><b>Timing Range: 1~9999min</b><br><b>Shelves no: 2 pcs</b><br><b>Display: LED</b><br><b>Consumption: 3100W</b><br><b>PS: 380V, 50Hz</b><br><b>With On-Site Training</b> | Php 180,000.00          | One Hundred Eighty<br>Thousand Pesos                         |
| <b>2.) One (1) unit of LAMINAR FLOW HOOD</b><br><br><i>Specification:</i>  | Php 223,800.00          | Two Hundred Twenty-<br>Three Thousand Eight<br>Hundred Pesos |



|  |  |  |
|--|--|--|
| <p><b>Dimension:</b></p> <ul style="list-style-type: none"> <li>. External Size: (w*d*h*):<br/>1800*820*2070mm</li> <li>. Internal Size: (w*d*h*):<br/>1700*645*610mm</li> </ul> <p><b>Construction:</b></p> <ul style="list-style-type: none"> <li>. Cabinet: Powder coated E.G. Steel</li> <li>. Sash: UV safe polycarbonate</li> <li>. Work base: stainless steel AISI 304</li> </ul> <p><b>Filter:</b></p> <ul style="list-style-type: none"> <li>. Main Filter: ULPA</li> <li>. Filter Efficiency: 99.9995%<br/>(0.1um~0.3um)</li> <li>. Pre-Filter: Washable</li> <li>. Arrestance: 80-85%</li> </ul> <p><b>Air Flow System:</b></p> <ul style="list-style-type: none"> <li>. Step1: 0.3±0.015m/s</li> <li>. Step2: 0.4±0.015m/s</li> <li>. Display: LCD</li> <li>. Main Body: Cold Rollers Steel with Anti-Bacteria Powder Coating</li> <li>. Side and Front window: 5mm Toughened Glass (Anti UV)</li> <li>. Front Window: Motorized</li> <li>. LED Lamp: 12W</li> <li>. UV Lamp: 30W</li> <li>. UV Lamp Emission of 253.7 Nanometer</li> <li>. Water Proof Socket: 2 load With On-Site Training</li> </ul> <p><b>Offer: BIOBASE VERTICAL LAMINAR FLOW CABINET</b></p> <p><b>Work Surface Height: 750mm</b><br/> <b>Display: LCD Display</b><br/> <b>Airflow Velocity: Average of 0.3~0.5m/s</b><br/> <b>Material: Main Body: Cold-rolled steel with Anti-bacteria powder coating; Work Table: 304 stainless steel</b><br/> <b>Side and Front Windows: 5mm toughened glass anti-UV</b><br/> <b>Pre-Filter: Polyester, washable;</b><br/> <b>Noise: &lt;65dB</b><br/> <b>Front Window: Motorized; LED Lamp 12W*1 or 16W*1</b><br/> <b>UV lamp: 30W*1 or 40W*1</b><br/> <b>Consumption: 400W or 450W</b><br/> <b>Caster: Universal caster with leveling feet</b><br/> <b>PS: AC220V±10%, 50/60Hz; 110V±10%, 60Hz</b></p> |  |  |
|--|--|--|







Republic of the Philippines  
**WESTERN MINDANAO STATE UNIVERSITY**  
**OFFICE OF THE PRESIDENT**  
 Normal Road, Baliwasan Zamboanga City  
 Telefax.: 062-992-3084  
 www.wmsu.edu.ph



|   |                       |   |
|---|-----------------------|---|
| <i>Standard Accessory: LED Lamp, UV Lamp *2, Base Stand, Gas Tap Waterproof socket *2</i><br><i>Optional Accessory: Electric height adjustable base stand</i><br><i>With On-Site Training</i> |                       |   |
| <i>Place of Delivery: SAN RAMON CAMPUS</i>  |                       |   |
| <b>TOTAL CONTRACT PRICE</b>   | <b>Php 403,800.00</b> | <b>Four Hundred Three Thousand Eight Hundred Pesos Only</b> |

You are hereby required to provide, within ten (10) days from receipt hereof, the Performance Security/ Performance Bond equivalent to the following;

| Form of Performance Security   | Amount of Performance Security (Equal to Percentage of the Total Contract Price) |
|--|--|
| a) Cash or cashier's/manager's check issued by a Universal or Commercial Bank.   | Five percent (5%)  |
| b) Bank draft/ guarantee or irrevocable letter of credit issued by a Universal or Commercial Bank: Provided, however, that it shall be confirmed or authenticated by a Universal or Commercial Bank, if issued by a foreign bank | Five percent (5%)  |
| c) Surety bond callable upon demand issued by a surety or insurance company duly certified by the insurance Commission as authorized to issue such security.   | Thirty percent (30%)   |
| d) Any combination of the foregoing.   | Proportionate to share of form with respect to total amount of security          |

Failure to provide the Performance Security shall constitute sufficient ground for the cancellation of the award and forfeiture of the Bid Security.

Very truly yours,

**MA. CARLA A. OCHOTORENA, RN., Ph.D.**  
 President

Received by:

\_\_\_\_\_  
 (Signature Over Printed Name)

Date: \_\_\_\_\_