



PURCHASE ORDER
WESTERN MINDANAO STATE UNIVERSITY

WMSU-SO-FR-002.02
Effectivity: Aug. 30, 2023

Supplier: **CHINA SIX ELEVEN INT L. SALES**
Address: **2/F, IMS Bldg., De Jesus St., Barangay 36-D,
Poblacion District, Davao City**
Tel No.: **09260894016**
TIN: **930-191-252-000**

P.O. No.: **25-128**
Date: **21/07/2025**
P.R No: **25-03-149**
Date:
Mode of Procurement: **Public Bidding**
Performance Bond:

Gentlemen: Please furnish this office the following articles subject to terms and conditions contained herein.

Place of Delivery: **WMSU SUPPLY OFFICE**

Delivery Term: **45 CD**

Date of Delivery:

Payment Term:

Item No	Item Name	Unit	Qty	Unit Price	Total Price
1	MINI DUMP TRUCK Specifications: Engine Power: 115kW/2600rpm Displacement (cc): not less than 3760 Wheelbase (mm): 3,400 Driving Type: 4 x 2 Over all Dimension: Length 6,250mm x Width 2,300mm x Height 2,580 mm Payload (kg): 10,000 Curb Weight (kg): 6,350 GVW (kg): 16,195 Max. Torque (NM): 500 @1,900rpm Emission: Euro IV Dumping system: hg-F140/70x650 Cargo Platform (L*W*H)mm: 3,650 x 2,070 x 800 Cabin Width (mm): 1,995 Engine Type: Diesel Cylinder Position: In-Line Cylinder: 4 Color: White 1 year Service and Parts Warranty Inclusive: LTO (3 YEARS) INSURANCE (GSIS) TINT - Light UNDERCOATING FREIGHT/DELIVERY WMSU LOGO/Seal in DRIVER and PASSENGER SIDE - 12 inches diameter FOB: WESTERN MINDANAO STATE UNIVERSITY DELIVERY PERIOD: 30 DAYS OFFER: SINOTRUCK	unit	1	1,790,000.00	1,790,000.00

Page 1 of 3 For: **ADMINISTRATION-ADMINISTRATION**

(Amount in words) **One Million Seven Hundred Ninety Thousand Pesos Only** 1,790,000.00

In case of failure to make the full delivery within the specified time above, a penalty of one-tenth (1/10) of one percent for every day of delay shall be imposed

Conforme:

WALTER DOD2 T. MAGSAYO
CHINA SIX ELEVEN INT L. SALES
(Signature over printer name)

MA. CARLA A. DEHOTORENA, R.N., Ph.D.
UNIVERSITY PRESIDENT

Date

Funds Available:

CHRISTIANNE DAWN R. SICAT
Chief Accountant

ALOBS: **2025-07-26 - CURRENT**

AMOUNT: **₱ 1,790,000.00**



PURCHASE ORDER
WESTERN MINDANAO STATE UNIVERSITY

WMSU-SO-FR-002.02
Effectivity: Aug. 30, 2023

Supplier: CHINA SIX ELEVEN INT L. SALES
Address: 2/F, IMS Bldg., De Jesus St., Barangay 35-D,
Poblacion District, Davao City
Tel No.: 09260894016
TIN: 930-191-252-000

P.O. No.: 25-128
Date: 21/07/2025
P.R No: 25-03-149
Date:
Mode of Procurement: Public Bidding
Performance Bond:

Gentlemen: Please furnish this office the following articles subject to terms and conditions contained herein.

Place of Delivery: WMSU SUPPLY OFFICE
Date of Delivery:

Delivery Term: 45 CD
Payment Term:

Item No	Item Name	Unit	Qty	Unit Price	Total Price
	8 CU. DUMP TRUCK 115 KW ENGINE PARAMETERS: ENGINE MODEL: YC4D130-33 DISPLACEMENT: 4214 LITER RATED POWER: 115-2600 rpm MAXIMUM TORQUE: 500 @1900-2000 rpm FEATURES: 4-CYLINDER INLINE, 4214 LITER, EURO 4 DISESEL ENGINE VEHICLE DIMENSIONS (mm): WHEELBASE: 3400, FRONT OVERHANG: 1260 REAR OVERHANG: 1310, WHEEL TRACK OF FRONT AXLE: 1750 WHEEL TRACK OF REAR AXLE: 1725, CHASSIS LENGTH: 6100 APPROACH ANGLE: 29, DEPARTURE ANGLE: 12 MAXIMUM DRIVING SPEED: 30 km/h MAXIMUM GRADUABILITY: 31-33 % MAXIMUM GROUND CLEARANCE: 350 mm MAXIMUM TURNING DIAMETER: <16.5m FUEL CONSUMPTION: 25-28 CARGO BODY SIZE: 3850*2100*1000 OVERALL DIMENSION: 6250*2310*2860 WEIGHT: KERB MASS/PAULOAD: 3850/10000 GROSS VEHICLE WEIGHT: 16198 FRONT AXLE LOADING CAPACITY: 3000 REAR AXLE LOADING CAPACITY: 9000 CLUTCH: 350 DIAPHRAGM SPRING CLUTCH, SINGLE PLATE DUMPING SYSTEM: HG-F140/70 x 650 GEARBOX: 81585F 8 SPEED MANUAL CONTROL GEARBOX RATIO: 1-11.7, 2-8.23, 3-5.83, 4-4.07, 5-2.87, 6-2.02 7-1.43, 8-1.00, R1-11.88, R2-2.93 TYRES: 9.00 R20 6+1, WHEELS: 7.00V 20 STEERING GEAR: TYPE: FN090ZY01HYDRAULICALLY ASSISTED BRAKING SYSTEM: TYPE: AIR BRAKE SYSTEM SERVICE BRAKE: DUAL CIRCUIT AIR BRAKE BRAKING BRAKE: SPRING ENERGY, COMPRESS AIR OPERATING REAR WHEELS AUXILLARY BRAKE: EXHAUST VALVE BRAKING (EVB)				

Page 2 of 3 For: ADMINISTRATION-ADMINISTRATION

(Amount in words) One Million Seven Hundred Ninety Thousand Pesos Only * 1,790,000.00

In case of failure to make the full delivery within the specified time above, a penalty of one-tenth (1/10) of one percent for every day of delay shall be imposed.

Conforme:

WALTER DDDZ T. MAGSAYS
CHINA SIX ELEVEN INT L. SALES
(Signature over printer name)

MA. CARLA A. OCHOTORENA, R.N., Ph.D.
UNIVERSITY PRESIDENT

Date

Funds Available:

CHRISTIANNE DAWN R. SICAT
Chief Accountant

ALOS: 2025-07-26 - GARMENT
AMOUNT: P 1,790,000.00



PURCHASE ORDER
WESTERN MINDANAO STATE UNIVERSITY

WMSU-SO-FR-002.02
Effectivity: Aug. 30, 2023

Supplier: CHINA SIX ELEVEN INT L. SALES
Address: 2/F, IMS Bldg., De Jesus St., Barangay 35-D,
Poblacion District, Davao City
Tel No.: 09260894016
TIN: 930-191-252-000

P.O. No.: 25-128
Date: 21/07/2025
P.R No: 25-03-149
Date:
Mode of Procurement: Public Bidding
Performance Bond:

Gentlemen: Please furnish this office the following articles subject to terms and conditions contained herein.

Place of Delivery: WMSU SUPPLY OFFICE
Date of Delivery:

Delivery Term: 45 CD
Payment Term:

Item No	Item Name	Unit	Qty	Unit Price	Total Price
	AXLES: STEER: 1090N, (3.0T), FORGING 1-BEAM FRONT AXLE DRUM BRAKE, DRIVE: 153AS, (9.0T) 1+8.833 CENTRAL SINGLES REDUCTION DRUM BRAKE 153AS, 1x6.833 FUEL TANK CAPACITY: 120 LITERS FRAME: MATERIAL: HIGH TENSILE STEEL SECTION: 255 x 70 x (8+5) mm FRAME WIDTH: 800mm ELECTRICAL SYSTEM: TYPE: SINOTRUK CAN BUS SYSTEM WITH VCS INSTRUMENT VOLTAGE: 24V, BATTERIES: 2 x 12V, 105Ah ALTERNATOR: 28V/35A, STARTER: 5KW SUSPENSION: STEER AXLE: SEMI-ELLIPTICAL LEAF SPRINGS WITH SHOCK ABSORBER AND STABILIZER DRIVE AXLE: SEMI-ELLIPTICAL LEAF SPRINGS PLEASE SEE ATTACHED TECHNICAL SPECIFICATIONS COMPLIANCE DELIVERY PERIOD: DELIVERED WITHIN THIRTY (30) CALENDAR DAYS UPON ISSUANCE/RECEIPT OF (NTP) NOTICE TO PROCEED				

NOTHING FOLLOWS

Page 3 of 3 For: ADMINISTRATION-ADMINISTRATION

(Amount in words) One Million Seven Hundred Ninety Thousand Pesos Only 1,790,000.00

In case of failure to make the full delivery within the specified time above, a penalty of one-tenth (1/10) of one percent for every day of delay shall be imposed.

Conforme:

WALTER DOD2 T. MAGAYO
CHINA SIX ELEVEN INT L. SALES
(Signature over printer name)

MA. CARLA A. OCHOAORENA, R.N., Ph.D.
UNIVERSITY PRESIDENT

Date

Funds Available:

CHRISTIANNE DAWN R. SICAT
Chief Accountant

ALOB: 2025-02-26-628MENT

AMOUNT: P 1,790,000.00



Republic of the Philippines
WESTERN MINDANAO STATE UNIVERSITY

Office of the President

Normal Road, Baliwasan, Zamboanga City, 7000
✉ wmsu@wmsu.edu.ph/wmsupres@wmsu.edu.ph ☎ 992-4238



NOTICE TO PROCEED

AUG 15 2025

WALTER T. MAGSAYO

Sales Manager/Authorized Representative

CHINA SIX ELEVEN INT'L. SALES

2/F, IMS Bldg., De Jesus St., Brgy. 35-D

Poblacion District, Davao City

Sir:

Pursuant to the to the contract entered into between your company and this office dated AUG 15 2025 for PR 25-03-149 Public Bidding "Procurement of Mini Dump Truck for the University", your company is hereby given the authority to commence delivery on the said project from receipt thereof.

Upon receipt of this notice, you are responsible for performing the services under the terms and conditions provide in the purchase order and in accordance with the delivery schedule.

Very truly yours,

MA. CARLA A. OCHOTORENA, R.N, Ph.D.

President

Conforme:

WALTER DDD2 T. MAGSAYO
(Signature Over Printed Name)

Date: AUGUST 19, 2025



NOTICE OF AWARD

16 JUL 2025

CHINA SIX ELEVEN INTERNATIONAL

IMS Building, Simeon De Jesus St., Poblacion District, Davao City

Madam/Sir:

This is to advise you that your bid dated **June 3, 2025** for **PR 25-03-149; Public Bidding Procurement of PROCUREMENT OF MINI DUMP TRUCK FOR THE UNIVERSITY** with the following Contract Price is hereby accepted:

Object of Bidding	Total Amount in Figures	Amount in Words
1. One (1) unit of MINI DUMP TRUCK Specifications: Engine Power: 115kW/2600rpm Displacement (cc): not less than 3760 Wheelbase (mm): 3,400 Driving Type: 4 x 2 Over all Dimension: Length 6,250mm x Width 2,300mm x Height 2,580 mm Payload (kg): 10,000 Curb Weight (kg): 6,350 GVW (kg): 16,195 Max. Torque (NM): 500 @1,900rpm Emission: Euro IV Dumping system: hg-F140/70x650 Cargo Platform (L*W*H)mm: 3,650 x 2,070 x 800 Cabin Width (mm): 1,995 Engine Type: Diesel Cylinder Position: In-Line Cylinder: 4 Color: White 1 year Service and Parts Warranty Inclusive: LTO (3 YEARS) INSURANCE (GSIS) TINT - Light UNDERCOATING FREIGHT/DELIVERY WMSU LOGO/Seal in DRIVER and PASSENGER SIDE - 12 inches diameter	Php 1,790,000.00	One Million Seven Hundred Ninety Thousand Pesos



FOB: WESTERN MINDANAO
STATE UNIVERSITY
DELIVERY PERIOD: 30 DAYS

Offer: SINOTRUCK
8 CU. DUMP TRUCK 115 KW
ENGINE PARAMETERS:
ENGINE MODEL: YC4D130-33
DISPLACEMENT: 4214 LITER
RATED POWER: 115-2600 rpm
MAXIMUM TORQUE: 500
@1900-2000 rpm
FEATURES: 4-CYLINDER
INLINE, 4214 LITER, EURO 4
DISESEL ENGINE
VEHICLE DIMENSIONS (mm):
WHEELBASE: 3400, FRONT
OVERHANG: 1260
REAR OVERHANG: 1310,
WHEEL TRACK OF FRONT
AXLE: 1750
WHEEL TRACK OF REAR
AXLE: 1725, CHASSIS
LENGTH: 6100
APPROACH ANGEL: 29,
DEPARTURE ANGLE: 12
MAXIMUM DRIVING SPEED:
30 km/h
MAXIMUM GRADUABILITY:
31-33 %
MAXIMUM GROUND
CLEARANCE: 350 mm
MAXIMUM TURNING
DIAMETER: <16.5m
FUEL CONSUMPTION: 25-28
CARGO BODY SIZE:
3850*2100*1000
OVERALL DIMENSION:
6250*2310*2860
WEIGHT: KERB
MASS/PAULOAD: 3650/10000
GROSS VEHICLE WEIGHT:
16198
FRONT AXLE LOADING
CAPACITY: 3000
REAR AXLE LOADING
CAPACITY: 9000
CLUTCH: 350 DIAPHRAGM
SPRING CLUTCH, SINGLE
PLATE
DUMPING SYSTEM: HG-
F140/70 x 650
GEARBOX: 81585F 8 SPEED
MANUAL CONTROL



TOTAL CONTRACT PRICE	Php	1,790,000.00	One Million Seven Hundred Ninety Thousand Pesos Only
-----------------------------	------------	---------------------	---

You are hereby required to provide, within ten (10) days from receipt hereof, the Performance Security/ Performance Bond equivalent to the following;

Form of Performance Security	Amount of Performance Security (Equal to Percentage of the Total Contract Price)
a) Cash or cashier's/manager's check issued by a Universal or Commercial Bank.	Five percent (5%)
b) Bank draft/ guarantee or irrevocable letter of credit issued by a Universal or Commercial Bank: Provided, however, that it shall be confirmed or authenticated by a Universal or Commercial Bank, if issued by a foreign bank	Five percent (5%)
c) Surety bond callable upon demand issued by a surety or insurance company duly certified by the insurance Commission as authorized to issue such security.	Thirty percent (30%)
d) Any combination of the foregoing.	Proportionate to share of form with respect to total amount of security

Failure to provide the Performance Security shall constitute sufficient ground for the cancellation of the award and forfeiture of the Bid Security.

Very truly yours,

MA. CARLA A. OCHOTORENA, RN., Ph.D.
President

Received by: 
WALTER DOOZ T. MAGAYO
(Signature Over Printed Name)

Date: JULY 17, 2025

