



WMSU-SO-FR-002.02 Effectivity: Aug. 30, 2023

Supplier: HYTEC POWER, INC.

#2 T. Cruz St., Cruzville Subd, Zabarte Road, Address:

Novaliches, Quezon City

417-5435

Tel No. : TIN:

P.O. No.: 24-021 B

Date: 02/04/2024 R.I.S No: 23-10-520

Date:

Mode of Procurement: Public Bidding

Tild.						
Gentlemen: Please furnish this office the following articles subject to terms and cond	litions contain	ed herei	n.			
Place of Delivery: WMSU SUPPLY OFFICE	Delivery Terr	n: 60 C	D			
Date of Delivery :	Payment Ten	m:				
Item Nd Item Name	Unit	Qty	Unit Price	Total Price		
1 OVEN BIOBASE BOV-V429FI Capacity: 420L Temp. Range: 300°C Temp. Precision: 0.1°C	set	1	180,000.00	180,000.00		
Temp. Fluctuation: ±1°C Ambient Temp.: 5~40°C Timing Range: 1~9999min Shelves no: 2 pcs Display: LED		٠				
Consumption: 3100W PS: 380V, 50Hz With On-Site Training		70				
2 LAMINAR FLOW HOOD	unit	1	223,800.00	223,800.00		
BIOBASE VERTICAL LAMINAR FLOW CABINET		-	,ia			
Work Surface Height: 750mm Display: LCD Display Airflow Velocity: Average of 0.3~0.5m/s Material: Main Body: Cold-rolled steel with Anti-bacteria powder coating; Work						
Table: 304 stainless steel Side and Front Windows: 5mm toughened glass anti-UV						
Pre-Filter: Polyester, washable; Noise: <65dB Front Window: Motorized; LED Lamp 12W*1 or 16W*1 UV lamp: 30W*1 or 40W*1 Consumption: 400W or 450W						
Caster: Universal caster with leveling feet PS: AC220V±10%, 50/60Hz; 110V±10%, 60Hz Standard Accessory: LED Lamp, UV Lamp *2, Base Stand, Gas Tap Waterproof socket *2						
Optional Accessory: Electric height adjustable base stand With On-Site Training						
Page 1 of 2 For: COLLEGE OF AGRICULTURE-DOST-PCAARR	 RD					
(Amount in words) Four Hundred Three Thousand Eight Hund		Only `		403,800.00		
In case of failure to make the full delivery within the specified time above, a po						
of one percent for every day of delay shall be imposed.						
Conforme:		A				
			PRESIDENT	Ph.D.		
(Signature over printer name)	0.4.7					
Apn 20, 1004 Date						
Funds Available : ALOI	BS: 2	024-0	04-143 P	CRAPED		
CHRISTIANNE DAWN R. SICAT AMOU	т: 👤	403	800.0V			



Tel No. :

TIN:



PURCHASE ORDER WESTERN MINDANAO STATE UNIVERSITY

WMSU-SO-FR-002.02 Effectivity: Aug. 30, 2023

Supplier: HYTEC POWER, INC.

#2 T. Cruz St., Cruzville Subd, Zabarte Road, Novaliches, Quezon City Address:

417-5435

P.O. No.: 24-021 B

Date: 02/04/2024

R.I.S No: 23-10-520

Date:

Mode of Procurement : Public Bidding

Gentlemen: Please furnish this office the following articles subject to terms and conditions contained herein.					
Place of Delivery: WMSU SUPPLY OFFICE	Delivery Term: 60 CD				
Date of Delivery :	Payment Term :				
tem Nd Item Name	Unit Qty Unit Price Total Price				
NOTHING FOL	.LOW8				
9					
Page 2 of 2 For: COLLEGE OF AGRICULTURE-DOS					
(Amount in words) Four Hundred Three Thousand					
In case of failure to make the full delivery within the specified tim of one percent for every day of delay shall be imposed.	e above, a penaly of one-tenth (1/10)				
Conforme:					
	MA. CARLA A. OCHOTORENA, R.N., Ph.D.				
(Signature over printer name)	UNIVERSITY PRESIDENT				
April 30, 1074					
Funds Available:	ALOBS: 2024-04-143 PCRAPED				
CHRISTIANNE DAWN R. SICAT	AMOUNT: \$ 403, CENV. (N)				
Chief Accountant	VINIOUAL: 1 40 21 Apr 0.				





WMSU-SO-FR-002.02 Effectivity: Aug. 30, 2023

Supplier: HYTEC POWER, INC.

Address: #2 T. Cruz St., Cruzville Subd, Zabarte Road,

Novaliches, Quezon City

417-5435

Tel No. : TIN:

P.O. No.: 24-021 B

Date: 02/04/2024 R.I.S No: 23-10-520

Date:

Mode of Procurement : Public Bidding

Performance Bond:

Gentlemen:	: Please furnish this office the following articles subject to terms and conditions con	tained herein.
------------	---	----------------

Place of Delivery: WMSU SUPPLY OFFICE

Date of Delivery :

Delivery Term: 60 CD

Payment Term:

Date of	Delivery:	rayment ter			
em No	Item Name	Unit	Qty	Unit Price	Total Price
1	OVEN BIOBASE BOV-V429FI Capacity: 420L Temp. Range: 300°C Temp. Precision: 0.1°C Temp. Fluctuation: ±1°C Ambient Temp.: 5~40°C Timing Range: 1~9999min Shelves no: 2 pcs Display: LED Consumption: 3100W PS: 380V, 50Hz	set	1	180,000.00	180,000.00
2	With On-Site Training LAMINAR FLOW HOOD	unit	1	223,800.00	223,800.00
	BIOBASE VERTICAL LAMINAR FLOW CABINET Work Surface Height: 750mm Display: LCD Display Airflow Velocity: Average of 0.3~0.5m/s Material: Main Body: Cold-rolled steel with Anti-bacteria powder coating; Work Table: 304 stainless steel Side and Front Windows: 5mm toughened glass anti-UV Pre-Filter: Polyester, washable; Noise: <65dB Front Window: Motorized; LED Lamp 12W*1 or 16W*1 UV lamp: 30W*1 or 40W*1 Consumption: 400W or 450W Caster: Universal caster with leveling feet PS: AC220V±10%, 50/60Hz; 110V±10%, 60Hz Standard Accessory: LED Lamp, UV Lamp *2, Base Stand, Gas Tap Waterproof socket *2 Optional Accessory: Electric height adjustable base stand With On-Site Training				

Optional Acce With On-Site	essory: Electric height adjustable base stand Training				
Page 1 of 2	For: COLLEGE OF AGRICULTURE-	DOST-PCAARRD			
Amount in words)	Four Hundred Three Thousa	and Elght Hundred Pe	sos Only		403,800.00
	allure to make the full delivery within the specified very day of delay shall be imposed.	d time above, a penaly of	one-tenth (1/1	10)	
Conforme :	HYTEO TOWER, INC.			TORENA,R.N.	,Ph.D.
(Signature over printer name) April 90, 1004 Date		ONIVEROIT	TALOIDENT	
Funds Available :	Chief Accountant	ALOBS: AMOUNT:		3, COV. (N	PEAAFED



Tel No. :

TIN:



PURCHASE ORDER WESTERN MINDANAO STATE UNIVERSITY

WMSU-SO-FR-002.02 Effectivity: Aug. 30, 2023

Supplier: HYTEC POWER, INC.

#2 T. Cruz St., Cruzville Subd, Zabarte Road, Novaliches, Quezon City Address:

417-5435

P.O. No.: 24-021 B

Date: 02/04/2024 R.I.S No: 23-10-520

Date:

Mode of Procurement : Public Bidding

Gentlemen: Please furnish this office the following articles subject to terms and conditions contained herein.						
Place of Delivery: WMSU SUPPLY OFFICE	Delivery Term: 60 CD					
Date of Delivery :	Payment Term :					
tem No Item Name	Unit Qty Unit Price Total Price					
NOTHING FOL						
Page 2 of 2 For: COLLEGE OF AGRICULTURE-DOS						
(Amount in words) Four Hundred Three Thousand Eight Hundred Pesos Only In case of failure to make the full delivery within the specified time above, a penaly of one-tenth (1/10) of one percent for every day of delay shall be imposed.						
Conforme: HTEGWER, INC. (Signature over printer name)	MA. CARLA A. OGNOTORENA,R.N.,Ph.D. UNIVERSITY PRESIDENT					
April 30, 1014 Date						
Funds Available : CHRISTIANNE DAWN R. SICAT Chief Accountant	ALOBS: 2024-04-143 PCAAPLED AMOUNT: 403,80.00					





WMSU-SO-FR-002.02 Effectivity: Aug. 30, 2023

Supplier: HYTEC POWER, INC.

#2 T. Cruz St., Cruzville Subd, Zabarte Road, Address:

Novaliches, Quezon City

417-5435

Tel No.: TIN:

P.O. No.: 24-021 B

Date: 02/04/2024 R.I.S No: 23-10-520

Date:

Mode of Procurement : Public Bidding

Performance Bond:

Please furnish this office the following articles subject to terms and conditions contained herein.

Place of Delivery: WMSU SUPPLY OFFICE

Date of Delivery :

Delivery Term: 60 CD

Payment Term

Date of	Date of Delivery : Payment ferm.				
tem No	Item Name	Unit	Qty	Unit Price	Total Price
1	OVEN BIOBASE BOV-V429FI Capacity: 420L Temp. Range: 300°C Temp. Precision: 0.1°C Temp. Fluctuation: ±1°C Ambient Temp.: 5~40°C Timing Range: 1~9999min Shelves no: 2 pcs Display: LED Consumption: 3100W PS: 380V, 50Hz With On-Site Training	set	1	180,000.00	180,000.00
2	LAMINAR FLOW HOOD BIOBASE VERTICAL LAMINAR FLOW CABINET Work Surface Height: 750mm Display: LCD Display Airflow Velocity: Average of 0.3~0.5m/s Material: Main Body: Cold-rolled steel with Anti-bacteria powder coating; Work Table: 304 stainless steel Side and Front Windows: 5mm toughened glass anti-UV Pre-Filter: Polyester, washable; Noise: <65dB Front Window: Motorized; LED Lamp 12W*1 or 16W*1 UV lamp: 30W*1 or 40W*1 Consumption: 400W or 450W Caster: Universal caster with leveling feet PS: AC220V±10%, 50/60Hz; 110V±10%, 60Hz Standard Accessory: LED Lamp, UV Lamp *2, Base Stand, Gas Tap Waterproof socket *2 Optional Accessory: Electric height adjustable base stand With On-Site Training	unit	1	223,800.00	223,800.00

Page 1 of 2 For: COLLEGE OF AG	
Amount in words) Four Hundred	only 403,800.0
In case of failure to make the full delivery wit of one percent for every day of delay shall be impose	nth (1/10)
Conforme: HTECKOWER, INC. (Signature over printer name) April 1014 Date	OCHOTORENA,R.N.,Ph.D. ERSITY PRESIDENT
Funds Available : CHRISTIANNE DAWN R. SICAT Chief Accountant	4-04-143 PCAARRO 03,800.00



Tel No. :

TIN:



PURCHASE ORDER WESTERN MINDANAO STATE UNIVERSITY

WMSU-SO-FR-002.02 Effectivity: Aug. 30, 2023

Supplier: HYTEC POWER, INC.

417-5435

Address:

Novaliches, Quezon City

Date:

P.O. No.: 24-021 B #2 T. Cruz St., Cruzville Subd, Zabarte Road, Date: 02/04/2024 R.I.S No: 23-10-520

Mode of Procurement: Public Bidding

Gentlemen:	Please furnish this office the following articles subject to to	terms and conditions contained herein.
Place of Deliver	y: WMSU SUPPLY OFFICE	Delivery Term: 60 CD
Date of Delivery	-	Payment Term:
tem Nd	Item Name	Unit Qty Unit Price Total Price
	NOTHING FO	
	NOTHING FO	OLLOWS-
		00T D04 4 DDD
Page 2 of 2	For: COLLEGE OF AGRICULTURE-DO	
(Amount in word		a might disminute i all bearing
of one percer	se of failure to make the full delivery within the specified to to for every day of delay shall be imposed.	ame above, a penalty of one-tentif (1710)
	a lot oroty day or mointy or an oroty	
Conforme:	\bigcirc .	
	HYTEN OWER, INC.	MA. CARLA A. OCHOTORENA,R.N.,Ph.D.
-	(Signature over printer name)	UNIVERSITUPRESIDENT
	A 1	
-	Apr so nony	
	Date	
Funds Avail	able: Name of 4/13/14	ALOBS: 2024-64-147, PCAARIN
	CHRISTIANNE DAWN R. SICAT	AMOUNT: \$\P\$ 403, YOU.OV
	Chief Accountant	AWOUNT.
	(





WMSU-SO-FR-002.02 Effectivity: Aug. 30, 2023

Supplier: HYTEC POWER, INC.

#2 T. Cruz St., Cruzville Subd, Zabarte Road, Address:

Novaliches, Quezon City

417-5435 Tel No.:

TIN:

P.O. No.: 24-021 B

Date: 02/04/2024 R.I.S No: 23-10-520

Date:

Mode of Procurement: Public Bidding

Performance Bond:

Please furnish this office the following articles subject to terms and conditions contained herein. Gentlemen:

Place of Delivery: WMSU SUPPLY OFFICE

Delivery Term: 60 CD

Date of	Delivery:	Payment Ter	m:		
tem Nd	Item Name	Unit	Qty	Unit Price	Total Price
	OVEN BIOBASE BOV-V429FI Capacity: 420L Temp. Range: 300°C Temp. Precision: 0.1°C Temp. Fluctuation: ±1°C Ambient Temp.: 5-40°C Tlming Range: 1~9999min Shelves no: 2 pcs Display: LED Consumption: 3100W PS: 380V, 50Hz With On-Site Training	set	1	180,000.00	180,000.00
2	LAMINAR FLOW HOOD BIOBASE VERTICAL LAMINAR FLOW CABINET Work Surface Height: 750mm Display: LCD Display Alrflow Velocity: Average of 0.3~0.5m/s Material: Main Body: Cold-rolled steel with Anti-bacteria powder coating; Work Table: 304 stainless steel Side and Front Windows: 5mm toughened glass anti-UV Pre-Filter: Polyester, washable; Nolse: <65dB Front Window: Motorized; LED Lamp 12W*1 or 16W*1 UV lamp: 30W*1 or 40W*1 Consumption: 400W or 450W Caster: Universal caster with leveling feet PS: AC220V±10%, 50/60Hz; 110V±10%, 60Hz Standard Accessory: LED Lamp, UV Lamp *2, Base Stand, Gas Tap Waterproof socket *2 Optional Accessory: Electric height adjustable base stand With On-Site Training	unit	1	223,800.00	223,800.00
Page 1	of 2 For: COLLEGE OF AGRICULTURE-DOST-PCAARR	ND			

Page 1 of 2	For: COLLEGE OF AGRICULTURE-DO	OST-PCAARRD			
Amount in words)	Four Hundred Three Thousand	d Eight Hundred F	Pesos Only		403,800.0
	of fallure to make the full delivery within the specified to for every day of delay shall be imposed.	ime above, a penaly o	of one-tenth (1/	10)	
Conforme:	HIERROWER, INC. (Signature over printer name) April 10 1011 Date	MA. C.	ARLA A. OCH UNIVERSIT	TORENA,R.I	
Funds Availab	CHRISTIANNE DAWN R. SICAT Chief Accountant	ALOBS:	2024- ₱403,	04-143 YW.N	PCAAPUN



WMSU-SO-FR-002.02 Effectivity: Aug. 30, 2023

Supplier: HYTEC POWER, INC.

#2 T. Cruz St., Cruzville Subd, Zabarte Road, Novaliches, Quezon City Address:

Tel No. : 417-5435

TIN:

P.O. No.: 24-021 B

Date:

02/04/2024 23-10-520

R.I.S No:

Date: Mode of Procurement: **Public Bidding**

Gentlemen: Please furnish this office the following articles subject to terms and conditions contained herein.					
Place of Delivery: WMSU SUPPLY OFFICE	Delivery Term: 60 CD				
Date of Delivery:	Payment Term :				
tem Nd Item Name	Unit Qty Unit Price Total Price				
NOTHING FOL	LOWS				
Page 2 of 2 For: COLLEGE OF AGRICULTURE-DOS	T-PCAARRD				
(Amount in words) Four Hundred Three Thousand B	Eight Hundred Pesos Only 403,800.00				
In case of failure to make the full delivery within the specified time	above, a penaly of one-tenth (1/10)				
of one percent for every day of delay shall be imposed.					
Conforme:					
Conforme.					
HYEE OWER, INC.	MA. CARLA A. OCHOTORENA,R.N.,Ph.D.				
(Signature over printer name)	UNIVERSITY PRESIDENT				
April 20, 2014					
Date	7.				
Funds Available :	ALONG DATE IN THE DATE OF A SECOND				
Day V 4h3h	ALOBS: 3074-147 DEPARTO				
CHRISTIANNE DAWN R. SICAT	AMOUNT: 7 433, 40 (N				
Chief Accountant	*				



Republic of the Philippines WESTERN MINDANAO STATE UNIVERSITY OFFICE OF THE PRESIDENT

Normal Road, Baliwasan Zamboanga City Telephone: 062-992-3084 www.wmsu.edu.ph



NOTICE TO PROCEED

APR	2	9	2024	
 APR	<u>ا</u>	3	Z014	

HYTEC POWER, INC.

#2 T. CRUZ ST. CRUZVILLE SUBD. ZABARTE ROAD,

NOVALICHES, QUEZON CITY PHILS.

CONTACT NO: 4175435/4187079

Sir/Madam:

Pursuant to the to the contract entered into between your company and this office dated MAR 2.7 2324 for PR 23-10-520 "Supply and Delivery of Various Laboratory Equipment for the College of Agriculture of the University", your company is hereby given the authority to commence delivery on the said project from receipt thereof.

Upon receipt of this notice, you are responsible for performing the services under the terms and conditions provide in the purchase order and in accordance with the delivery schedule.

Very truly yours,

MA. CARLA A. OCHOTORENA, R.N, Ph.D.

President

Conforme:

(Signature Over Printed Name)

Date: April so, 2014



Republic of the Philippines WESTERN MINDANAO STATE UNIVERSITY OFFICE OF THE PRESIDENT

Normal Road, Baliwasan Zamboanga City Telephone: 062-992-3084



NOTICE TO PROCEED

	APR	2	9	2024	
--	-----	---	---	------	--

HYTEC POWER, INC.

#2 T. CRUZ ST. CRUZVILLE SUBD. ZABARTE ROAD,

NOVALICHES, QUEZON CITY PHILS.

CONTACT NO: 4175435/4187079

Sir/Madam:

Pursuant to the to the contract entered into between your company and this office dated for PR 23-10-520 "Supply and Delivery of Various Laboratory Equipment for the College of Agriculture of the University", your company is hereby given the authority to commence delivery on the said project from receipt thereof.

Upon receipt of this notice, you are responsible for performing the services under the terms and conditions provide in the purchase order and in accordance with the delivery schedule.

Very truly yours,

MA. CARLA A. OCHOTORENA, R.N., Ph.D.
President

Conforme:

(Signature Over Printed Name)

Date: Apn 30, 1014



Republic of the Philippines WESTERN MINDANAO STATE UNIVERSITY OFFICE OF THE PRESIDENT Normal Road, Baliwasan Zamboanga City Telefax.: 062-992-3084

www.wmsu.edu.ph



NOTICE OF AWARD

HYTEC POWER, INC.

#2 T. CRUZ ST. CRUZVILLE SUBD. ZABARTE ROAD, NOVALICHES, QUEZON CITY PHILS.

CONTACT NO: 4175435/4187079

Sir/Madam:

Bidding Procurement of Supply and Delivery of Various Laboratory Equipment for the College of Agriculture of the University, with a following Contract Price is hereby accepted; This is to advise you that your bid dated December 28, 2023 for PR-23-10-520; Public

Object of Bidding	Total Amo	Total Amount in Figures	Amount in Words
1.) One (1) set of OVEN	Php	180,000.00	One Hundred Eighty
Specifications:			Thousand Pesos
. Capacity: 420L			
. Temp. range: RT + 10~3000C			
. Temp. Precision: 0.10C			
. Temp. fluctuation: ±10C			
. Ambient Temp.: 5~400C			
. Timing Range: 1~9999min			
. Shelves: pcs.			
. Display: LED			
. Consumption: 3100W			
Power Supply: 220V/60Hz			
. Internal Size: (WxDxH)mm:			
640x585x1355mm		9	
. External Size: (WxDxH)mm:			
780x730x1780mm			
With On-Site Training			
Offer: BIOBASE BOV-V429FI			
Capacity: 420L			
Temp. Range: 300°C			
Temp. Precision: 0.1°C			
Temp. Fluctuation: ±1°C			
Ambient Temp.: 5~40°C			
Timing Kange: 1~9999min			
Display: LED			
Consumption: 3100W			
PS: 380V, 50Hz			
With On-Site Training			
FLOW HOOD	rnp	223,800.00	Three Thousand Eight
Specification:			Hundred Pesos

Effective Date: 31 Oct. 2016 WMSU-BAC-LET-001



Republic of the Philippines WESTERN MINDANAO STATE UNIVERSITY OFFICE OF THE PRESIDENT Normal Road, Baliwasan Zamboanga City Telefax.: 062-992-3084



www.wmsu.edu.ph

PS: AC220V±10%, 50/60Hz; 110V±10%, 60Hz	UV lamp: 30W*I or 40W*I Consumption: 400W or 450W Caster: Universal caster with	Noise: <65dB Front Window: Motorized; LED Lamp 12W*1 or 16W*1	Side and Front Windows: 5mm toughened glass anti-UV Pre-Filter: Polyester, washable;	Material: Main Body: Cold-rolled steel with Anti-bacteria powder coating; Work Table: 304 stainless	Work Surface Height: 750mm Display: LCD Display Airflow Velocity: Average of	Offer: BIOBASE VERTICAL LAMINAR FLOW CABINET	Nanometer . Water Proof Socket: 2 load With On-Site Training	. UV Lamp: 30W . UV Lamp Emission of 253.7	. Front Window: Motorized . LED Lamp: 12W	with Anti-Bacteria Powder Coating . Side and Front window: 5mm Touch Class (Acti 117)	. Display: LCD . Main Body: Cold Rollers Steel	Step1: 0.3±0.015m/s . Step2: 0.4±0.015m/s	Air Flow System:	(0.1um~0.3um)	. Main Filter: ULPA . Filter Efficiency: 99.995%	Work base: stainless steel AISI 304 Filter:	. Cabinet: Powder coated E.G. Steel . Sash: UV safe polycarbonate	Construction:	. Internal Size:(w*d*h*):	1800*820*2070mm	Dimension: Frigural Size: (u*4*b*):

Effective Date: 31 Oct. 2016 WMSU-BAC-LET-001

Page 2 of 3



Republic of the Philippines WESTERN MINDANAO STATE UNIVERSITY OFFICE OF THE PRESIDENT



Normal Road, Baliwasan Zamboanga City Telefax.: 062-992-3084

www.wmsu.edu.ph

TOTAL CONTRACT PRICE	Place of Delivery: SAN RAMON CAMPUS	Standard Accessory: LED Lamp, UV Lamp *2, Base Stand, Gas Tap Waterproof socket *2 Optional Accessory: Electric height adjustable base stand With On-Site Training
Php 403,800.00		
Four Hundred Three 403,800.00 Thousand Eight Hundred Pesos Only		

Performance Security/ Performance Bond equivalent to the following; You are hereby required to provide, within ten (10) days from receipt hereof, the

a	© G	s 8 1 (q	a) (
d) Any combination of the foregoing.	 c) Surety bond callable upon demand issued by a surety or insurance company duly certified by the insurance Commission as authorized to issue such security. 	b) Bank draft/ guarantee or irrevocable letter of credit issued by a Universal or Commercial Bank: Provided, however, that it shall be confirmed or authenticated by a Universal or Commercial Bank, if issued by a foreign bank	 a) Cash or cashier's/manager's check issued by a Universal or Commercial Bank. 	Form of Performance Security
Proportionate to share of form with respect to total amount of security	Thirty percent (30%)	Five percent (5%)	Five percent (5%)	Amount of Performance Security (Equal to Percentage of the Total Contract Price

cancellation of the award and forfeiture of the Bid Security. Failure to provide the Performance Security shall constitute sufficient ground for the

Very truly yours,

MA. CARLA A. OGHOTORENA, RN., Ph.D.
President

Received by:

HYTEC POWER INC. / JOCELYN R. WANALACTAS
(Signature Over Printed Name)

Date: MARCH 27, 2024

WMSU-BAC-LET-001 Effective Date: 31 Oct. 2016

Page 3 of 3