


4/29/2024

Date: ___

Republic of the Philippines WESTERN MINDANAO STATE UNIVERSITY OFFICE OF THE PRESIDENT Normal Road, Baliwasan Zamboanga City Telephone: 062-992-3084 www.wmsa.cdu.ph





NOTICE TO PROCEED

	APR Z @ 2024
METOS OFFSJORE, INC.	
2F, Room 9, Casa Azuzuri Street	
Cagayan De Oro City	
Sir/Madam:	
101 TK 23-03-413 Tul	ered into between your company and this office dated rchase of Various Equipment for the College of ersity", your company is hereby given the authority to m receipt thereof.
	responsible for performing the services under the terms er and in accordance with the delivery schedule.
	Very truly yours,
	MA. CARLA A. OCHOTORENA, R.N, Ph.D. President
Conforme: Conforme: Conforme Conforme	
(Signature Over Printed Name)	





PURCHASE ORDER WESTERN MINDANAO STATE UNIVERSITY

WMSU-SO-FR-002.02 Effectivity: Aug. 30, 2023

Supplier: METOS OFFSHORE, INC.

Address: 2F, Room 9, Casa Azuzuri Velez Street, Cagayan de

Oro City

0917-329-4020

Tel No. : TIN : P.O. No.: 24-022 B

Date: 25/03/2024 R.I.S No: 23-09-415

Date:

Mode of Procurement: Public Bidding

Performance Bond:

Gentlemen: Please furnish this office the following articles subject to terms and conditions contained herein. Place of Delivery: WMSU SUPPLY OFFICE Delivery Term: 60 CD Date of Delivery: Payment Term tem No Item Name Unit Qty **Unit Price** Total Price FORENSIC DIGITAL BULLET COMPARISON MICROSCOPE WITH CRIME 547,000.00 547,000.00 2 unit IMAGE FORENSIC ANALYSIS SOFTWARE Model: A18.1825-LCD Brand: Opto-Edu (China) LCD Pad: 9.7" LCD Pad Digital Camera, Android System, 5.0 M Pixels, Full Resolution 2592*1936 Bullet Holders: Designed to accommodate atleast two sets of bullet holders Magnification: 3.8x~230x Head: Binocular Head, 30° Incline, Interpupilary Distance 48~75mm, Diopter +/-5 Adjustable Eyepiece: WF10x/22mm, High Eyepoint, WF20x/12mm, High Eyepoint Objective: 5 Step Zoom Plan Objective 0.8x, 1.25x, 2x, 3.2x, 4.8x, Auxiliary Lens 0.4x, 2.0x Working Distance: 101mm View Field Dia 2.3~62mm Magnification Correction System, With Correcting Lens Separation Line Adjusting System, With Special Designed Adjust Driver Square Manual Working Stage 90*90mm, Moving Range 54*54*54mm Round Titable Working Stage Dia. 90mm, 0-45° Inclined, 360° Rotatable Joint Left/Right Moving Range 54mm, Joint Up/Down Range 60mm 12V50W Fan Cooling Strong Halogen Light, Brightness Adjustable 5W LED Cold Light, High Brightness, Brightness Adjustable Coaxial Light Lens, To Observe in Deep Hole, Or Smooth Object Surface Polarizing Light Lens, To Eliminate Flare Lights and Dazzling Lights Ultraviolet Light Lens, Filters: Red, Blue, Yellow, Green, 2pcs Each Color 0.5x CCD Adapter for Digital Camera Front View Photo Adapter 2.5X For SLR Digital Camera Power: 80~240V Wide Range Voltage Bullet Holder: Standard Bullet Holder 2 Sets Dimension: Instrument Size 37*30*63cm Crime Image Professional Forensic Analysis Software: Professional forensic analysis software For: ACADEMIC-COLLEGE OF CRIMINAL JUSTICE EDUCATION Page 1 of 3 547,000.00 (Amount in words) Five Hundred Forty-Seven Thousand Pesos Only In case of failure to make the full delivery within the specified time above, a penaly of one-tenth (1/10) of one percent for every day of day shall be imposed. Conforme: OCHOTORENA,R.N.,Ph.D. METOS OFFSHORE, INC. MA. CARLA A UNIVERSITY PRESIDENT (Signature over printer name) 4/29/2024 Date 10. avry - 63- 445 Funds Available: ALOBS: ympy Pan CHRISTIANNE DAWN R. SICAT AMOUNT: Chief Accountant



PURCHASE ORDER WESTERN MINDANAO STATE UNIVERSITY

WMSU-SO-FR-002.02 Effectivity: Aug. 30, 2023

Supplier: METOS OFFSHORE, INC.

2F, Room 9, Casa Azuzuri Velez Street, Cagayan de Oro City Address:

Tel No. : 0917-329-4020

TIN:

P.O. No.: 24-022 B

25/03/2024 Date:

R.I.S No: 23-09-415

Date : Mode of Procurement : Public Bidding Performance Bond :

Place o	Delivery: WMSU SUPPLY OFFICE	Delivery Terr	m: 60 C	D	
Date of	of Delivery: Payment Term:				
tem No	Item Name	Unit	Qty	Unit Price	Total Price
タン	DSLR Camera NIKON D3500 + AF-P DX 18-55 VR KIT (Black) Specifications: Lens Mount: Nikon F Actual: 24.7 Megapixel Effective: 24.2 Megapixel (6000 x 4000) Image Sensor: 23.5 mm x 15.6 mm (APS-C) CMOS; ISO Sensitivity Range: 100 to 12,800 (Extended: 100 to 25,600); Continous Shooting: Up to 5 fps at 24.2 MP Movie: Full HD 1,920x1,080 / 60 fps at 23.98/25/29.97/50/59.94 fps 1280 x 720 at 50/59.94 fps HDMt 1,920x1,080 / 60 fps at 23.98/25/29.97/50/59.94 fps Single Slot: SD/SDHC/SDXC (UHS-I); Video VO: 1 x Mini-HDMI Output; 1 x Micro-USB (USB 2.0) Output Bluetooth, Fixed LCD, 1 x EN-EL14A Rechargeable Lithium-Ion, 7.2 VDC, 1230 mAh ISO Sensitivity Range: 100 to 12,800 (Extended: 100 to 25,600)	unit	1	47,000.00	47,000.00
Page					
	2 of 3 For: ACADEMIC-COLLEGE OF CRIMINAL JUSTICE at in words) Five Hundred Ninety-Four Thousand Pour In case of failure to make the full delivery within the specified time above, a per	sos Only		O	594,000.00



Tel No.:



PURCHASE ORDER WESTERN MINDANAO STATE UNIVERSITY

WMSU-SO-FR-002.02 Effectivity: Aug. 30, 2023

METOS OFFSHORE, INC. Supplier:

0917-329-4020

2F, Room 9, Casa Azuzuri Velez Street, Cagayan de Address:

Chief Accountant

Oro City

P.O. No.: 24-022 B 25/03/2024 Date:

R.I.S No 23-09-415

Date:

Mode of Procurement : Public Bidding

Performance Bond:

TIN: Please furnish this office the following articles subject to terms and conditions contained herein. Place of Delivery: WMSU SUPPLY OFFICE Delivery Term: 60 CD Date of Delivery: Payment Term: tem No Item Name **Total Price** Unit Qty Unit Price 217,000.00 9 Traffic Board with Frame 217,000.00 unit 1 MAGNETIC DRY ERASE TRAFFIC BOARD (Includes: Aluminum Frame with Tray) 5' x 4' Education Traffic Board the is both Dry Erase & Magnetic. The board feature has an aluminum frame surrounding a 1/2" thick white board plus bottom tray. The board features the most common types of traffic situations that drivers face and some common signs that are associated with driving: Stop Intersections **Yield Intersection** Parking Round-a-Bout Merging Highway Railroad Crossing Traffic Light Intersection The traffic lights, lighted turn arrows, and cross walk lights have been intentionally left blank so you may color them in during your lesson.

This traffic board will enhance any driver education class and add value to the students training. -NOTHING FOLLOWS-Page 3 of 3 For: ACADEMIC-COLLEGE OF CRIMINAL JUSTICE EDUCATION 811,000.00 Amount in words) **Eight Hundred Eleven Thousand Pesos Only** In case of failure to make the full delivery within the specified time above, a penaly of one-tenth (1/10) of one percent for every day of delay shall be imposed. Conforme: CHOTORENA, R.N., Ph.D. METOS OFFSHORE, INC. MA. CARLAA. 9 UNIVERSITY PRESIDENT (Signature over printer name) 29/2024 Funds Available: 1 111 1:5 ALOBS: Danty 4/W/W CHRISTIANNE DAWN R. SICAT AMOUNT:



Republic of the Philippines WESTERN MINDANAO STATE UNIVERSITY OFFICE OF THE PRESIDENT Normal Road, Baliwasan Zamboanga City

al Road, Baliwasan Zamboanga Telefax.: 062-992-3084 www.wmsu.edu.ph



NOTICE OF AWARD

2.510				
MAR	0	6	2324	

METOS OFFSHORE, INC.

Tower 3 11U Mesaverte Residences Condominium, Osmeña Ext. St., Cagayan de Oro City

Madam/Sir:

This is to advise you that your bid dated January 16, 2024 for PR 23-09-415; Public Bidding Procurement of Purchase of Various Equipment for the College of Criminal Justice Education, with a following Contract Price is hereby accepted;

Object of Bidding	Total Amount in Figures	Amount in Words	
2.) One (1) unit of FORENSIC DIGITAL BULLET COMPARISON MICROSCOPE WITH CRIME IMAGE FORENSIC ANALYSIS SOFTWARE Specifications: - Display: 9.7" LCD Pad Digital Camera with Android operating system - Bullet Holders: Designed to accommodate at least two sets of bullet holders . Magnification: 3.8x-230x . Head: Binocular Head, 300 Incline, Interpupilary Distance 48- 75mm, Diopter±5 Adjustable . Eyepiece: WF 10x/22mm, High Eyepoint WF 20x/12mm, High Eyepoint . Objective: 5 Step Zoom Plan Objective 0.8x, 1.25x, 3.2x, 4.8x Auxiliary Lens 0.4x, 2.0x . Working distance: 101mm . View Field: Dia. 2.3~62mm . Magnification Correction: Magnification Correction System, with Correcting Lens . Separation Line Adjust System in Black, with special designed adjust driver . Working stage:	Php 547,000.00	Five Hundred Forty-Seven Thousand Pesos	

WMSU-BAC-LET-001 Effective Date: 31 Oct. 2016 Page 1 of 6

N



Republic of the Philippines WESTERN MINDANAO STATE UNIVERSITY OFFICE OF THE PRESIDENT

CERTIFICATION ABOUT THE NATIONAL GOI GOI CHIEF THE NATIONAL GOI GOI CHIEF THE NATIONAL GOI

Normal Road, Baliwasan Zamboanga City Telefax.: 062-992-3084 www.wmsu.edu.ph

	www.wmsu.edu.ph
? Square Manual Working Stage	
90x90mm, Moving Range	
54x54x54mm	
? Round Titable Working Stage	
Dia. 90mm, 0-450 Inclined, 3600	
Rotatable	
? Joint Left/Right Moving Range	
54mm, Joint Up/down Range	
60mm	
Light source: 2pcs each item	
?12V 50W Fan Cooling Strong	
Halogen Light, Brightness Adjustable	
?5W LED cold Light, High	
Brightness, Adjustable	
? Coaxial Light Lens, to observe in	
deep hole, or Smooth Object	
Surface	
? Polarizing Light Lens, To	
Eliminate Flare Light and Dazzling	
Lights	
? Ultraviolet Light Lens	
? Filters: Red, Blue, Yellow, Green	
(2pcs each color)	
. Adapter:	
?0.5x CCD Adapter for Digital	
Camera	
? Front View Adapter 2.5X for SLR	
Digital Camera	
. Power: 240V Wide Range Voltage	
. Bullet Holde Standard Bullet	
Holder (2 sets)	
Dimension: at least 37*30*63*	
. LCD Pad Digital Camera: 9.7",	
Android System	
Feature:	
Crime Image Professional Forensic Analysis Software;	
Capture inspection result in real-	
time, and create database and can	
be measure length, angle, area,	
size and more data, can put your	
word or mark in any position on	
image.	
Offer: Model: A18.1825-LCD	
Brand: Opto-Edu (China)	
LCD Pad: 9.7" LCD Pad Digital	
Camera, Android System,	
5.0 M Pixels, Full Resolution	
2592*1936	
Bullet Holders: Designed to	
accommodate atleast two sets of	
bullet holders	

WMSU-BAC-LET-001 Effective Date: 31 Oct. 2016

11



Republic of the Philippines WESTERN MINDANAO STATE UNIVERSITY OFFICE OF THE PRESIDENT Normal Road, Baliwasan Zamboanga City



Telefax.: 062-992-3084 www.wmsu.edu.ph

	www.wmsu.edu.ph
Magnification: 3.8x~230x	
Head: Binocular Head, 30°	
Incline, Interpupilary Distance	
48~75mm, Diopter +/-5 Adjustable	
Eyepiece: WF10x/22mm, High	
Eyepoint, WF20x/12mm, High	
Eyepoint	
Objective: 5 Step Zoom Plan	
Objective 0.8x, 1.25x, 2x, 3.2x,	
4.8x, Auxiliary Lens 0.4x, 2.0x	
Working Distance: 101mm	
View Field: Dia. 2.3~62mm	
Magnification Correction System,	
With Correcting Lens	
Separation Line Adjusting System,	
With Special Designed Adjust	
Driver	
Square Manual Working Stage	
90*90mm, Moving Range	
54*54*54mm	
Round Titable Working Stage Dia.	
90mm, 0-45° Inclined, 360°	
Rotatable	
Joint Left/Right Moving Range	
54mm, Joint Up/Down Range	
60mm	
12V50W Fan Cooling Strong	
Halogen Light, Brightness	
Adjustable	
5W LED Cold Light, High	
Brightness, Brightness Adjustable	
Coaxial Light Lens, To Observe in	
Deep Hole, Or Smooth Object	
Surface	
Polarizing Light Lens, To	
Eliminate Flare Lights and	
Dazzling Lights	
Ultraviolet Light Lens, Filters:	
Red, Blue, Yellow, Green,2pcs Each Color	
0.5x CCD Adapter for Digital	
Camera	
Front View Photo Adapter 2.5X	
For SLR Digital Camera	
Power: 80~240V Wide Range	
Voltage	
Bullet Holder: Standard Bullet	
Holder 2 Sets	
Dimension: Instrument Size	
37*30*63cm	
Crime Image Professional	
Forensic Analysis Software:	
Professional forensic analysis	
software	



Republic of the Philippines WESTERN MINDANAO STATE UNIVERSITY OFFICE OF THE PRESIDENT Normal Road, Baliwasan Zamboanga City Telefax.: 062-992-3084



8.) One (1) unit of DSLR Camera	Php	47,000.00	Forty-Seven Thousand Pesos
Specifications:			
Type: Single Lens Reflex Digital			
Camera			
Sensor Size: At least 23.5 mm x			
15.6 mm			
Effective Pixels: At least 24 million			
Focal Length: 18mm - 55mm Lens			
or Higher with a 3x optical zoom			
for versatile shooting			
Lens Aperture: Instant Return,			
Electronically Controlled			
Shutter Type: Electronically-			
Controlled Vertical - Travel Focal-			
Plane Shutter			
Maximum Video Resolution: 1080P			
Battery: Replaceable and			
Rechargeable Lithium-Ion Battery			
Lens Mount: Support for			
interchangeable lenses to meet a			
variety of photographic needs			
-With Built-in Flash			
- With at least 64GB (or higher)			
SD Card			
-With Camera Bag and Camera			
Strap			
)	
Offer: NIKON D3500 + AF-P DX			
18-55 VR KIT (Black)			
Specifications:			
Lens Mount: Nikon F			
Actual: 24.7 Megapixel			
Effective: 24.2 Megapixel (6000 x			
4000)			
Image Sensor: 23.5 mm x 15.6			
mm (APS-C) CMOS; ISO			
Sensitivity Range: 100 to 12,800			
(Extended: 100 to 25,600);			
Continous Shooting: Up to 5 fps			
at 24.2 MP			
Movie: Full HD 1,920x1,080 / 60			
fps at 23.98/25/29.97/50/59.94 fps			
1280 x 720 at 50/59.94 fps HDMI:			
1,920x1,080 / 60 fps at			
23.98/25/29.97/50/59.94 fps			
Single Slot: SD/SDHC/SDXC			
(UHS-I); Video I/O: 1 x Mini-			
HDMI Output; 1 x Micro-USB			
(USB 2.0) Output			
Bluetooth, Fixed LCD, 1 x EN-			
EL14A Rechargeable Lithium-			
Ion, 7.2 VDC, 1230 mAh			
ISO Sensitivity Range: 100 to			
12,800 (Extended: 100 to 25,600)			



Republic of the Philippines WESTERN MINDANAO STATE UNIVERSITY OFFICE OF THE PRESIDENT

CERTIFICATION AB INTERNATIONAL OF CENTRAL PARTIES AND THE PART

Normal Road, Baliwasan Zamboanga City Telefax.: 062-992-3084

9) One (1) unit of Traffic Roard	Php	217,000.00	Two Hundred Seventeen
9.) One (1) unit of Traffic Board with Frame	Php	217,000.00	Thousand Pesos
Specifications:			Thousand Tesos
Dimensions: 5 feet x 4 feet			
Material: Aluminum frame, ½ inch			
thick whiteboard			
Surface: Dry erase and magnetic			
Accessories: Bottom tray, at least 6			
magnetic cars			
Features: Common traffic			
situations, traffic signs, blank			
traffic			
lights, lighted turn arrows,			
crosswalk lights			
Features:			
Dry erase and magnetic surface			
for versatile teaching and			
learning			
Durable aluminum frame			
surrounding a 1/2" thick			
whiteboard			
Convenient bottom tray for			
storing markers, erasers, and			
other accessories			
Depicts common traffic situations			
and associated signs to			
enhance road safety education			
. Includes blank traffic lights,			
lighted turn arrows, and			
crosswalk lights for customization			
during lessons			
. Free set of 6 magnetic cars to add			
engagement and interactivity to		9	
teaching			
Offer: MAGNETIC DRY ERASE			
TRAFFIC BOARD			
(Includes: Aluminum Frame with			
Tray)			
5' x 4' Education Traffic Board			
the is both Dry Erase &			
Magnetic. The board feature has			
an aluminum frame surrounding			
a 1/2" thick white board plus			
bottom tray.			
The board features the most			
common types of traffic situations			
that drivers face and some			
common signs that are associated			
with driving:			
. Stop Intersections			
. Yield Intersection			
, Parking			
. Round-a-Bout			



Republic of the Philippines WESTERN MINDANAO STATE UNIVERSITY OFFICE OF THE PRESIDENT Normal Road, Baliwasan Zamboanga City

Telefax .: 062-992-3084 www.wmsu.edu.ph

Merging Highway Railroad Crossing Traffic Light Intersection The traffic lights, lighted turn arrows, and cross walk lights have been intentionally left blank so you may color them in during your lesson. This traffic board will enhance any driver education class and add yalue to the students training.			
TOTAL CONTRACT PRICE	Php	811,000.00	Eight Hundred Eleven Thousand Pesos Only

You are hereby required to provide, within ten (10) days from receipt hereof, the Performance Security/ Performance Bond equivalent to the following;

	Form of Performance Security	Amount of Performance Security (Equal to Percentage of the Total Contract Price
a)	Cash or cashier's/manager's check issued by a Universal or Commercial Bank.	Five percent (5%)
b)	Bank draft/guarantee or irrevocable letter of credit issued by a Universal or Commercial Bank: Provided, however, that it shall be confirmed or authenticated by a Universal or Commercial Bank, if issued by a foreign bank	Five percent (5%)
c)	Surety bond callable upon demand issued by a surety or insurance company duly certified by the insurance Commission as authorized to issue such security.	Thirty percent (30%)
d)	Any combination of the foregoing.	Proportionate to share of form with respect to total amount of security

Failure to provide the Performance Security shall constitute sufficient ground for the cancellation of the award and forfeiture of the Bid Security.

Very truly yours,

MA. CARLA A/OCHOTORENA, RN., Ph.D.

President

Received by:

(Signature Over Printed Name)

Date: March 21, 1023

WMSU-BAC-LET-001 Effective Date: 31 Oct. 2016 Page 6 of 6