



NOTICE OF AWARD

DEC 02 2024

EVERYDAY ENTERPRISES

Angus Complex Bldg., 81-A McArthur Highway,
Brgy. Matina Crossing, Talomo District, Davao City

Maam/Sir:

This is to advise you that your bid dated **September 24, 2024** for **PR 24-05-262 (Rebid); Public Bidding Procurement of Procurement of Dental Chair and Autoclave for the Dental Clinic of the University Health Services**, with a following Contract Price is hereby accepted;

Object of Bidding	Total Amount in Figures	Amount in Words
<p>1. One (1) unit of DENTAL CHAIR</p> <p>Specifications: over all size: at least 1900mm x 920mm x 200mm base: at least 880mm x 600mm</p> <p>Maximum Height of seat cushion from ground </- 450mm Maximum Angle of seat Cushion back </- 10"</p> <p>Range og Backward angle 105" - 170" Expansion range of Headset 0-120mm</p> <p>load Capacity Hy-Ego Dental Unit </- 1350</p> <p>Classification of Medical Instrument ClassII Noise </- 42db</p> <p>Air Compressor Specification (silent type)</p> <p>Power Voltage- 220V AC TOH2Power - 850W Gas Production Volume 100L/min (0.4mpa)</p> <p>Pressure Summit - 0.8 mpa</p>	<p>Php 338,000.00</p>	<p>Three Hundred Thirty-Eight Thousand Pesos</p>



Rotating speed - 1400/min
Cubage - 32L
Standard Configuration

- Dental Chair
- Dental Stool
- Dentist Console
- Assistant Console
- 3 way Syringe - 2 sets
- Weak Suction Saliva ejector Valve - 1 set
- Strong Suction Saliva Ejector valve - 1 set
- Intra Oral Camera - 1 set
- Dental X-ray Viewer
- Foot Switch - 1 set
- Quantitative Water supply control system
- Cuspidor Bowl Rinse and mouth rinse - 1 set

8=holes Led sensor light

Accessories:

- 4 holes high speed hand piece
- 4 holes low speed hand piece
- Ultrasonic scaler
- Light cure machine

Offer:

APPLE Dental A001

Standard Configuration:

Flash and adjustable Lamp Arm

6 Holes Led Sensor Lamp

Microfiber Leather

Big 6 Holes Down-Tray

Durable Water and Air Tubing

Removable ceramic spittoon

Aluminum strong and weak suction head

Ceramic removable spittoon

Double armrest

Assistant stool with metal legs

Folding assistant frame

Four-function pedal

Weight: 300kgs, size: 1.00m*1.0m

0.85m*1.00m*1.30m*0.75

(without wooden legs)

Container max quantity

20 G P-20pcs / 20GP – 27 pcs

(without wooden legs)

40 HQ – 63pcs

Details: user-centric design, bug tray with 6 holes, accommodates



as much as surgical tools smart dental light, 6 holes, induction switch, manual control, optional: eight holes durable assistant stool Assistant stool with metal and legs, more valuable and stable 3 fold assistant tray design save the space of clinic room
APPLDENTAL DENTAL ChairA001
Led sensor lamp, mounted main tray with 6 holder and built-in X-Ray film view, highspeed handpiece connector, low speed handpiece connector, three way syringe 2 pcs aluminum strong and weak suction, us water and air tubing, rotatable ceramic spittoon, 600ml water bottle, built-in floor box/built-out floor box, comfortable enlarged dental chair base and backrest, movable assistant tray with aluminum suction heads, adjustable double armrest, imported motor, metal base, four function foot control, 150kg capacity, dentist stool 1 set
Accessories: built-in scaler, lightcure, intraoral camera, monitor

Oil-free dental air compressor
Voltage: 110v-220v, power: 850 watts
Noise Level: 55-65 dB, classification: class 2
Capacity: 35 liters
Low Noise, anti-rust coating in tank for long time use, durable working time, high quality, easy to use

Please see attached technical specification compliance and product brochure

2. One (1) unit of Autoclave (18 Liters)

Php 39,900.00

Thirty-Nine Thousand Nine Hundred Pesos

Specification:
 Machine size: at least (L)56 x (W)31.5 x (H)36.5C
 Sterilize temperature 121/134 Degree celsius



Sterilize Pressure (Mpa) 0.12Mpa holding
 Time 121 degree / 30 min 134 degree /10 min
 No dry Funtion Power: 1100VAC
 Chamber size: Stainless steel 18 liters
 Safety: Heating-over protection: Safety Valve
 TEMP CONTROL DESIGN: Chip Control
 Electric Current 220-240VAC, 60 Hz
 Accessories
 Tray Basket, Tray Holder
 Sterilization Tray, stream exhaust pipe

Delivery Period: 30 Days

Offer: EASYCLAVE AUTOCLAVE STERILIZER

Product specifications:
Inside capacity: 18liter
Chamber capacity: Ø 250 x D350mm
Dimensions: 56 x 39 x 336cm
Sterilization temperature: 122°C and 134°C
Sterilization pressure: 0.12 Mpa and 0.22 Mpa
Sterilization Time: 25 min and 6min
Heater: 900w
Weight: 27kg, Electric current (220V): 4 A
Warranty: 1 year
Easy to use, 18 liter capacity, digital display, precise temperature control, pre-set sterilization time, automatic drainage and pressure release

Please see attached technical specification compliance and product brochure

Delivery Period: 30 calendar days

TOTAL CONTRACT PRICE	Php	377,900.00	Three Hundred Seventy-Seven Thousand Nine Hundred Pesos Only
-----------------------------	------------	-------------------	---

You are hereby required to provide, within ten (10) days from receipt hereof, the Performance Security/ Performance Bond equivalent to the following;



Form of Performance Security	Amount of Performance Security (Equal to Percentage of the Total Contract Price)
a) Cash or cashier's/manager's check issued by a Universal or Commercial Bank.	Five percent (5%)
b) Bank draft/ guarantee or irrevocable letter of credit issued by a Universal or Commercial Bank: Provided, however, that it shall be confirmed or authenticated by a Universal or Commercial Bank, if issued by a foreign bank	Five percent (5%)
c) Surety bond callable upon demand issued by a surety or insurance company duly certified by the insurance Commission as authorized to issue such security.	Thirty percent (30%)
d) Any combination of the foregoing.	Proportionate to share of form with respect to total amount of security

Failure to provide the Performance Security shall constitute sufficient ground for the cancellation of the award and forfeiture of the Bid Security.

Very truly yours,

MA. CARLA A. OCHOTORENA, RN., Ph.D.
President

Received by:

Thany Denise Ocho
(Signature Over Printed Name)

Date: 12/2/2016