

Republic of the Philippines WESTERN MINDANAO STATE UNIVERSITY BIDS AND AWARDS COMMITTEE FOR GOODS

CERTIFICATION INTERNATIONAL COMMISSION 2015

Normal Road, Baliwasan Zamboanga City Telefax.: 062-991-1771 loc 1003 www.wmsu.edu.ph

REQUEST FOR QUOTATION

The Western Mindanao State University, through its Bids and Awards Committee (BAC), is inviting PhilGEPS registered suppliers to apply for eligibility and to submit bids for the item mentioned hereunder:

Name of Project: Procurement of Various Electronic Materials for the RPDU of

the University

Approved Budget Cost: **PHP 65,050.00** Purchase Request No.: **PR 24-08-367**

Closing Date: September 11, 2024 9:30 AM

Description:

1.) Four (4) pcs of WIRELESS ROUTER

Specification

- . Wireless MU-MIMO Gigabit Router
- . Dual Band
- . *At least 867 Mbps at 5GHz* + *400Mbps at 2.4 Ghz*
- . at last 4 antennas
- . supports AP mode
- 2.) Four (4) pcs of JST CONNECTOR PIN

Specification

. 1.25 Male Female Wire Connector Pitch 1.25mm

2 pins

- 3.) Twenty-Five (25) pcs of Node MCU (Microcontroller Unit) ESP8266 for the exisiting module ESP8266
- 4.) Two Hundred (200) meters of Stranded Wire 10/100 Meter 1mm2 RV pure Copper wire Faxible stranded electrical wire cable single core multi-strand power control signal line
- 5.) Twenty (20) pcs of Capacitor 50V 10000UF Radial DIP Aluminum Electrolytic Capacitors Tolerance 20%
- 6.) Nineteen (19) pcs of Resistor Metal film resistor 1% 1W 2Kohm
- 7.) Ten (10) pcs of Ultrasonic Sensor

working voltage: 5VDC, detection distance:2cm-400cm, accuracy: up to 3mm, static current: less than 2mA, output signal: Electrical frequency signal, high level 5V, low level 0V, VCC: 5V DC supply input, size: 44mm x 20mm x 15mm, Trigger: control signal input (10us TTL impulse), Echo (R): echo signal output, duration is time from transmit to receive

- 8.) Twenty (20) pcs of TEMPERATURE AND HUMIDITY SENSOR Specification:
- . Operating Voltage: 3.5V to 5.5V
- . Output: Digital sensor
- . Temperature Range: -40°C to 80°C
- . Humidity Range: 0% to 100%
- . Resolution: Temperature and Humidity both are 16-bit
- . Material: PCB
- 9.) Twenty (20) pcs of AMMONIA GAS SENSOR Specification:
- . Standard Encapsulation: Bakelite, Metal cap



Republic of the Philippines WESTERN MINDANAO STATE UNIVERSITY BIDS AND AWARDS COMMITTEE FOR GOODS

CERTIFICATION INTERNATIONAL CAST ACCORDING TO 100 ACCORDI

Normal Road, Baliwasan Zamboanga City Telefax.: 062-991-1771 loc 1003

www.wmsu.edu.ph

. Sensing Resistance: 2K?-15K?(in 50ppm NH3)

. Operating Voltage: 3 - 5V

. Detection Range: 5~500ppm NH3

10.) Twenty (20) pcs of Relay 250VAC 10A, 28VDC 10A, 5V control voltage, indicator LED's, 8 Channel 5V 10A Relay module with Optocoupler

11.) Twenty (20) pcs of D1 MINI PRO WIFI BOARD Specification:

. Operating Voltage: 3.3V

. Digital I/O Pins: 11

. Analog Input Pins: 1 analog input(3.2V max input)

. Clock Speed: 80/160MHz

. Flash Memory: at least 16MB

. With External antenna connector

. With Built-in PCB antenna

. Compatible with Arduino, MicroPython, NodeMCU

. Default firmware: lastest MicroPython

12.) Ten (10) pcs of Power Supply

Input:AC100-240V, 50/60 Hz; output: DC 12V, Max 5A, 60W

The criteria to be used for the eligibility check of the prospective bidders, examination and evaluation of bids, post-qualification and all matters relevant to this procurement shall be in accordance with Republic Act. No. 9184 (The Government Procurement Reform Act) and its Implementing Rules and Regulations.

Pursuant to Annex "H" documentary requirements interested bidders are required to submit their valid and current Mayor's Permit, PhilGEPS Registration and other relevant documents (if necessary), upon the submission of quotation.

Award of contract shall be made to the lowest calculated and responsive bid, which complies with the necessary description as stated above and other terms and conditions stated in the price quotation form.

Any interlineations, erasures or overwriting shall be valid only if they are signed or initiated by the bidder or his/her duly authorized representative/s.

Submission of Quotation and eligibility documents is on or before September 11, 2024 9:30 AM at the BAC Office, 2nd Floor, Admin Building, Western Mindanao State University, Normal Road, Baliwasan, Zamboanga City. Open submission may be submitted manually, email (bac@wmsu.edu.ph) or through facsimile at (062) 991-1771 loc 1003

For inquiries, you may coordinate with the BAC Secretariat at telephone no. (062) 991-1771 loc 1003

The WESTERN MINDANAO STATE UNIVERSITY reserves the right to reject any or all Bids and to accept the bid most advantageous to the government, and to award the contract by lot, if warranted.

REQUEST FOR QUOTATION Western Mindanao State University

	Quotation No.:								
						PR No.: 24-08-367			
			your lowest price on the item/s listed below, subject to the General Conditions on the page, stating the						
sho at	ortest tim 9:30 A.N	e of delivery <u>II.</u> in the retu	, and submit your quotation duly signed by your representation or envelope attached herewith. Any quotation submitted beg	ve not la yond this	ter than	be considered			
NO	TE:			J	OSELITO P	. MADROÑA person for GO	L, DPA		
140		2 DELIV 3 WARR DATE 4 PRICE 5 G-EPS	NTRIES MUST BE TYPEWRITTEN ERY PERIOD CALENDAR DAYS UPON RECEIPT OF THE PURI- ANTY SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES AN OF ACCEPTANCE BY WESTERN MINDANAO STATE UNIVERSITY VALIDITY SHALL BE FOR A PERIOD OF 120 CALENDAR DAYS UPON RE REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSION RS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATIONS	ECEIPT O	RDER. IALS. ONE (1) YEA F THE PURCHAS E QUOTATION	AR FOR EQUIPM			
n	Qty	Unit	Item and Description		red Budget for ontract (ABC)	Unit Cost	Total Cos		
1.	4	pcs	WIRELESS ROUTER Specification . Wireless MU-MIMO Gigabit Router . Dual Band . At least 867 Mbps at 5GHz + 400Mbps at 2.4 Ghz . at last 4 antennas . supports AP mode	₽	10,000.00				
2.	4	pcs	JST CONNECTOR PIN Specification . 1.25 Male Female Wire Connector Pitch 1.25mm 2 pins	₽	340.00		u u		
3.	25	pcs	Node MCU (Microcontroller Unit) ESP8266 for the exisiting module ESP8266	₱	8,125.00				
4.	200	meters	Stranded Wire 10/100 Meter 1mm2 RV pure Copper wire Faxible stranded electrical wire cable single core multi- strand power control signal line	₽	2,000.00				
5.	20	pcs	Capacitor 50V 10000UF Radial DIP Aluminum Electrolytic Capacitors Tolerance 20%	₱	1,000.00				
6.	19	pcs	Resistor Metal film resistor 1% 1W 2Kohm	₱	285.00	22.50	Y ga		
7.	10	pcs	Ultrasonic Sensor working voltage: 5VDC, detection distance:2cm- 400cm, accuracy: up to 3mm, static current: less than 2mA, output signal: Electrical frequency signal, high level 5V, low level 0V, VCC: 5V DC	₽	2,800.00				
EP:	S Referen	ce Number	:			& Model :_ ry Period :_			
EP	S Solicitat	ion Number	· · · · · · · · · · · · · · · · · · ·		Warrar Price \	nty :_			
EP:	S Closing	Date							
	Aft	er having car	efully read and accepted your General Conditions, the foregoing are	our price	e quotation for th	ne items above	indicated.		
			PhilGE	PS Cert	ificate No.:				
			Certifi	cate Re	ference No.:				
	RE	Y ESPIRITU	SANTO / JORGE CONCEPCION / DANNI VINCENT VILLAREAL Canvasser	-	Printed	d Name/Signatu	re		
				Ī	el .No./Cellphor	ne #			

REQUEST FOR QUOTATION Western Mindanao State University

				Quotation No.:		
				PR No.: 24-08-367		
	rtest tim	e of delivery	your lowest price on the item/s listed below, subject to the G	ive not later than SEP 1 1 2024		
	9:30 A.N	1 ALL EN 2 DELIVI 3 WARR DATE (4 PRICE 5 G-EPS	NTRIES MUST BE TYPEWRITTEN ERY PERIOD CALENDAR DAYS UPON RECEIPT OF THE PUR ANTY SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES AN OF ACCEPTANCE BY WESTERN MINDANAO STATE UNIVERSITY VALIDITY SHALL BE FOR A PERIOD OF 120 CALENDAR DAYS UPON R REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSIG RS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATIONS	JOSEL TO D. MARROÑAL, DPA BAC Chairperson for GOODS CHASE ORDER. ND MATERIALS. ONE (1) YEAR OR EQUIPMENT, FROM RECEIPT OF THE PURCHASE ORDER ON OF THE QUOTATION		
			supply input, size: 44mm x 20mm x 15mm, Trigger: control signal input (10us TTL impulse), Echo (R): echo signal output, duration is time from transmit to receive			
8.	20	pcs	TEMPERATURE AND HUMIDITY SENSOR Specification: . Operating Voltage: 3.5V to 5.5V . Output: Digital sensor . Temperature Range: -40°C to 80°C . Humidity Range: 0% to 100% . Resolution: Temperature and Humidity both are 16-bit . Material: PCB	₹ 7,000.00		
9.	20	pcs	AMMONIA GAS SENSOR Specification: . Standard Encapsulation: Bakelite, Metal cap . Sensing Resistance: 2K?-15K?(in 50ppm NH3) . Operating Voltage: 3 - 5V . Detection Range: 5~500ppm NH3	₱ 10,000.00		
10.	20	pcs	Relay 250VAC 10A, 28VDC 10A, 5V control voltage, indicator LED's, 8 Channel 5V 10A Relay module with Optocoupler	₱ 4,000.00		
11.	20	pcs	D1 MINI PRO WIFI BOARD Specification: . Operating Voltage: 3.3V . Digital I/O Pins: 11 . Analog Input Pins: 1 analog input(3.2V max input)	₹ 7,500.00		
EP	S Solicita	nce Number tion Number	:	Brand & Model : Delivery Period : Warranty : Price Validity :		
EP:	S Closing Af		efully read and accepted your General Conditions, the foregoing are	e our price quotation for the items above indicated.		
PhilGEPS Certificate No.: Certificate Reference No.:						
	RI	EY ESPIRITU	SANTO / JORGE CONCEPCION / DANNI VINCENT VILLAREAL	Printed Name/Signature		
			Canvasser	Tel .No./Cellphone#		
Date						

REQUEST FOR QUOTATION Western Mindanao State University

Quotation No.:			lo.:			
	<u> </u>		PR No.: 24-08-367			
shortest time	e of delivery	rour lowest price on the item/s listed below, subject to the C and submit your quotation duly signed by your representa rn envelope attached herewith. Any quotation submitted be	tive not later than	1,1 2024		
2 DELIV 3 WARR DATE 4 PRICE 5 G-EPS		JOSELITO D. MADROÑAL, DPA BAC Chairperson for GOODS NTRIES MUST BE TYPEWRITTEN YERY PERIOD CALENDAR DAYS UPON RECEIPT OF THE PURCHASE ORDER. RANTY SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES AND MATERIALS. ONE (1) YEAR FOR EQUIPMENT, FROM OF ACCEPTANCE BY WESTERN MINDANAO STATE UNIVERSITY E VALIDITY SHALL BE FOR A PERIOD OF 120 CALENDAR DAYS UPON RECEIPT OF THE PURCHASE ORDER ES REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSION OF THE QUOTATION ERS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATIONS OF THE PRODUCT BEING OFFERED				
2. 10	pcs	. Clock Speed: 80/160MHz . Flash Memory: at least 16MB . With External antenna connector . With Built-in PCB antenna . Compatible with Arduino, MicroPython, NodeMCU . Default firmware: lastest MicroPython Power Supply Input: AC100-240V, 50/60 Hz; output: DC 12V, Max 5A, 60W	₱ 12,000.00			
		Note: for the RPDU of the University				
EPS Reference Number EPS Solicitation Number EPS Closing Date		: : : efully read and accepted your General Conditions, the foregoing a	Brand & Moo Delivery Peri Warranty Price Validity are our price quotation for the item	od		
	tor naving our	Philo	GEPS Certificate No.:			
RE	EY ESPIRITU	SANTO / JORGE CONCEPCION / DANNI VINCENT VILLAREA Canvasser	Printed Nam Tel .No./Cellphone #	e/Signature		
				Date		
				Ja16		