

#### Republic of the Philippines WESTERN MINDANAO STATE UNIVERSITY BIDS AND AWARDS COMMITTEE FOR GOODS

CERTIFICATION INTERNATIONAL GARAGEMENTS SO 9001:2015

Normal Road, Baliwasan Zamboanga City Telefax.: 062-991-1771 loc 1003 www.wmsu.edu.ph

#### REQUEST FOR QUOTATION

The Western Mindanao State University, through its Bids and Awards Committee (BAC), is inviting PhilGEPS registered suppliers to apply for eligibility and to submit bids for the item mentioned hereunder:

Name of Project: Procurement of Various Photographic Equipment for the Mass

**Communication Department** 

Approved Budget Cost: *PHP 369,000.00*Purchase Request No.: *PR 24-08-391*Closing Date: *November 27, 2024 9:30AM* 

Description:

1.) Two (2) units of PROFESSIONAL BROADCAST STUDIO CAMCORDER

Specifications: Image Sensor Unit

Type: 1/3.1-type BSI MOS Sensor Effective Pixels: atlest 6.0 megapixels

Lens

Optical Zoom: 20x

Focal Length: 4.08 - 81.6 mm, 29.5 - 612 mm Equivalent in 35mm

Aperture: F1.8 to F3.6

Filter Diameter: at least 49 mm

Recording Formats;

ResolutionL Full HD 1920 x 1080

Video Format: AVCHD (Progressive), MP4, MOV Bitrate: up to 50 Mbps (MP4/MOV), 28 Mbps (AVCHD) Audio: LPCM (MOV/MP4), Dolby Digital (AVCHD)

Storage Media:

Slot: Dual SD Card slots

SD/SDHC/SDXC card supported

Relay recording and simultaneous recording supported

Image Stabilization:

System: 5-axis Hybrid Optical Image Stabilizer with Level Shot Function

Display:

LCD: at least 3.0 inch touchscreen LVD (approx. 460K dots)

Viewfinder: 0.24 inch EVF (approx. 1555K dots

Audio:

Inputs: 2 XLR audio inputs

Built-in Microphone: Stereo microphone Headphone Otput: 3.5mm headphone jack

Light:

Intergated LED Light: Birghtness adjustable, includes color conversion filter

Focus and Zoom:

Focus: Manual and auto-focus modes

Zoom Speed: Variable zoom speed, selectable

Battery:



#### Republic of the Philippines WESTERN MINDANAO STATE UNIVERSITY BIDS AND AWARDS COMMITTEE FOR GOODS

CERTIFICATION AL ASSOCIATION DE L'ACCORDINA DE L'AC

Normal Road, Baliwasan Zamboanga City Telefax.: 062-991-1771 loc 1003

#### www.wmsu.edu.ph

Battery tyep: Rechargeable lithium-ion battery (7.28V, 6400 mAh) Recording Time: Aprrox. 4.5 hours with a fully charged battery

Additional Features: Infrared Night Modes Backside Illuminated Sensor (BSI) LED Ring Light

With Carrying Case

#### 2.) Two (2) units of PROFESSIONAL STUDIO ELECTRO MICROPHONE KIT

Specifications:

Type: Dynamic Microphone Polar Pattern: Cardioid

Frequency Response: 20 Hz - 20 kHz

Sensitivity: -58dB to -3dB Impedance: up to 600 ohms

SPL: apporx. 130dB SPL or hidgher Connector: XLR 3-pin output

Power Requirements: 5 DC (supplied via USB cable)

*Included Accessories:* 

Pop Filter Shock Mount

Microhone Stand/Mini Tripod

Windscreen

USB Cable (at least 2m) XLR Cable (at least 3m)

#### 3.) Two (2) sets of SHOTGUN MICROPHONE

Specifications:

Polar Pattern: Super cardioid

Frequency Response: 30 Hz - 20 kHz

Output Impedance: 300 ohms

Sensitivity:  $-33dB \pm 1dB / 0dB + 1V/Pa$ , 1kHz

Signal-to-Noise Ratio: 80dB Power: 1.5V AA battery

Plug: Mini-Plug

Filter: Controlled by lw-cut filter switch

Accessories: Foam windscreen, Furry windscreen, Shock mount

#### 4.) Two (2) units of STUDIO LIGHTS

Specifications:

Type: Point-source LED light Beam angle: up to 105 degrees Color temperature: 5500K Cooling Modes: Active Cooling

Diming: 0 to 100 %

APP Control Type: Bluetooth AC & Battery power options

With Built-in customizable lighting effects

Accessories: Reflector, Umbrella holder, Remote control

#### 5.) One (1) unit of TELEPROMPTER

Specifications:

Lens hood: All-in-one

Shooting angle: High-definition wide-angle without vignetting Compatibility: Compatible with a variety of shooting equipment



#### Republic of the Philippines WESTERN MINDANAO STATE UNIVERSITY BIDS AND AWARDS COMMITTEE FOR GOODS

CERTIFICATION INTERNATIONAL GARAGE GA

Normal Road, Baliwasan Zamboanga City Telefax.: 062-991-1771 loc 1003

www.wmsu.edu.ph

Body material: Aluminum alloy with full metal texture

Shooting orientation: Vertical and horizontal Power supply: AC adapter or DC battery Remote control distance: Up to 10 meters

Teleprompter app: Compatible with iOS or Android devices

Accessories:

Potable storage suitcase Glass frame + lens hood Teleprompter Flat clamp USB flash disk Dust cloth Gimbal

Remote control

Softdog Manual

### 6.) Two (2) sets of GREEN SCREEN STUDIO BACKDROP FOR VIDEO FOR VIDEO PRODUCTION

*Specifications:* 

Material: Aluminum alloy Size: 2 meterS x 3meters

Package includes:

1 Backdrop stand 2 meters x 3 meters

3 backdrops 2 meterx3meter(black, green, white)

2 2m Light Stands

2 50cmx70cm Softbox

2 backdrops Clamps

2 Light Bulbs (135W)

1 Carrying Bag

The criteria to be used for the eligibility check of the prospective bidders, examination and evaluation of bids, post-qualification and all matters relevant to this procurement shall be in accordance with Republic Act. No. 9184 (The Government Procurement Reform Act) and its Implementing Rules and Regulations.

Pursuant to Annex "H" documentary requirements interested bidders are required to submit their valid and current Mayor's Permit, PhilGEPS Registration and other relevant documents (if necessary), upon the submission of quotation.

Award of contract shall be made to the lowest calculated and responsive bid, which complies with the necessary description as stated above and other terms and conditions stated in the price quotation form.

Any interlineations, erasures or overwriting shall be valid only if they are signed or initiated by the bidder or his/her duly authorized representative/s.

Submission of Quotation and eligibility documents is on or before November 27, 2024 9:30AM at the BAC Office, 2nd Floor, Admin Building, Western Mindanao State University, Normal Road, Baliwasan, Zamboanga City. Open submission may be submitted manually, email (bac@wmsu.edu.ph) or through facsimile at (062) 991-1771 loc 1003

For inquiries, you may coordinate with the BAC Secretariat at telephone no. (062) 991-1771 loc 1003

The WESTERN MINDANAO STATE UNIVERSITY reserves the right to reject any or all Bids and to accept the bid most advantageous to the government, and to award the contract by lot, if warranted.

### REQUEST FOR QUOTATION

			Western Mindanao State Unive	HEREN S	iotation N	lo.:
					R No.: 24	
	Plea	se quote	your lowest price on the item/s listed below, subject to the		/	
ortes 9:30	t time	of deliver	y and submit your quotation duly signed by your representa urn envelope attached herewith. Any quotation submitted b	ative not later than	/ NOV	2 7 2024
OTE:		2 DELIV 3 WARE DATE 4 PRICE 5 G-EPS	NTRIES MUST BE TYPEWRITTEN  ERY PERIOD CALENDAR DAYS UPON RECEIPT OF THE PU  RANTY SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES A  OF ACCEPTANCE BY WESTERN MINDANAO STATE UNIVERSITY  E VALIDITY SHALL BE FOR A PERIOD OF 120 CALENDAR DAYS UPON  B REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSERS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATION	BAC C RCHASE ORDER. AND MATERIALS. ONE (1 RECEIPT OF THE PURCE SION OF THE QUOTATIO	nairperson ) YEAR FOR CHASE ORDE	ER
tem	Qty	Unit	Item and Description	Approved Budget for the Contract	Unit Cost	Total Cost
No. 1.	2	units	PROFESSIONAL BROADCAST STUDIO CAMCORDER Specifications: Image Sensor Unit Type: 1/3.1-type BSI MOS Sensor Effective Pixels: atlest 6.0 megapixels  Lens Optical Zoom: 20x Focal Length: 4.08 - 81.6 mm, 29.5 - 612 mm Equivalent	(ABC) P240,000.00	Cust	
			in 35mm Aperture: F1.8 to F3.6 Filter Diameter: at least 49 mm			
			Recording Formats; ResolutionL Full HD 1920 x 1080 Video Format: AVCHD (Progressive), MP4, MOV Bitrate: up to 50 Mbps (MP4/MOV), 28 Mbps (AVCHD) Audio: LPCM (MOV/MP4), Dolby Digital (AVCHD)	×		
			Storage Media: Slot: Dual SD Card slots SD/SDHC/SDXC card supported Relay recording and simultaneous recording supported			-
			Image Stabilization: System: 5-axis Hybrid Optical Image Stabilizer with Level Shot Function			
			Display: LCD: at least 3.0 inch touchscreen LVD (approx. 460K dots) Viewfinder: 0.24 inch EVF (approx. 1555K dots			
			Audio: Inputs: 2 XLR audio inputs Built-in Microphone: Stereo microphone			
PS So	licitatio	Number	PAGE 1 of 4	De W	and & Mode elivery Perio arranty rice Validity	
PS CII	osing D After		refully read and accepted your General Conditions, the foregoing a	are our price quotation	for the item	s above indicated.
			360.00 3	GEPS Certificate N	Okt (Table 1997)	
			POMPO (FOX:)	ficate Reference I	inted Name	
	REY	ESPIRITU	SANTO / JORGE CONCEPCION / DANNI VINCENT VILLAREA Canvasser			
				-		)ate

## REQUEST FOR QUOTATION Western Mindanao State University

	Quotation No.:
	PR No.: 24-08-391
Please quote your lowest price on the item/s listed below, subject to the chortest time of delivery and submit your quotation duly signed by your representant 9:30 A.M. in the return envelope attached herewith. Any quotation submitted be	ative not later thanNOV 2 7 2024
1 ALL ENTRIES MUST BE TYPEWRITTEN 2 DELIVERY PERIOD CALENDAR DAYS UPON RECEIPT OF THE PU 3 WARRANTY SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES A DATE OF ACCEPTANCE BY WESTERN MINDANAO STATE UNIVERSITY 4 PRICE VALIDITY SHALL BE FOR A PERIOD OF 120 CALENDAR DAYS UPON 5 G-EPS REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISS 6 BIDDERS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATIO	AND MATERIALS. ONE (1) THAT FOR EQUIPMENT, FROM I RECEIPT OF THE PURCHASE ORDER SION OF THE QUOTATION
Light: Intergated LED Light: Birghtness adjustable, includes color conversion filter  Focus and Zoom: Focus: Manual and auto-focus modes Zoom Speed: Variable zoom speed, selectable  Battery: Battery tyep: Rechargeable lithium-ion battery (7.28V, 6400 mAh) Recording Time: Aprrox. 4.5 hours with a fully charged battery  Additional Features: Infrared Night Modes Backside Illuminated Sensor (BSI) LED Ring Light  With Carrying Case. 120,000.00/units.  PROFESSIONAL STUDIO ELECTRO MICROPHONE KIT Specifications: Type: Dynamic Microphone Polar Pattern: Cardioid Frequency Response: 20 Hz - 20 kHz Sensitivity: -58dB to -3dB Impedance: up to 600 ohms SPL: apporx. 130dB SPL or hidgher Connector: XLR 3-pin output Power Requirements: 5 DC (supplied via USB cable)  Included Accessories: Pop Filter Shock Mount Microhone Stand/Mini Tripod Windscreen	P28,000.00
USB Cable (at least 2m)  PS Reference Number : PAGE 2 of 4  PS Solicitation Number :	Brand & Model :
After having carefully read and accepted your General Conditions, the foregoing a	are our price quotation for the items above indicated.
	GEPS Certificate No.: ificate Reference No.:
REY ESPIRITUSANTO / JORGE CONCEPCION / DANNI VINCENT VILLAREAL	Printed Name/Signature
Canvasser	Tel .No./Cellphone #
	Date

# REQUEST FOR QUOTATION Western Mindanao State University

			Quotation No.:		
			PR No.: 24-08-391		
nortest time	of deliver	your lowest price on the item/s listed below, subject to the G y and submit your quotation duly signed by your represental urn envelope attached herewith. Any quotation submitted be	tive not later than		
OTE:	2 DELIV 3 WARF DATE 4 PRICE 5 G-EPS	NTRIES MUST BE TYPEWRITTEN  VERY PERIOD CALENDAR DAYS UPON RECEIPT OF THE PUF  RANTY SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES AI  OF ACCEPTANCE BY WESTERN MINDANAO STATE UNIVERSITY  E VALIDITY SHALL BE FOR A PERIOD OF 120 CALENDAR DAYS UPON IS  REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSI  ERS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATION	ND MATERIALS. ONE (1) YEAR FOR EQUIPMENT, FROM RECEIPT OF THE PURCHASE ORDER ON OF THE QUOTATION		
2	sets	XLR Cable (at least 3m). 14,000.00/units.  SHOTGUM MICROPHONE  Specifications: Polar Pattern: Super cardioid Frequency Response: 30 Hz - 20 kHz Output Impedance: 300 ohms Sensitivity: -33dB ± 1dB / 0dB+ 1V/Pa, 1kHz Signal-to-Noise Ratio: 80dB Power: 1.5V AA battery Plug: Mini-Plug Filter: Controlled by Iw-cut filter switch Accessories: Foam windscreen, Furry windscreen, Shock mount. 8,000.00/sets.	P16,000.00		
2	units	STUDIO LIGHTS Specifications: Type: Point-source LED light Beam angle: up to 105 degrees Color temperature: 5500K Cooling Modes: Active Cooling Diming: 0 to 100 % APP Control Type: Bluetooth AC & Battery power options With Built-in customizable lighting effects Accessories: Reflector, Umbrella holder, Remote	P50,000.00		
1	unit	control. 25,000.00/units.  TELEPROMPTER  Specifications: Lens hood: All-in-one Shooting angle: High-definition wide-angle withoutvignetting Compatibility: Compatible with a variety of shootingequipment Body material: Aluminum alloy with full metal texture Shooting orientation: Vertical and horizontal Power supply: AC adapter or DC battery Remote control distance: Up to 10 meters Teleprompter app: Compatible with iOS or Androiddevices Accessories: Potable storage suitcase	P15,000.00		
S Reference S Solicitation S Closing D	n Number	PAGE 3 of 4	Brand & Model : Delivery Period : Warranty : Price Validity :		
After	having ca	-	EPS Certificate No.:		
REY	ESPIRITU	ISANTO / JORGE CONCEPCION / DANNI VINCENT VILLAREAL	Printed Name/Signature		
		Canvasser	Tel .No./Cellphone #		
			Data		

		ī	REQUEST FOR QUOTA Western Mindanao State Unive	ATION ersity	
				Quotation No.:	-
				PR No.: 24-08-391	
ortest 9:30	time o	of deliver	your lowest price on the item/s listed below, subject to the or y and submit your quotation duly signed by your representa urn envelope attached herewith. Any quotation submitted by	ative not later than NOV 2 7/224	• —
TE:		2 DELIV 3 WARF DATE 4 PRICE 5 G-EPS	ENTRIES MUST BE TYPEWRITTEN  VERY PERIOD CALENDAR DAYS UPON RECEIPT OF THE PURION SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES AS OF ACCEPTANCE BY WESTERN MINDANAO STATE UNIVERSITY E VALIDITY SHALL BE FOR A PERIOD OF 120 CALENDAR DAYS UPON SERGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSERS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATION	AND MATERIALS. ONE (1) YEAR FOR EQUIPMENT, F RECEIPT OF THE PURCHASE ORDER SION OF THE QUOTATION	
			Glass frame + lens hood Teleprompter Flat clamp USB flash disk Dust cloth Gimbal Remote control Softdog Manual. 15,000.00/unit.		
	2	sets	GREEN SCREEN STUDIO BACKDROP FOR VIDEO FOR VIDEO PRODUCTION Specifications: Material: Aluminum alloy Size: 2 meterS x 3meters Package includes: 1 Backdrop stand 2 meters x 3 meters 3 backdrops 2 meterx3meter(black, green, white) 2 2m Light Stands 2 50cmx70cm Softbox 2 backdrops Clamps 2 Light Bulbs (135W) 1 Carrying Bag. 10,000.00/sets.	P20,000.00	
			For the MASSCOM Department of the University		
			PAGE 4 of 4	Total:	
S Ref	erence	Number	·	Brand & Model : Delivery Period :	
	sing Da		: : refully read and accepted your General Conditions, the foregoing a	Warranty : Price Validity :	ited.
			Philo	GEPS Certificate No.:	
			(A)	ficate Reference No.:	
	REY	ESPIRITU	JSANTO / JORGE CONCEPCION / DANNI VINCENT VILLAREAL	Printed Name/Signature	•
			Canvasser	Tel .No./Cellphone#	_
				Date	