



Normal Road, Baliwasan Zamboanga City Telefax.: 062-991-1771 loc 1003 www.wmsu.edu.ph

REQUEST FOR QUOTATION

The Western Mindanao State University, through its Bids and Awards Committee (BAC), is inviting PhilGEPS registered suppliers to apply for eligibility and to submit bids for the item mentioned hereunder:

Name of Project: Procurement of Various Laboratory Materials and Equipment for

the College of Science and Mathematics
Approved Budget Cost: PHP 283,200.00
Purchase Request No.: PR 24-09-402
Closing Date: November 26, 2024 9:30 AM

Description:

Description:

1.) Five (5) pcs of Adapter-Bent (for distillation set-up) Bent at 105 degree Joint ST/NS 24/40

2.) Ten (10) pcs of Buret Brush 23 inches long

3.) Five (5) units of Calorimeter

Specification:
.Double walled
.Height: 7 inches
.Width: 4.5 inches

.Voltage: 3-6V

.With complete accessories inside: Inner aluminum reservoir 150ml

Plastic insulator ring

Spring heating element unit

Styrofoam lining

Transparent lid with holes

Stirrer

Built-in thermometer cork

Cap

4.) Five (5) pcs of Cork Borer

Specifications:

Nickel-plated brass tubing

Set of 6

Hole diameter sizes: 4, 4.5, 6, 8, 9.5, 11 (mm)

5.) Ten (10) pcs of Erlenmeyer Flask 125ml Made of borosilicate glass

6.) Five (5) pcs of Eudiometer 50ml

Made of borosilicate glass subdivisions: 0.1ml, Length: 22"

7.) Ten (10) pcs of Funnel Top inside diameter 75mm

8.) Five (5) pcs of Inclined Plane WoodenWith attached scale and pulley

9.) Ten (10) pcs of Metal Balls 1.5cm diameter



CERTIFICATION
INTERNATIONAL
ISO 9001/2015
AB
ACCORDING SHOOT
A

Normal Road, Baliwasan Zamboanga City Telefax.: 062-991-1771 loc 1003 www.wmsu.edu.ph

10.) Five (5) sets of Micrometer and Vernier Caliper Set

Micrometer .0-25 mm

.Resolution: 0.1mm

Vernier Caliper

.Measuring Range: 150mm

Both Calipers
.Accuracy: 0.01
.Color: Silver

.Material: Stainless steel

.Slide lock

.Oil and water resistant

11.) Seven (7) packs of Litmus paper (Blue) 100 pcs/pack

12.) Seven (7) packs of Litmus paper (Red) 100 pcs/pack

13.) Ten (10) pcs of Pipet 5 ml Made of borosilicate glass

14.) Ten (10) pcs of Pipet 10 ml Made of borosilicate glass

15.) Ten (10) pcs of Pipet 25 ml Made of borosilicate glass

16.) One (1) pc of Rubber Tubing 20 m/roll

17.) Thirty (30) pcs of Test tube brush (small)

18.) Fifteen (15) pcs of Test tube holder, Wooden handle

19.) Thirty (30) pcs of Thermometer (Alcohol) Up to 200 degree C

20.) Ten (10) pcs of Thoma Pipet 25 ml Made of borosilicate glass

21.) Five (5) pcs of Voltmeter (Analog type) Dimension: L100mm x W90mm

With red and black banana cables Max AC: 100V, Max. DC: 100V

22.) Ten (10) pcs of Volumetric Flask 50 ml Made of borosilicate glass Cover made of plastic

23.) Two (2) pcs of Force Table

Powder coated

Material: Aluminum alloy

Diameter 40cm



CERTIFICATION INTERNATIONAL So 900:2015

Normal Road, Baliwasan Zamboanga City Telefax.: 062-991-1771 loc 1003 www.wmsu.edu.ph

Table shape: Round Hanger weight: 50 gms

With complete accessories like pulleys and hangers

24.) Three (3) units of Multimeter (Digital)

Display Type: Digital True RMS: Yes Large-scale display 6000 display count

Handheld

Functions Measured: AC Current, AC Voltage, Capacitance, Continuity, DC Current, DC

Voltage, Diode, Resistance

Absolute Maximum DC Current Measurement: 10A dc Absolute Maximum AC Current Measurement: 10A ac Absolute Maximum Resistance Measurement: 60M degree Absolute Maximum AC Voltage Measurement: 750V ac Absolute Maximum DC Voltage Measurement: 1000V dc Absolute Maximum Capacitance Measurement: 6mF DC Current Measurement Resolution: 0.1µA dc AC Current Measurement Resolution: 0.1µA ac Resistance Measurement Resolution: 100m degree DC Voltage Measurement Resolution: 0.1mV dc AC Voltage Measurement Resolution: 0.1mV ac

Battery Life: 300 h

Minimum Operating Temperature: 0°C Maximum Operating Temperature: 50°C

Capacitance Measurement Resolution: 1pF

Best Capacitance Measurement Accuracy: $\pm 1.9\% + 2$ Digits Best Resistance Measurement Accuracy: $\pm 0.7\% + 2$ Digits

Best AC Voltage Accuracy: ±0.9% + 5 Digits Safety Category Voltage: 600 V, 1000V Best DC Current Accuracy: ±1% + 2 Digits Best AC Current Accuracy: ±1.5% + 5 Digits Best DC Voltage Accuracy: ±0.5% + 2 Digits

Dimensions: 82 x 44 x 164mm

25.) One (1) unit of Soxhlet Extraction Heater Mantle Type

Specifications: Capacity: 250 ml

Voltage: 220-240V / 60Hz

No. of Hole: 3 holes

Max. Heating Temperature: 250 degree C

Insulator: Glass wool

External case: Epoxy-polyester paint

With built-in regulator for each mantle with Light Indicator

The criteria to be used for the eligibility check of the prospective bidders, examination and evaluation of bids, post-qualification and all matters relevant to this procurement shall be in accordance with Republic Act. No. 9184 (The Government Procurement Reform Act) and its Implementing Rules and Regulations.

Pursuant to Annex "H" documentary requirements interested bidders are required to submit their valid and current Mayor's Permit, PhilGEPS Registration and other relevant documents (if necessary), upon the submission of quotation.

Award of contract shall be made to the lowest calculated and responsive bid, which complies with the necessary description as stated above and other terms and conditions stated in the price quotation form.





Normal Road, Baliwasan Zamboanga City Telefax.: 062-991-1771 loc 1003 www.wmsu.edu.ph

Any interlineations, erasures or overwriting shall be valid only if they are signed or initiated by the bidder or his/her duly authorized representative/s.

Submission of Quotation and eligibility documents is on or before November 26, 2024 9:30 AM at the BAC Office, 2nd Floor, Admin Building, Western Mindanao State University, Normal Road, Baliwasan, Zamboanga City. Open submission may be submitted manually, email (bac@wmsu.edu.ph) or through facsimile at (062) 991-1771 loc 1003 For inquiries, you may coordinate with the BAC Secretariat at telephone no. (062) 991-1771 loc 1003

The WESTERN MINDANAO STATE UNIVERSITY reserves the right to reject any or all Bids and to accept the bid most advantageous to the government, and to award the contract by lot, if warranted.

				Qu	otation N	o.:
				PR	No.: 24-	09-402
	Pleas	se quote	your lowest price on the item/s listed below, subject to the C	General Conditions o	n the page	e, stating the
t <u>9:30</u>	t time o	of deliver n the ret	y and submit your quotation duly signed by your representa urn envelope attached herewith. Any quotation submitted be	eyond this date will N	D. MAD	ROÑAL, DPA
OTE:		2 DELIN 3 WARE DATE 4 PRICE 5 G-EPS	ENTRIES MUST BE TYPEWRITTEN VERY PERIOD CALENDAR DAYS UPON RECEIPT OF THE PUI RANTY SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES A OF ACCEPTANCE BY WESTERN MINDANAO STATE UNIVERSITY E VALIDITY SHALL BE FOR A PERIOD OF 120 CALENDAR DAYS UPON S REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISS ERS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATION	RCHASE ORDER. IND MATERIALS. ONE (1) RECEIPT OF THE PURCI SION OF THE QUOTATION	YEAR FOR HASE ORDE	R
Item No.	Qty	Unit	Item and Description	Approved Budget for the Contract (ABC)	Unit Cost	Total Cost
1.	5	pcs	Adapter-Bent (for distillation set-up) Bent at 105 degree Joint ST/NS 24/40. 2,500.00/pcs.	P12,500.00		
2.	10	pcs	Buret Brush 23 inches long. 220.00/pcs.	P2,200.00		
3.	5	units	Calorimeter Specification: .Double walled .Height: 7 inches .Width: 4.5 inches .Voltage: 3-6V .With complete accessories inside:	P7,000.00		
			Inner aluminum reservoir 150ml Plastic insulator ring Spring heating element unit Styrofoam lining Transparent lid with holes Stirrer Built-in thermometer cork Cap. 1,400.00/units.			
4.	5	pcs	Cork Borer Specifications: Nickel-plated brass tubing Set of 6 Hole diameter sizes: 4, 4.5, 6, 8, 9.5, 11 (mm). 1,000.00/pcs.	P5,000.00		
5.	10	pcs	Erlenmeyer Flask 125ml Made of borosilicate glass. 500.00/pcs.	P5,000.00		
6.	5	pcs	Eudiometer 50ml	P12,500.00		
PS Sol		Number Number	PAGE 1 of 4	De Wa	and & Mode livery Perio arranty ce Validity	
	After	having ca	refully read and accepted your General Conditions, the foregoing a	re our price quotation f	or the items	above indicated
				EPS Certificate No ficate Reference N		
	REY	ESPIRITU	JSANTO / JORGE CONCEPCION / DANNI VINCENT VILLAREAL		nted Name	/Signature
			Canvasser	Tel .No./Cellp	ohone#	
				-		ate

REQUEST FOR QUOTATION Western Mindanao State University

				Quotation No.:		
				PR No	o.: <u>24-09-402</u>	
hortes	t time o	of deliver	your lowest price on the item/s listed below, subject to the G y and submit your quotation duly signed by your representat urn envelope attached herewith. Any quotation submitted be	tive not later than	1.01. 2.0 2024	
OTE:		1 ALLE	NTRIES MUST BE TYPEWRITTEN		. MADROÑAL, DPA person for GOODS	
		3 WARE DATE 4 PRICE 5 G-EPS	CALENDAR DAYS UPON RECEIPT OF THE PUF RANTY SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES AF OF ACCEPTANCE BY WESTERN MINDANAO STATE UNIVERSITY E VALIDITY SHALL BE FOR A PERIOD OF 120 CALENDAR DAYS UPON F S REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSI ERS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATION	ND MATERIALS. ONE (1) YE RECEIPT OF THE PURCHAS ON OF THE QUOTATION	E ORDER	
			Made of borosilicate glass subdivisions: 0.1ml, Length: 22". 2,500.00/pcs.			
7.	10	pcs	Funnel Top inside diameter 75mm. 650.00/pcs.	P6,500.00		
8.	5	pcs	Wooden With attached scale and pulley. 1,000.00/pcs.	P5,000.00		
9.	10	pcs	Metal Balls 1.5cm diameter. 150.00/pcs.	P1,500.00		
10.	5	sets	Micrometer and Vernier Caliper Set Micrometer .0-25 mm .Resolution: 0.1mm	P10,000.00		
			Vernier Caliper .Measuring Range: 150mm			
			Both Calipers .Accuracy: 0.01 .Color: Silver .Material: Stainless steel .Slide lock .Oil and water resistant. 2,000.00/sets.			
11.	7	pack s	Litmus paper (Blue) 100 pcs/pack. 150.00/packs.	P1,050.00		
12.	7	pack s	Litmus paper (Red) 100 pcs/pack. 150.00/packs.	P1,050.00		
13.	10	pcs	Pipet 5 ml Made of borosilicate glass. 350.00/pcs.	P3,500.00		
14.	10	pcs	Pipet 10 ml Made of borosilicate glass. 450.00/pcs.	P4,500.00		
PS Reference Number : PAGE 2 of 4			PAGE 2 of 4		& Model : ry Period : nty :	
PS Clo	osing Da	ate	·	Price \	'alidity :	
	After	having ca	refully read and accepted your General Conditions, the foregoing ar	e our price quotation for th	ne items above indicated.	
	Phi			GEPS Certificate No.:		
			Certif	icate Reference No.:		
	REY	ESPIRITU	SANTO / JORGE CONCEPCION TO DANNI VINCENT VILLAREAL		l Name/Signature	
			Canvasser	Tel .No./Cellphor	ne #	
				<u> </u>	Date	

REQUEST FOR QUOTATION Western Mindanao State University

				Quo	tation No.:	
				PR I	No.: <u>24-09-402</u>	
	Pleas	se quote	your lowest price on the item/s listed below, subject to the G	eneral Conditions on	the page, stating the	
hortes at <u>9:30</u>	t time	of deliver	y and submit your quotation duly signed by your representati urn envelope attached herewith. Any quotation submitted be	yond this date will no	K	
IOTE:		2 DELIV 3 WARE	NTRIES MUST BE TYPEWRITTEN PERY PERIOD CALENDAR DAYS UPON RECEIPT OF THE PUR RANTY SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES AN	BAC Cha	D. MADROÑAL, DPA irperson for GOODS	
		4 PRICE 5 G-EPS	OF ACCEPTANCE BY WESTERN MINDANAO STATE UNIVERSITY E VALIDITY SHALL BE FOR A PERIOD OF 120 CALENDAR DAYS UPON R B REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSI ERS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATION:	ON OF THE QUOTATION		
15.	10	pcs	Pipet 25 ml Made of borosilicate glass. 550.00/pcs.	P5,500.00		
16.	1	рс	Rubber Tubing 20 m/roll 1,700.00/pc.	P1,700.00		
17.	30	pcs	Test tube brush (small). 50.00/pcs.	P1,500.00		
18.	15	pcs	Test tube holder, Wooden handle. 140.00/pcs.	P2,100.00		
19.	30	pcs	Thermometer (Alcohol) Up to 200 degree C. 270.00/pcs.	P8,100.00		
20.	10	pcs	Thoma Pipet 25 ml Made of borosilicate glass. 600.00/pcs.	P6,000.00		
21.	5	pcs	Voltmeter (Analog type) Dimension: L100mm x W90mm With red and black banana cables	P6,000.00		
22.	10	ncc	Max AC: 100V, Max. DC: 100V. 1,200.00/pcs. Volumetric Flask 50 ml	P9,000.00		
22.	10	pcs	Made of borosilicate glass Cover made of plastic. 900.00/pcs.	P3,000.00		
23.	2	pcs	Force Table	P26,000.00	· p	
			Powder coated			
			Material: Aluminum alloy			
			Diameter 40cm			
			Table shape: Round Hanger weight: 50 gms			
			With complete accessories like pulleys and hangers.			
			13,000.00/pcs.			
24.	3	units	Multimeter (Digital)	P90,000.00		
			Display Type: Digital			
			True RMS: Yes Large-scale display			
			6000 display count	(
			Handheld			
			Functions Measured: AC Current, AC Voltage, Capacitance, Continuity, DC Current, DC Voltage, Diode, Resistance			
				В	J 0 M - J - J	
PS Re	rerence	Number	PAGE 3 of 4		d & Model : /ery Period :	
PS Sol	icitation	Number	i	Warr	ranty : e Validity :	
PS Clo	sing Da	ate	t	FIICE	s validity	
	After	having car	refully read and accepted your General Conditions, the foregoing are	e our price quotation for	the items above indicated.	
			PhilGE	EPS Certificate No.:		
			Certifi	icate Reference No).:	
	REY	ESPIRITU	SANTO / JORGE CONCEPCION / DANNI VINCENT VILLAREAL	Print	red Name/Signature	
			Canvasser	Tel .No./Cellph	one#	
					Date	

REQUEST FOR QUOTATION Western Mindanao State University

			Quotation No.:	_
			PR No.: 24-09-402	
Pleas	se quote	your lowest price on the item/s listed below, subject to the C		ı
		y and submit your quotation duly signed by your representa urn envelope attached herewith. Any quotation submitted be		
OTE:			JOSELITO D. MADROÑAL, D BAC Chairpers on for GOODS	PA
	2 DELIV 3 WARF DATE 4 PRICE 5 G-EPS	NTRIES MUST BE TYPEWRITTEN YERY PERIOD CALENDAR DAYS UPON RECEIPT OF THE PUI RANTY SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES A OF ACCEPTANCE BY WESTERN MINDANAO STATE UNIVERSITY E VALIDITY SHALL BE FOR A PERIOD OF 120 CALENDAR DAYS UPON S REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISS ERS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATION	ND MATERIALS. ONE (1) YEAR FOR EQUIPMENT, F RECEIPT OF THE PURCHASE ORDER SION OF THE QUOTATION	ROM
25. 1	unit	Absolute Maximum DC Current Measurement: 10A dc Absolute Maximum AC Current Measurement: 10A ac Absolute Maximum Resistance Measurement: 60M degree Absolute Maximum AC Voltage Measurement: 750V ac Absolute Maximum DC Voltage Measurement: 1000V dc Absolute Maximum Capacitance Measurement: 6mF DC Current Measurement Resolution: 0.1µA dc AC Current Measurement Resolution: 0.1µA ac Resistance Measurement Resolution: 100m degree DC Voltage Measurement Resolution: 0.1mV dc AC Voltage Measurement Resolution: 0.1mV ac Capacitance Measurement Resolution: 1pF Battery Life: 300 h Minimum Operating Temperature: 0°C Maximum Operating Temperature: 50°C Best Capacitance Measurement Accuracy: ±1.9% + 2 Digits Best Resistance Measurement Accuracy: ±0.7% + 2 Digits Best AC Voltage Accuracy: ±0.9% + 5 Digits Safety Category Voltage: 600 V, 1000V Best DC Current Accuracy: ±1.5% + 5 Digits Best AC Current Accuracy: ±1.5% + 5 Digits Best AC Current Accuracy: ±0.5% + 2 Digits Dimensions: 82 x 44 x 164mm. 30,000.00/units. Soxhlet Extraction Heater Mantle Type Specifications: Capacity: 250 ml Voltage: 220-240V / 60Hz No. of Hole: 3 holes Max. Heating Temperature: 250 degree C Insulator: Glass wool External case: Epoxy-polyester paint	P50,000.00	
		With built-in regulator for each mantle with Light Indicator. 50,000.00/unit.		
		PAGE 4 of 4	Total:	
PS Reference	Number		Brand & Model : Delivery Period :	
PS Solicitation	Number		Warranty :	
PS Closing Da				
After I	naving ca	refully read and accepted your General Conditions, the foregoing a	re our price quotation for the items above indicat	ed.
			GEPS Certificate No.:	
		Certif	neate Reference NO.;	
REY	ESPIRITU	SANTO / JORGE CONCEPCION / DANNI VINCENT VILLAREAL	Printed Name/Signature	
		Canvasser	Tel .No./Cellphone#	-
			Date	_
			Date	