

### Republic of the Philippines WESTERN MINDANAO STATE UNIVERSITY BIDS AND AWARDS COMMITTEE FOR GOODS

CERTIFICATION ABOUT THE NATIONAL SIGNOPOLIZORS ABOUT THE NATIONAL

Normal Road, Baliwasan Zamboanga City Telefax.: 062-991-1771 loc 1003 www.wmsu.edu.ph

#### REQUEST FOR QUOTATION

The Western Mindanao State University, through its Bids and Awards Committee (BAC), is inviting PhilGEPS registered suppliers to apply for eligibility and to submit bids for the item mentioned hereunder:

Name of Project: Procurement of Various Photographic Equipment for the Mass

**Communication Department** 

Approved Budget Cost: PHP 369,000.00 Purchase Request No.: PR 25-04-200 Closing Date: August 6, 2025 9:30 AM

Description:

1.) Two (2) units of PROFESSIONAL BROADCAST STUDIO CAMCORDER

Specifications: Image Sensor Unit

Type: 1/3.1-type BSI MOS Sensor Effective Pixels: atlest 6.0 megapixels

Lens:

Optical Zoom: 20x

Focal Length: 4.08 - 81.6 mm, 29.5 - 612 mm Equivalent in 35mm

Aperture: F1.8 to F3.6

Filter Diameter: at least 49 mm

Recording Formats;

ResolutionL Full HD 1920 x 1080

Video Format: AVCHD (Progressive), MP4, MOV Bitrate: up to 50 Mbps (MP4/MOV), 28 Mbps (AVCHD) Audio: LPCM (MOV/MP4), Dolby Digital (AVCHD)

Storage Media:

Slot: Dual SD Card slots

SD/SDHC/SDXC card supported

Relay recording and simultaneous recording supported

Image Stabilization:

System: 5-axis Hybrid Optical Image Stabilizer with Level Shot

Function: Display:

LCD: at least 3.0 inch touchscreen LVD (approx. 460K dots)

Viewfinder: 0.24 inch EVF (approx. 1555K dots

Audio:

Inputs: 2 XLR audio inputs

Built-in Microphone: Stereo microphone Headphone Otput: 3.5mm headphone jack

Light:

 ${\it Intergated LED Light: Birghtness \ adjustable, includes \ color}$ 

conversion filter Focus and Zoom:

Focus: Manual and auto-focus modes

Zoom Speed: Variable zoom speed, selectable

Batterv:

Battery tyep: Rechargeable lithium-ion battery (7.28V, 6400 mAh) Recording Time: Aprrox. 4.5 hours with a fully charged battery

Additional Features: Infrared Night Modes

Backside Illuminated Sensor (BSI)

LED Ring Light
With Carrying Case

ABC: Php 240,000.00

2.) Two (2) units of PROFESSIONAL STUDIO ELECTRO MICROPHONE KIT Specifications:



### Republic of the Philippines WESTERN MINDANAO STATE UNIVERSITY BIDS AND AWARDS COMMITTEE FOR GOODS

CERTIFICATION ABOUT ABOU

Normal Road, Baliwasan Zamboanga City Telefax.: 062-991-1771 loc 1003 www.wmsu.edu.ph

Type: Dynamic Microphone Polar Pattern: Cardioid

Frequency Response: 20 Hz - 20 kHz

Sensitivity: -58dB to -3dB Impedance: up to 600 ohms

SPL: apporx. 130dB SPL or hidgher

Connector: XLR 3-pin output

Power Requirements: 5 DC (supplied via USB cable)

Included Accessories:

Pop Filter Shock Mount

Microhone Stand/Mini Tripod

Windscreen

USB Cable (at least 2m)

XLR Cable (at least 3m). ABC: Php 28,000.00

3.) Two (2) sets of SHOTGUN MICROPHONE

Specifications:

Polar Pattern: Super cardioid Frequency Response: 30 Hz - 20 kHz

Output Impedance: 300 ohms

Sensitivity:  $-33dB \pm 1dB / 0dB + 1V/Pa$ , 1kHz

Signal-to-Noise Ratio: 80dB Power: 1.5V AA battery

Plug: Mini-Plug

Filter: Controlled by lw-cut filter switch

Accessories: Foam windscreen, Furry windscreen, Shock mount. ABC: Php 16,000.00

#### 4.) Two (2) units of STUDIO LIGHTS

Specifications:

Type: Point-source LED light Beam angle: up to 105 degrees Color temperature: 5500K Cooling Modes: Active Cooling

Diming: 0 to 100 %

APP Control Type: Bluetooth AC & Battery power options

With Built-in customizable lighting effects

Accessories: Reflector, Umbrella holder, Remote control. ABC: Php 50,000.00

#### 5.) One (1) unit of TELEPROMPTER

Specifications:

Lens hood: All-in-one

Shooting angle: High-definition wide-angle withoutvignetting Compatibility: Compatible with a variety of shooting equipment

Body material: Aluminum alloy with full metal texture

Shooting orientation: Vertical and horizontal Power supply: AC adapter or DC battery Remote control distance: Up to 10 meters

Teleprompter app: Compatible with iOS or Androiddevices

Accessories:

Potable storage suitcase Glass frame + lens hood

Teleprompter
Flat clamp
USB flash disk
Dust cloth
Gimbal

Remote control

Softdog

Manual. ABC: Php 15,000.00



### Republic of the Philippines WESTERN MINDANAO STATE UNIVERSITY BIDS AND AWARDS COMMITTEE FOR GOODS

CERTIFICATION INTERNATIONAL Good Control for the Macanille Control for

Normal Road, Baliwasan Zamboanga City Telefax.: 062-991-1771 loc 1003 www.wmsu.edu.ph

PRODUCTION Specifications:

Material: Aluminum alloy Size: 2 meterS x 3meters Package includes:

1 Backdrop stand 2 meters x 3 meters

3 backdrops 2 meterx3meter (black, green, white)

2 2m Light Stands

2 50cmx70cm Softbox

2 backdrops Clamps

2 Light Bulbs (135W)

1 Carrying Bag

NOTE: FOR LOT AWARD. ABC: Php 20,000.00

The criteria to be used for the eligibility check of the prospective bidders, examination and evaluation of bids, post-qualification and all matters relevant to this procurement shall be in accordance with Republic Act. No. 9184 (The Government Procurement Reform Act) and its Implementing Rules and Regulations.

Pursuant to Annex "H" documentary requirements interested bidders are required to submit their valid and current Mayor's Permit, PhilGEPS Registration and other relevant documents (if necessary), upon the submission of quotation.

Award of contract shall be made to the lowest calculated and responsive bid, which complies with the necessary description as stated above and other terms and conditions stated in the price quotation form.

Any interlineations, erasures or overwriting shall be valid only if they are signed or initiated by the bidder or his/her duly authorized representative/s.

Submission of Quotation and eligibility documents is on or before August 6, 2025 9:30 AM at the BAC Office, 2nd Floor, Admin Building, Western Mindanao State University, Normal Road, Baliwasan, Zamboanga City. Open submission may be submitted manually, email (bac@wmsu.edu.ph) or through facsimile at (062) 991-1771 loc 1003

For inquiries, you may coordinate with the BAC Secretariat at telephone no. (062) 991-1771 loc 1003

The WESTERN MINDANAO STATE UNIVERSITY reserves the right to reject any or all Bids and to accept the bid most advantageous to the government, and to award the contract by lot, if warranted.

**	Quotation No.:					
				PRI	No.: <u>25-04-2</u>	200
			ur lowest price on the item/s listed below, subject to the Gen and submit your quotation duly signed by your representative envelope attached herewith. Any quotation submitted beyo	e not later than and this date will no	t be considere	ed.
				JOSELITO BAC Cha	D. MADRON	GOODS
OTE:	3	DELIVER WARRAN DATE OF	RIES MUST BE TYPEWRITTEN  Y PERIODCALENDAR DAYS UPON RECEIPT OF THE PURC  NTY SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES AND  FACCEPTANCE BY WESTERN MINDANAO STATE UNIVERSITY  ALIDITY SHALL BE FOR A PERIOD OF 120 CALENDAR DAYS UPON RE  REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSIO  S SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATIONS	HASE ORDER.  MATERIALS. ONE (1)  ECEIPT OF THE PURCH N OF THE QUOTATION OF THE PRODUCT BE	YEAR FOR EQUI LASE ORDER ING OFFERED	
tem No.	Qty	Unit	Item and Description	Approved Budget for the Contract (ABC)	Unit Cost	Total Cost
	2	units	PROFESSIONAL BROADCAST STUDIO CAMCORDER Specifications: Image Sensor Unit Type: 1/3.1-type BSI MOS Sensor Effective Pixels: atlest 6.0 megapixels Lens: Optical Zoom: 20x Focal Length: 4.08 - 81.6 mm, 29.5 - 612 mm Equivalent in 35mm Aperture: F1.8 to F3.6 Filter Diameter: at least 49 mm Recording Formats; ResolutionL Full HD 1920 x 1080 Video Format: AVCHD (Progressive), MP4, MOV Bitrate: up to 50 Mbps (MP4/MOV), 28 Mbps (AVCHD) Audio: LPCM (MOV/MP4), Dolby Digital (AVCHD) Storage Media: Slot: Dual SD Card slots SD/SDHC/SDXC card supported Relay recording and simultaneous recording supported Image Stabilization: System: 5-axis Hybrid Optical Image Stabilizer with Level Shot Function: Display: LCD: at least 3.0 inch touchscreen LVD (approx. 460K dots) Viewfinder: 0.24 inch EVF (approx. 1555K dots Audio: Inputs: 2 XLR audio inputs	P240,000.00		
EDS	Deferen	ce Number	Built-in Microphone: Stereo microphone		Brand & Model Delivery Period	-
		ion Number		1 OT 4	Warranty Price Validity	
	Cleaing	Date				75 8574 8X 40 450
	Aft	er having c	. Note that the second of the	are our price quotation IGEPS Certificate tificate Reference	No.:	
	RI	EY ESPIRIT	TUSANTO / JORGE CONCEPCION / DANNI VINCENT VILLARE	AL	Printed Name/	Signature
			Callyassol	Tel .No./0	Cellphone #	
					D	ate

					Qı	uotation No.	
					PI	R No.: 25-0	4-200
at <u>9:30</u>			r lowest price on the item/s listed below, subject to the nd submit your quotation duly signed by your represent envelope attached herewith. Any quotation submitted b	ative n	ot later than _ this date will	not be consid	oñal, DPA
OTE:	1 2 3 4 5 6	DELIVERY WARRAN DATE OF PRICE VA	RIES MUST BE TYPEWRITTEN Y PERIOD CALENDAR DAYS UPON RECEIPT OF THE PI TY SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES ACCEPTANCE BY WESTERN MINDANAO STATE UNIVERSITY ALIDITY SHALL BE FOR A PERIOD OF 120 CALENDAR DAYS UPO EGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMIS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATI	N RECE	IPT OF THE PUR	CHASE ORDER ON	
	*		Headphone Otput: 3.5mm headphone jack Light: Intergated LED Light: Birghtness adjustable, includes color conversion filter Focus and Zoom: Focus: Manual and auto-focus modes Zoom Speed: Variable zoom speed, selectable Battery: Battery tyep: Rechargeable lithium-ion battery (7.28V, 6400 mAh) Recording Time: Aprrox. 4.5 hours with a fully charged battery Additional Features: Infrared Night Modes Backside Illuminated Sensor (BSI) LED Ring Light				
2.	2	units	With Carrying Case . 120,000.00/units.  PROFESSIONAL STUDIO ELECTRO MICROPHONE KIT Specifications:		P28,000	0.00	
			Type: Dynamic Microphone Polar Pattern: Cardioid Frequency Response: 20 Hz - 20 kHz Sensitivity: -58dB to -3dB Impedance: up to 600 ohms SPL: apporx. 130dB SPL or hidgher Connector: XLR 3-pin output Power Requirements: 5 DC (supplied via USB cable) Included Accessories: Pop Filter Shock Mount Microhone Stand/Mini Tripod Windscreen USB Cable (at least 2m)				
EDE	Peference	e Number	XLR Cable (at least 3m). 14,000.00/units.			Brand & Mod	
		n Number		2	of 4	Delivery Per Warranty Price Validity	
EPS	Closing D	ate	: refully read and accepted your General Conditions, the forego	oing are	our price quota	tion for the iter	ns above indicated.
	Afte	r having ca	F	hilGE		e No.:	
			POUPEO JOY:	4		Printed Nar	ne/Signature
	RE	Y ESPIRIT	USANTO / JORGE CONCEPCION / DANNI VINCENT VILLA Canvasser	REAL	Tel .No	./Cellphone#	
			*		-		Date

				Qı	uotation No.:
				PI	R No.: 25-04-200
			or lowest price on the item/s listed below, subject to the Gen and submit your quotation duly signed by your representative envelope attached herewith. Any quotation submitted beyon	e not later than _ ond this date will	not be considered.
OTE:	1 2 3	DELIVER' WARRAN DATE OF	RIES MUST BE TYPEWRITTEN Y PERIOD CALENDAR DAYS UPON RECEIPT OF THE PURC TY SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES AND ACCEPTANCE BY WESTERN MINDANAO STATE UNIVERSITY ALIDITY SHALL BE FOR A PERIOD OF 120 CALENDAR DAYS UPON RE	BAC C  CHASE ORDER.  D MATERIALS. ONE (  ECEIPT OF THE PUR	CHASE ORDER ON
	5	G-EPS RI BIDDERS	ALIDITY SHALL BE FOR A PERIOD OF 120 CALENDAR DATA OF OWN EGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSIO S SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATIONS	OF THE PRODUCT	BEING OFFERED
3.	2	sets	SHOTGUN MICROPHONE  Specifications: Polar Pattern: Super cardioid Frequency Response: 30 Hz - 20 kHz Output Impedance: 300 ohms Sensitivity: -33dB ± 1dB / 0dB+ 1V/Pa, 1kHz Signal-to-Noise Ratio: 80dB Power: 1.5V AA battery Plug: Mini-Plug Filter: Controlled by Iw-cut filter switch Accessories: Foam windscreen, Furry windscreen,	P16,000.	.00
4.	2	units	Shock mount. 8,000.00/sets.  STUDIO LIGHTS Specifications: Type: Point-source LED light Beam angle: up to 105 degrees Color temperature: 5500K Cooling Modes: Active Cooling Diming: 0 to 100 % APP Control Type: Bluetooth AC & Battery power options With Built-in customizable lighting effects Accessories: Reflector, Umbrella holder, Remote	P50,000	0.00
5.	1	unit	control. 25,000.00/units.  TELEPROMPTER  Specifications: Lens hood: All-in-one Shooting angle: High-definition wide-angle withoutvignetting Compatibility: Compatible with a variety of shootingequipment Body material: Aluminum alloy with full metal texture Shooting orientation: Vertical and horizontal Power supply: AC adapter or DC battery Remote control distance: Up to 10 meters Teleprompter app: Compatible with iOS or Androiddevices	P15,00	
EPS S	Solicitatio	e Number on Number		3 of 4	Brand & Model  Delivery Period  Warranty  Price Validity
	Afte	er having ca	1	GEPS Certificat	te No.:
	RE	Y ESPIRIT	USANTO / JORGE CONCEPCION / DANNI VINCENT VILLARE. Canvasser		Printed Name/Signature  D./Cellphone #

			yyestem windan	do diato dini	Quotation No.:
					PR No.: 25-04-200
			a laws to rise on the item/s listed below	subject to the Gen	neral Conditions on the page, stating the
			in the state of the state of the	vous representative	not later than
9:30	time of c A.M. in t	delivery a he return	nd submit your quotation duly signed by envelope attached herewith. Any quotat	ion submitted beyo	and this date will not be condidered.
					JOSELITO D. MADROÑAL, DPA BAC Chairperson for GOODS
OTE:	1	ALL ENTI	RIES MUST BE TYPEWRITTEN	ECEIPT OF THE PURCH	MACE ORDER
	2	WARRAN	Y PERIOD CALENDAR DAYS UPON RITY SHALL BE FOR A PERIOD OF SIX (6) MONTH ACCEPTANCE BY WESTERN MINDANAO STATI	- UNINCEDEITY	*
	4	PRICE V	ALIDITY SHALL BE FOR A PERIOD OF 120 CALE	TO LIBOU CURMISSION	CEIPT OF THE PURCHASE ORDER N OF THE QUOTATION
	6	BIDDERS	EGISTRATION CERTIFICATE SHALL BE ATTACH S SHALL SUBMIT ORIGINAL BROCHURES SHOW	ING CERTIFICATIONS	OF THE PRODUCT BEING OFFERED
			Accessories: Potable storage suitcase		
			Glass frame + lens hood		
			Teleprompter		
			Flat clamp USB flash disk	*	
			Dust cloth		
			Gimbal Remote control		
			Softdog		
			Manual 15 000.00/unit.	DDOR FOR	P20,000.00
6.	2	sets	GREEN SCREEN STUDIO BACK VIDEO FOR VIDEO	DROP FOR	7 20,00010
			PRODUCTION		
			Specifications:		
			Material: Aluminum alloy Size: 2 meterS x 3meters		
			Package includes:		
			1 Backdron stand 2 meters x 3 me	eters	
			3 backdrops 2 meterx3meter (black 2 2m Light Stands	,k, green, winto)	
			2 50cmx70cm Softbox		
			2 backdrops Clamps		
			2 Light Bulbs (135W) 1 Carrying Bag		
			10,000.00/sets.		
			NOTE: FOR LOT AWARD.		
			Note: For the	MASSCOM	
			DEPARTMENT) O		
			Universit		
					Total:
					4 of 4
					Brand & Model :
EPS I	Reference	Number	-		Delivery Period : Warranty :
EPS:	Solicitatio	n Number	<u> </u>		Price Validity :
EPS	Closing D	ate	<u> </u>		the standard of the standard o
	After	having ca	refully read and accepted your General Cond	itions, the foregoing a	are our price quotation for the items above indicated.
				Philo	GEPS Certificate No.:
				Certi	ificate Reference No.:
			26	2	
		/ EGBIRIT	USANTO / JORGE CONCEPCION / DANNI		Printed Name/Signature
	REY	ESPIRIT	Canvasser		Tel .No./Cellphone #
					10. III o o o ip. o o o
					Date