

CERTIFICATION INTERNATIONAL COMMISSION 2015

Normal Road, Baliwasan Zamboanga City Telefax.: 062-991-1771 loc 1003 www.wmsu.edu.ph

#### REQUEST FOR QUOTATION

The Western Mindanao State University, through its Bids and Awards Committee (BAC), is inviting PhilGEPS registered suppliers to apply for eligibility and to submit bids for the item mentioned hereunder:

Name of Project: Procurement of Various IT Equipment for the WESMAARRDEC

Approved Budget Cost: PHP 333,900.00

Purchase Request: PR 25-10-443 Closing: October 28, 2025 9:30 AM

Description:

### 1.) Two (2) units of ENTERPRISE-GRADE SSD FOR WEB SERVER Specification:

- . Type: Enterprise-grade 2.5-inch Solid-State Drive (SSD)
- . Capacity: At least 1.6 TB usable capacity
- . Interface: SAS 12 Gbps (SAS-3), backward compatible with SAS-2
- . Form Factor: 2.5 inch (SFF)
- . Performance:
- -Sequential Read: up to 1,000 MB/s
- -Sequential Write: up to 1,000 MB/s. Endurance: Minimum of 3 Drive Writes Per Day (DWPD) for 5 years, or equivalent rated Total Bytes Written (TBW)
- . Reliability: Mean Time Between Failures (MTBF): at least 2 million hours
- . Hot-Swap Capability: Must be hot-swappable and include compatible tray or carrier
- . Data Protection: Must include power-loss protection and end-to-end data path protection (ECC)
- . S.M.A.R.T. Support: Must support Self-Monitoring, Analysis, and Reporting Technology (S.M.A.R.T.)
- . Command Queuing: Supports Tag Command Queuing (TCQ) with a queue depth of at least 128
- . Workload Suitability: Optimized for mixed read/write workloads in web, application, or database servers
- . Compliance: Must comply with SCSI standards (SAS-3/SPL-3/SBC-4/SPC-4/SAM-5) and RoHS environmental standards
- . Operating Temperature: 0 °C 70 °C
- . Storage Temperature: ?40 °C 85 °C
- . Relative Humidity: 5 % 95 % (non-condensing)
- . Must include at least 3 years warranty (parts and labor).
- . Must be compatible with existing SAS backplane/server infrastructure.. ABC: Php 99,900.00

#### 2.) One (1) pc. of RAM for Web Server

#### Specification

- . Compatibility: Must be compatible with existing Lenovo ThinkSystem SR650 V2 web server
- . Type: DDR4 Registered DIMM (RDIMM)
- . Capacity per Module: at least 16 GB
- . Speed: Up to 3200 MHz
- . Voltage: 1.2V nominal
- . Error Correction: ECC (Error-Correcting Code) enabled, for improved reliability in enterprise environments
- . Form Factor: 288-pin RDIMM
- . Operating Mode: Supports two (2) DIMMs per channel (2DPC) operation at up to 3200 MHz, depending on CPU capability
- $. \ Reliability: Designed for 24/7 \ server \ operation, \ JEDEC compliant$
- . Testing and Validation: Must be compatibility-tested and validated for enterprise or data center use
- . Warranty: Minimum 3-year warranty, or co-terminous with system warranty, whichever is longer
- . Support: Must include technical support from authorized distributor or service center. ABC: Php 17,000.00

### 3.) Three (3) units of ENTERPRISES NAS HARD DISK DRIVE Specification:

- . Compatibility: Must be fully compatible with Synology RS2423+ NAS system
- . Form Factor: 3.5-inch SATA (compatible with Synology RS2423+ drive bays)
- . Capacity: At least 4 TB
- . Interface: SATA 6 Gb/s (SATA III), backward compatible.
- . Rotational Speed: 7200 RPM or higher



CERTIFICATION ABOUNDED ACCORDING CONTROL OF ACCORDING TO NO. LIST VOID (2015 ACCORDING TO NO. MACCO.)

Normal Road, Baliwasan Zamboanga City Telefax.: 062-991-1771 loc 1003 www.wmsu.edu.ph

. Cache: Minimum 256 MB cache

. Workload Rating: At least 550 TB/year (24/7 continuous operation)

. Reliability MTBF: Minimum 2 million hours

. Data Transfer Rate: Sustained transfer speed up to 250 MB/s or higher

. Data Protection: Supports S.M.A.R.T. monitoring, Power-on Hours tracking, and error recovery control

. Compliance: RoHS compliant, enterprise/NAS certified

. Warranty: at least 3 years. ABC: Php 54,000.00

### 4.) One (1) unit of PORTABLE TROLLEY SPEEAKER WITH BLUETOOTH & WIRELESS MICROPHONES

Specification:

- . Type: Portable trolley speaker system with built-in rechargeable battery and Bluetooth connectivity.
- . Power Output (Max): 500 W (max/peak rating).
- . *Speaker Components:* 15-inch woofer  $+ 1 \times 2$ -inch tweeter.
- . Battery Operation: Built-in rechargeable battery
- . Wireless Connectivity: Bluetooth (latest version or equivalent) for wireless audio streaming.
- . Media Inputs & Controls:
- -USB port for media playback
- -SD card slot for media playback
- -FM radio tuner
- -NFC pairing capability (preferred)
- -Line-In audio jack (3.5 mm)
- -Standard audio jack for auxiliary input
- -USB audio splitter (or equivalent USB-type audio split output)
- . *Includes 2 wireless handheld microphones (receiver built into speaker)*
- . Voice-priority/microphone-override feature (when mic in use)
- . Build Quality: Rugged cabinet suitable for mobile and event use; stand/pole mount compatible (optional).

ABC: Php 20,000.00

#### 5.) One (1) pc. of WIRELESS CONFERENCE MICROPHONE

One (1) Chairman Unit

Specification:

- . Type: Wireless conference microphone unit
- . Microphone: Unidirectional condenser microphone
- . Functionality:
- -Priority override button (to mute delegate units)
- -Microphone ON/OFF button
- -Red light indicator for active microphone status
- . Power Source: Rechargeable or replaceable battery
- . Audio Output: Transmits wirelessly to main control unit

NOTE: Must be compatible with Items 7 and 8. ABC: Php 7,000.00

#### 6.) Six (6) pcs of WIRELESS CONFERENCE MICROPHONE

Six (6) Delegate Units

Specification:

- . Type: Wireless conference microphone unit
- . Microphone: Unidirectional condenser microphone
- . Functionality:
- $\hbox{\it -Microphone ON/OFF button}$
- -Red light indicator for active microphone status
- . Power Source: Rechargeable or replaceable battery
- . Audio Output: Transmits wirelessly to main control unit

NOTE: Must be compatible with Items 6 and 8. ABC: Php 42,000.00

#### 7.) One (1) unit of WIRELESS CONFERENCE MICROPHONE

One (1) Main Control Unit

Specification:

. Wireless Channels: Up to 16 selectable channels (Wi-Fi or UHF frequency band)



CERTIFICATION INTERNATIONAL CONSTRUCTION No. Modern No.

Normal Road, Baliwasan Zamboanga City Telefax.: 062-991-1771 loc 1003

www.wmsu.edu.ph

- . Operating Range: Up to 50 meters
- . Connectivity:
- -USB port for recording and playback
- -Bluetooth for audio input or control (optional)
- . Control Functions:
- -FIFO (First-In, First-Out) speaking order management
- -Supports simultaneous use of Chairman and Delegate units
- . Audio Outputs:
- -XLR balanced output
- -6.35mm (1/4") PL output

Includes rack-mount kit or stand

NOTE: Must be compatible with Items 6 and 7. ABC: Php 15,000.00

### 8.) Two (2) units of PORTABLE CONFERENCE SPEAKERPHONE Specification

- . Type: Portable conference speakerphone
- . Audio System:
- -Integrated high-fidelity speaker and multimicrophone array
- -360° voice pickup with noise and echo cancellation features
- -Full duplex audio communication for natural twoway conversation
- . Connectivity:
- *-USB-C* wired connection (plug and play)
- -Wireless Bluetooth connectivity (version 5.0 or higher)
- -Minimum wireless range: 10 meters
- Rattery
- -Built-in rechargeable lithium battery
- -Minimum of 16 hours operating/talk time per charge
- -Fast charging supported via USB-C
- . Compatibility:
- -Compatible with major online conferencing applications (Zoom, Microsoft Teams, Google Meet, etc.)
- -Works with Windows, macOS, and mobile operating systems
- . Controls and Indicators:
- -Integrated controls for power, volume, mute, and call functions
- -LED status indicators for microphone and connection status
- . Audio Output:
- -High-quality full-range speaker with at least 10W output power
- . Design:
- -Compact, lightweight, and portable form factor
- -Durable build with carrying pouch or case included
- . Inclusions: USB-C cable and user manual
- . Warranty:
- -Minimum one (1) year warranty on parts and service
- -Must have available local support or authorized service center. ABC: Php 40,000.00

### 9.) Two (2) units of MULTIFUNCTION INK TANK PRINTER Specification:

- . Copy, Print, Scan, Fax
- . ADF Capability
- . Bi-directional printing
- . Print Speed: (Black) up to 33ppm; (Colour) up to 15ppm
- . Maximum Copy Resolution: at least 600 x 600 dpi
- . Maximum Copy Size: Legal
- . Scanner Type: Flatbed colour image scanner
- . Maximum Scan Area: 216 x 297 mm (8.5 X 11.7")
- . Scanner Resolution: at least 1200 x 2400 DPI
- . Network: Ethernet, WI-FI IEEE 802.11b/g/n & Wi-Fi Direct
- . Additional 1 set of Ink bottles (Cyan, Magenta, Yellow & Black). ABC: Php 39,000.00

The criteria to be used for the eligibility check of the prospective bidders, examination and evaluation of bids, post-qualification and all matters relevant to this procurement shall be in accordance with Republic Act. No. 9184 (The Government Procurement Reform Act) and its Implementing Rules and



CERTIFICATION INTERNATIONAL and According to the MacAcol Washington to

Normal Road, Baliwasan Zamboanga City Telefax.: 062-991-1771 loc 1003 www.wmsu.edu.ph

Regulations.

Pursuant to Annex "H" documentary requirements interested bidders are required to submit their valid and current Mayor's Permit, PhilGEPS Registration and other relevant documents (if necessary), upon the submission of quotation.

Award of contract shall be made to the lowest calculated and responsive bid, which complies with the necessary description as stated above and other terms and conditions stated in the price quotation form.

Any interlineations, erasures or overwriting shall be valid only if they are signed or initiated by the bidder or his/her duly authorized representative/s.

Submission of Quotation and eligibility documents is on or before October 28, 2025 9:30 AM at the BAC Office, 2nd Floor, Admin Building, Western Mindanao State University, Normal Road, Baliwasan, Zamboanga City. Open submission may be submitted manually, email (bac@wmsu.edu.ph) or through facsimile at (062) 991-1771 loc 1003

For inquiries, you may coordinate with the BAC Secretariat at telephone no. (062) 991-1771 loc 1003

The WESTERN MINDANAO STATE UNIVERSITY reserves the right to reject any or all Bids and to accept the bid most advantageous to the government, and to award the contract by lot, if warranted.

					Quot	ation No.: _	
					PR N	o.: <u>25-10-</u>	443
	Please	quote yo	our lowest price on the item/s listed below, subject to the	Gen			
ortest t <u>9:30</u>	time of <u>A.M.</u> in	delivery the retur	and submit your quotation duly signed by your represen n envelope attached herewith. Any quotation submitted	tative beyo	s not later than	be consider	ACCOUNT OF THE PARTY OF THE PAR
DTE:					JOSELITO D BAC Chair	D. MADROI person for C	
	1 2 3 4 5 6	DELIVEI WARRA DATE O PRICE V G-EPS F	TRIES MUST BE TYPEWRITTEN  RY PERIOD CALENDAR DAYS UPON RECEIPT OF THE P NTY SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES F ACCEPTANCE BY WESTERN MINDANAO STATE UNIVERSITY /ALIDITY SHALL BE FOR A PERIOD OF 120 CALENDAR DAYS UPO REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMIS S SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATI	S AND ON REC	MATERIALS. ONE (1) YE CEIPT OF THE PURCHAS I OF THE QUOTATION	SE ORDER	PMENT, FROM
tem No.	Qty	Unit	Item and Description		Approved Budget for the Contract (ABC)	Unit Cost	Total Cost
	2	units	ENTERPRISE-GRADE SSD FOR WEB SERVER Specification: . Type: Enterprise-grade 2.5-inch Solid-State Drive (SSD) . Capacity: At least 1.6 TB usable capacity . Interface: SAS 12 Gbps (SAS-3), backward compatible with SAS-2 . Form Factor: 2.5 inch (SFF) . Performance: -Sequential Read: up to 1,000 MB/s -Sequential Write: up to 1,000 MB/s. Endurance: Minimum 3 Drive Writes Per Day (DWPD) for 5 years, or equivalent rated Total Bytes Written (TBW) . Reliability: Mean Time Between Failures (MTBF): at least 2 million hours . Hot-Swap Capability: Must be hot-swappable and include compatible tray or carrier . Data Protection: Must include power-loss protection and end-to-end data path protection (ECC) . S.M.A.R.T. Support: Must support Self-Monitoring, Analysiand Reporting Technology (S.M.A.R.T.) . Command Queuing: Supports Tag Command Queuing (TCC) with a queue depth of at least 128 . Workload Suitability: Optimized for mixed read/write workloads in web, application, or database servers . Compliance: Must comply with SCSI standards (SAS-3/SPL 3/SBC-4/SPC-4/SAM-5) and RoHS environmental standards . Operating Temperature: 0 °C - 70 °C . Storage Temperature: 740 °C - 85 °C . Relative Humidity: 5 % - 95 % (non-condensing) . Must include at least 3 years warranty (parts and labor) Must be compatible with existing SAS backplane/server infrastructure 49,950.00/units.	of 22 is, (Q)	P99,900.00		
2.	1	pc.	RAM for Web Server Specification . Compatibility: Must be compatible with existing Lenovo		P 17,000.00		
PS Refe	erence N	lumber	ThinkSystem SR650 V2 web server :			l & Model	•
S Soli	citation N	Number			Warra		<u>:</u>
PS Clos	sing Date	Э	£		Price	Validity	ř
	After ha	aving care	fully read and accepted your General Conditions, the foregoing	g are c	our price quotation for t	the items abo	ve indicated.
					'S Certificate No.: ate Reference No.		
	REY ES	SPIRITUS	ANTO / DANNI VINCENT VILLAREAL		Printe	ed Name/Sign	ature
	2700000		Canvasser		Tel .No./Cellpho	one#	
				-		Date	

			Quotation No.:
			PR No.: 25-10-443
shortes at <u>9:30</u>	st time of	delivery a	ur lowest price on the item/s listed below, subject to the General Conditions on the page, stating the and submit your quotation duly signed by your representative not later than envelope attached herewith. Any quotation submitted beyond this date will not be considered.
NOTE:	1 2 3 4 5 6	DELIVER WARRAI DATE OI PRICE V G-EPS R	JOSELITO D. JADROÑAL, DPA BAC Chairdelson for GOODS RIES MUST BE TYPEWRITTEN RY PERIOD CALENDAR DAYS UPON RECEIPT OF THE PURCHASE ORDER. RY SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES AND MATERIALS. ONE (1) YEAR FOR EQUIPMENT, FROM F ACCEPTANCE BY WESTERN MINDANAO STATE UNIVERSITY ALIDITY SHALL BE FOR A PERIOD OF 120 CALENDAR DAYS UPON RECEIPT OF THE PURCHASE ORDER REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSION OF THE QUOTATION S SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATIONS OF THE PRODUCT BEING OFFERED
			. Type: DDR4 Registered DIMM (RDIMM) . Capacity per Module: at least 16 GB . Speed: Up to 3200 MHz . Voltage: 1.2V nominal . Error Correction: ECC (Error-Correcting Code) enabled, for improved reliability in enterprise environments . Form Factor: 288-pin RDIMM . Operating Mode: Supports two (2) DIMMs per channel (2DPC) operation at up to 3200 MHz, depending on CPU capability . Reliability: Designed for 24/7 server operation, JEDECcompliant . Testing and Validation: Must be compatibility-tested and validated for enterprise or data center use . Warranty: Minimum 3-year warranty, or co-terminous with system warranty, whichever is longer . Support: Must include technical support from authorized distributor or service center. 17,000.00/pc.
3.	3	units	ENTERPRISES NAS HARD DISK DRIVE  Specification: . Compatibility: Must be fully compatible with Synology RS2423+ NAS system . Form Factor: 3.5-inch SATA (compatible with Synology RS2423+ drive bays) . Capacity: At least 4 TB . Interface: SATA 6 6b/s (SATA III), backward compatible Rotational Speed: 7200 RPM or higher . Cache: Minimum 256 MB cache . Workload Rating: At least 550 TB/year (24/7 continuous operation) . Reliability MTBF: Minimum 2 million hours . Data Transfer Rate: Sustained transfer speed up to 250 MB/s or higher . Data Protection: Supports S.M.A.R.T. monitoring, Power-on Hours tracking, and error recovery control . Compliance: RoHS compliant, enterprise/NAS certified . Warranty: at least 3 years. 18,000.00/units.
PS So	eference Noticitation Noticitation Notice No	lumber	2 of 6  Brand & Model Delivery Period Warranty Price Validity  Fully read and accepted your General Conditions, the foregoing are our price quotation for the items above indicated.
			PhilGEPS Certificate No.:  Certificate Reference No.:
	REY ES	SPIRITUS	ANTO / DANNI VINCENT VILLAREAL Canvasser  Tel .No./Cellphone #
			Date

Quotation No.: \_\_\_\_\_

			PR No.: 25-10-443
shortes at <u>9:3</u> 6	st time of	delivery	our lowest price on the item/s listed below, subject to the General Conditions on the page, stating the and submit your quotation duly signed by your representative not later than
NOTE:	:		JOSELITO D. MADROÑAL, DPA BAC Chairper of for GOODS
	1 2 3 4 5 6	DELIVEI WARRA DATE O PRICE V G-EPS F	TRIES MUST BE TYPEWRITTEN  RY PERIOD CALENDAR DAYS UPON RECEIPT OF THE PURCHASE ORDER.  NTY SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES AND MATERIALS. ONE (1) YEAR FOR EQUIPMENT, FROM F ACCEPTANCE BY WESTERN MINDANAO STATE UNIVERSITY VALIDITY SHALL BE FOR A PERIOD OF 120 CALENDAR DAYS UPON RECEIPT OF THE PURCHASE ORDER REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSION OF THE QUOTATION S SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATIONS OF THE PRODUCT BEING OFFERED
4.	1	unit	PORTABLE TROLLEY SPEEAKER WITH BLUETOOTH & WIRELESS MICROPHONES  Specification: . Type: Portable trolley speaker system with built-in rechargeable battery and Bluetooth connectivity Power Output (Max): 500 W (max/peak rating) Speaker Components: 15-inch woofer + 1 × 2-inch tweeter Battery Operation: Built-in rechargeable battery . Wireless Connectivity: Bluetooth (latest version or equivalent) for wireless audio streaming Media Inputs & Controls: -USB port for media playback -SD card slot for media playback -FM radio tuner -NFC pairing capability (preferred) -Line-In audio jack (3.5 mm) -Standard audio jack for auxiliary input -USB audio splitter (or equivalent USB-type audio split output) . Includes 2 wireless handheld microphones (receiver built into speaker) . Voice-priority/microphone-override feature (when mic in use) . Build Quality: Rugged cabinet suitable for mobile and event use; stand/pole mount compatible (optional). 20,000.00/unit.
5.	1	рс.	WIRELESS CONFERENCE MICROPHONE One (1) Chairman Unit Specification: . Type: Wireless conference microphone unit . Microphone: Unidirectional condenser microphone . Functionality: -Priority override button (to mute delegate units)
EPS R	eference N	umber	: Brand & Model :
EPS So	olicitation N	lumber	3 of 6 Delivery Period Warranty
EPS CI	losing Date	Ď.	Price Validity :
	After ha	ving care	fully read and accepted your General Conditions, the foregoing are our price quotation for the items above indicated.
			PhilGEPS Certificate No.:  Certificate Reference No.:  Printed Name/Signature
	REY ES	SPIRITUS	ANTO / DANNI VINCENT VILLAREAL  Canvasser  Tel .No./Celiphone #
			Date

				Quotation No.:
				PR No.: 25-10-443
	Please	quote y	our lowest price on the item/s listed below, subject to the C	
hortes	st time of	delivery	and submit your quotation duly signed by your representa	tive not later than
at <u>9:30</u>	<u>A.M.</u> in	the retur	n envelope attached herewith. Any quotation submitted be	eyond this date will not be considered
				JOSELITO D. MADRONAL, DPA
IOTE:	1	ALL EN	TRIES MUST BE TYPEWRITTEN	BAC Chairperson for GOODS
	2 3 4 5 6	WARRA DATE C PRICE ' G-EPS	CALENDAR DAYS UPON RECEIPT OF THE PUI NATY SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES A OF ACCEPTANCE BY WESTERN MINDANAO STATE UNIVERSITY VALIDITY SHALL BE FOR A PERIOD OF 120 CALENDAR DAYS UPON REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISS RS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATION	ND MATERIALS. ONE (1) YEAR FOR QUIPMENT, FROM RECEIPT OF THE PURCHASE ORDER ION OF THE QUOTATION
			-Microphone ON/OFF button	
		0	-Red light indicator for active microphone status	
			. Power Source: Rechargeable or replaceable battery	
			. Audio Output: Transmits wirelessly to main control unit	
			NOTE: Must be compatible with Items 7 and 8.	
6.	6	10.00	7,000.00/pc.  WIRELESS CONFERENCE MICROPHONE	P 42,000.00
<b>J.</b>	6	pcs	Six (6) Delegate Units	F 42,000.00
			Specification:	
			. Type: Wireless conference microphone unit	
			. Microphone: Unidirectional condenser microphone	
			. Functionality: -Microphone ON/OFF button	
			-Red light indicator for active microphone status	
	1		. Power Source: Rechargeable or replaceable battery	
			. Audio Output: Transmits wirelessly to main control	
			unit	
			NOTE: Must be compatible with Items 6 and 8.	
			7,000.00/pcs.	
7.	1	unit	WIRELESS CONFERENCE MICROPHONE	P 15,000.00
			One (1) Main Control Unit Specification:	
			. Wireless Channels: Up to 16 selectable channels (Wi-F	i
			or UHF frequency band)	
			. Operating Range: Up to 50 meters	
			. Connectivity: -USB port for recording and playback	
			-Bluetooth for audio input or control (optional)	
			. Control Functions:	
-	L		-FIFO (First-In, First-Out) speaking order management	6.0
DC D	eference N	umbar	4	of 6  Brand & Model :
			· ·	Delivery Period :
PS Solicitation N		lumber	<u> </u>	Warranty : Price Validity :
PS CI	osing Date	1		
	After ha	ving care	fully read and accepted your General Conditions, the foregoing a	re our price quotation for the items above indicated.
			21.00	EDS Cautificate No.
				EPS Certificate No.:
			Certi	ficate Reference No.:
			Viscosino por	
			The state of the s	Printed Name/Signature
	REY ES	SPIRITUS	SANTO / DANNI VINCENT VILLAREAL Canvasser	
				Tel .No./Cellphone #
				Date

					Quotation No.:
					PR No.: <u>25-10-443</u>
shorte: at <u>9:3</u>	st time of	delivery	our lowest price on the item/s listed below, subject and submit your quotation duly signed by your rep in envelope attached herewith. Any quotation subj	presentati	tive not later than
NOTE:	1 2 3 4 5 6	DELIVEI WARRA DATE O PRICE V G-EPS F	TRIES MUST BE TYPEWRITTEN  RY PERIOD CALENDAR DAYS UPON RECEIPT O  NTY SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SU F ACCEPTANCE BY WESTERN MINDANAO STATE UNIVER VALIDITY SHALL BE FOR A PERIOD OF 120 CALENDAR DA REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON S SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERT	JPPLIES AN SITY YS UPON R SUBMISSIO	ND MATERIALS. ONE (1) YEAR FOR EQUIPMENT, FROM RECEIPT OF THE PURCHASE OFFICE ON OF THE QUOTATION
			-Supports simultaneous use of Chairman and Dunits . Audio Outputs: -XLR balanced output -6.35mm (1/4") PL output Includes rack-mount kit or stand  NOTE: Must be compatible with Items 6 and 7. 15,000.00/unit.		
8.	2	units	PORTABLE CONFERENCE SPEAKERPHO Specification . Type: Portable conference speakerphone . Audio System: -Integrated high-fidelity speaker and multimical array -360° voice pickup with noise and echo cancelle features -Full duplex audio communication for natural to conversation . Connectivity: -USB-C wired connection (plug and play) -Wireless Bluetooth connectivity (version 5.0 of Minimum wireless range: 10 meters . Battery: -Built-in rechargeable lithium battery -Minimum of 16 hours operating/talk time per Fast charging supported via USB-C . Compatibility: -Compatible with major online conferencing applications (Zoom, Microsoft Teams, Google 1) etc.) -Works with Windows, macOS, and mobile oper systems . Controls and Indicators:	rophone ation woway r higher) charge	P 40,000.00
EPS So	eference Nolicitation No	lumber	: :	5	Brand & Model : Delivery Period : Warranty : Price Validity :
	After ha	aving care	fully read and accepted your General Conditions, the fo	regoing ar	re our price quotation for the items above indicated.
					EPS Certificate No.:ficate Reference No.:
	REY ES	SPIRITUS	ANTO / DANNI VINCENT VILLAREAL Canvasser		Printed Name/Signature
					Tel .No./Celiphone #
					Date

					Quota	ation No.: _	
					PR No	o.: <u>25-10-</u>	443
	Please	quote yo	our lowest price on the item/s listed below, subject to	the Gen	neral Conditions on th	ne page, sta	ating the
shorte: at <u>9:3</u>	st time of 0 A.M. in	delivery the retur	and submit your quotation duly signed by your repres n envelope attached herewith. Any quotation submitte	entative ed beyo	e not later than	ci 8	NAME OF A STREET
NOTE:	: 1	ALL EN	TRIES MUST BE TYPEWRITTEN		JOSELITO D BAC Chairp	er on for G	
	2 3 4 5 6	WARRA DATE O PRICE \ G-EPS I	CALENDAR DAYS UPON RECEIPT OF TH NTY SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPL F ACCEPTANCE BY WESTERN MINDANAO STATE UNIVERSITY (ALIDITY SHALL BE FOR A PERIOD OF 120 CALENDAR DAYS U REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUE S SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFIC	PON REC	MATERIALS. ONE (1) YE CEIPT OF THE PURCHA OF THE QUOTATION	RDER	PMENT, FROM
			-Integrated controls for power, volume, mute, and functions -LED status indicators for microphone and connect status . Audio Output:				
			-High-quality full-range speaker with at least 10W output power . Design:				
			-Compact, lightweight, and portable form factor -Durable build with carrying pouch or case included . Inclusions: USB-C cable and user manual . Warranty:	d			
			-Minimum one (1) year warranty on parts and serv -Must have available local support or authorized service center. 20,000.00/units.	rice			
9.	2	units	MULTIFUNCTION INK TANK PRINTER  Specification: . Copy, Print, Scan, Fax . ADF Capability . Bi-directional printing . Print Speed: (Black) up to 33ppm; (Colour) up to 15ppm . Maximum Copy Resolution: at least 600 x 600 dp Maximum Copy Size: Legal . Scanner Type: Flatbed colour image scanner . Maximum Scan Area: 216 x 297 mm (8.5 X 11.7") . Scanner Resolution: at least 1200 x 2400 DPI . Network: Ethernet, WI-FI IEEE 802.11b/g/n & Wi-Direct . Additional 1 set of Ink bottles (Cyan, Magenta, Ye & Black). 19,500.00/units.	Fi ellow	P 39,000.00		
			Note: For the WESMAARROI	EC			
			of the University			Total:	
	eference N		·	of		& Model ry Period	<u></u>
	osing Date				Price \		
.1 0 01			fully read and accepted your General Conditions, the forego	ing are o	our price quotation for the	ne items abov	ve indicated.
					S Certificate No.:		
	REY ES	SPIRITUS	ANTO / DANNI VINCENT VILLAREAL		Printed	d Name/Signa	ature
			Canvasser		Tel .No./Cellphor	ne#	
						Date	