



Republic of the Philippines
WESTERN MINDANAO STATE UNIVERSITY
 Normal Road, Baliwasan Zamboanga City
 www.wmsu.edu.ph
 Telephone: 062-991-1771 LOC 1002



REQUEST FOR QUOTATION

The Western Mindanao State University, through its Bids and Awards Committee (BAC), is inviting PhilGEPS registered suppliers to apply for eligibility and to submit bids for the item mentioned hereunder:

Name of Project: **Procurement of Various IT Equipment and Devices for the MISTO**
 Approved Budget Cost: **PHP 1,415,100.00**
 Purchase Request No.: **PR 26-06-239**
 Closing Date: **September 18, 2026 9:30AM**

1.) One (1) unit of Multi-Format Video Switcher with 10.1 Inch Touchscreen

Specification:

- for Live Display & live stream
- Screen: 10.1-inch
- Input: 4 x HDMI/ 1 x 3G-SDI
- Output: 1 x HDMI/ 1 x 3G-SDI/ 1 x USB3.0
- Audio: 3.5mm MIC/3.5mm LINE
- Communication LAN: 1 x RJ45

Connection

- Power: 1 x DC Jack
- HDMI Input Resolutions: SMPTE:720p@50/60; 1080i@50/60; 1080p@24/30/50/60; 2160p@30; VESA:1024*768@60; 1280*720@60; 1280*768@60; 1280*800@60; 1280*1024@60; 1360*768@60; 1366*768@60; 1440*900@60; 1600*1200@60; 1680*1050@60; 1920*1080@60; SDI Input Resolutions: 720p(60/59.94/50/30/29.97/25); 1080p(60/59.94/50); 1080p(60/59.94/50/30/29.97/25/24/23.98)
- HDMI Output Resolutions: SMPTE:720p@50/60; 1080p@25/30/50/60; - VESA:1024*768@60; 1280*720@50/60; 1280*768@60; 1280*1024@60; 1360*768@60; 1920*1080@25/30/50/60 SDI Output Resolutions: 720p(60/59.94/50/30/29.97/25); 1080i(60/59.94/50); 1080p(60/59.94/50/30/29.97/25/24/23.98)
- USB Output Resolutions: 720p(50/60); 1080p(25/30/50/60)

- HDMI: 1.4

- USB: 3.0

- Input Voltage: DC 12V/3A

- Max Power: 27W

.ABC: Php 38,600.00

2.) One (1) unit of Wireless Intercom Headset System

Specification:

- Wireless Intercom Headset System for Live stream 1 Master + 5 Remotes
- Duplex - Mode: Full-Duplex (FDX)
- Carrier Frequencies: 1.9 GHz
- Modulation: GFSK
- Operating Range: Up to 1312ft (400m) without obstacles
- Microphone Type: Condenser
- Battery: Rechargeable 3.7V/1200mAh Li-ion battery
- Battery Life: Approximately 18 hours
- with spare battery

ABC: Php 49,900.00

3.) Seven (7) unit of Supply, Delivery, and Installation of Automatic Room Lighting System Using Motion Detection

PIR Motion Sensor

Passive Infrared

Operating Voltage: 110-240 VAC, 50/60 Hz

Load / - Switching Capacity: 800 W incandescent / LED / 10A

Detection Distance /



- Range: 3-10 m
 - Detection Angle / Field of View: 120°
- Delay Time /

- Hold-Off: ~5-30 seconds

Mounting Type /

- Size: Fits standard wall switch box

ABC: Php 56,000.00

4.) Five (5) units of Ubuquiti POE Switch

Specification:

- Switch USW-16-POE (16-Port PoE Switch) Ports 16 × 10/100/1000 RJ45 ports
2 × 1 GbE SFP uplink ports PoE (Power over Ethernet)
8 of the RJ45 ports support PoE+ (802.3af / 802.3at)
- Total PoE budget: 42 W Max PoE per PoE+
- port: up to 32 W
- Voltage ranges: 802.3af: ~44-57 V 802.3at: ~50-57 V
- Performance Switching capacity: 36 Gbps
- Non-blocking throughput: 18 Gbps
- Forwarding rate: ~26.78 Mpps
- Power/ Electrical Power input: 100-240 VAC, 50/60 Hz
- Power supply: Internal 60 W AC/DC
- Maximum power consumption (excluding PoE): ~18 W

Physical / Mechanical

- Dimensions: 442.4 × 200 × 43.7 mm
- Rack-mountable: 1U chassis
- Enclosure: Steel

Display / Cooling

1.3? color touchscreen (LCM) for status / PoE display

Fanless (silent) design

- Protection / Environmental

ESD / EMP protection: Air ±16 kV, Contact ±12 kV

- Operating temperature: -5 °C to 40 °C
- Operating humidity: 10%-90% non-condensing

Certifications: CE, FCC, IC

Management / Features

Managed via UniFi

- Network Controller

Layer 2 switching: supports VLANs, QoS, LACP, STP/RSTP, IGMP snooping, ACLs, jumbo frames, port mirroring, storm control, 802.1X.

ABC: Php 190,000.00

5.) Five (50) pcs of CMOS Battery

Specification:

CR2032 3V LITHIUM CMOS BATTERY

ABC: Php 2,500.00

6.) Eight (8) pcs of RJ 45 Connector Passthrough

Specification:

- 100 Pcs per Box
- Positions/Contacts: 8 positions Contact
- Material / Plating: Copper alloy

ABC: Php 6,400.00

7.) Nine (9) units of Motherboard for Desktop Computer

Specification:

- Motherboard for Unit Upgrade
- Chipset / CPU Compatibility: Intel Z790 chipset; supports 14th, 13th, and 12th Gen Intel Core CPUs. Socket LGA 1700.
- Form Factor: ATX



Memory: 4 × DDR5 DIMM slots, dual channel; up to 192 GB; speeds supported up to ~7600 MT/s Power / VRM: 12 + 1 + 1 twin digital power phases / "12*+1+1" design; solid power delivery; large MOSFET heatsinks; durable power components.

- PCIe Slots / Expansion:

1 × PCIe 5.0 ×16 slot

1 × PCIe 4.0 ×16 slot

1 × PCIe 3.0 ×16

2 × PCIe 3.0 ×1 slots

- Storage Options: 3 × M.2

- slots: all PCIe 4.0 ×4

4 × SATA III ports for traditional drives

- Networking & Wireless: 2.5 GbE LAN port; Wi-Fi 6E (802.11ax) with Bluetooth

Rear I/O

- USB ports: includes USB 3.2 Gen-2, USB 3.2 Gen-1, a USB Type-C port, some USB 2.0 ports

- Display outputs: 1 × HDMI, 1 × DisplayPort

- Audio: standard 7.1 analog jacks (3.5mm)

- PS/2 combo port

- BIOS Flashback / Q-Flash Plus and buttons

Cooling / Thermal Design Enlarged MOSFET heatsinks; M.2 Thermal Guard (heat shields for M.2 SSD slots); Smart Fan 6 support with multiple sensors & hybrid fan headers including fan-stop functionality.

ABC: Php 207,000.00

8.) Nine (9) units of Processor for Desktop Computer

Specification:

.Processor for Unit Upgarde

Architecture / Family: 14th Gen Intel Core

Cores / Threads 20 cores total - 8 Performance (P-cores) + 12 Efficiency (E-cores), 28 threads

Clock Speeds:

. P-Core Base: 3.4 GHz

. E-Core Base: 2.5 GHz

. Max Turbo: ~5.6 GHz

. E-Core Turbo: ~4.3 GHz

Cache: L3 (Smart Cache): 33 MB L2 Cache: 28 MB

Power / TDP: Base / PL1 (Processor Base Power): 125 W

Max Turbo / PL2: ~253 W

Memory Support Supports both DDR5 and DDR4:

. DDR5 up to ~5600 MT/s

. DDR4 up to ~3200 MT/s

Max memory size: up to ~192 GB depending on configuration

Socket / Board Compatibility: Socket LGA 1700; works with Intel 600- and 700-series chipsets ABC:Php 241,200.00

9.) Nine (9) units of Computer Memory for Desktop Computer

Specification:

- for Desktop Unit Upgarde

Kit Size: 32GB (2x16gb)

- Type: DDR5, 288-pin

- DIMMs Speed: DDR5-6000 MT/s

ABC: Php 90,000.00

10.) Nine (9) units of Video Card for Desktop Computer

Specification:

- Video Card for Unit Upgarde

- GPU Engine: NVIDIA GeForce RTX 5060 CUDA

- Cores: 3840



- Memory: 8 GB GDDR7
- Memory Interface: 128-bit
- Memory Speed / Bandwidth: Memory speed ~28 Gbps

ABC: Php 216,000.00

11.) Nine (9) units of Power Supply for Desktop Computer

- Power Supply for Unit Upgrade
- Type: ATX12V
- Maximum Power: 750 W
- Fans: 1 x 120 mm
- PFC: ActiveSATA
- Power Connector: 5Max PSU Length: 150 mm
- Modular: Full Modular
- Energy-Efficient: 80 PLUS GOLD
- Certified Protection: OVP, OCP, OTP, OPP, SCP, UVP

Input Voltage: 100 - 240 V

- Input Frequency Range: 47 - 63 Hz
- Input Current: 10A (Max.) Output: +3.3V@20A, +5V@20A, +12V@60.2A, -12V@0.3A, +5VSB@2.5A

- Connectors:

- 1 x MB (24/20 pins)
- 2 x CPU (8/4 pins)
- 3 x PCIe (8/6 pins)
- 1(450W) x 12VHPWR (PCI-E 5.0)
- 8 x SATA
- 4 x Molex

1 x Molex to FDD Adapter

ABC: Php 67,500.00

12.) One (1) unit of Smart Temperature Sensors

Specification:

- Sensors Type: IoT-enabled Smart Sensor (varies: temperature, motion, humidity, CO2, light, etc.)
- Sensing Range: Depends on sensor type (e.g., Temp: -40°C to +85°C, Humidity: 0-100% RH,
- Motion: up to 12 m)
- Communication Protocols: Zigbee, Z-Wave, LoRaWAN, Wi-Fi, or Bluetooth Low Energy (BLE)
- Power Supply:
- Wired (DC 5V/12V, PoE-enabled)
- Data Output: Digital (over MQTT, BACnet/IP, Modbus, or REST API for BMS integration)
- Operating Environment: -20°C to 60°C, 10-95% RH (non-condensing)
- Mounting: Wall Mounted
- Certifications: CE, FCC, RoHS, ISO compliance
- Smart Features:
- Edge computing (local data processing)
- AI-enabled anomaly detection (for predictive maintenance)
- Remote monitoring and control ABC: Php 4,000.00

13.) Two (2) units of Video Wall Processor / Controller

Specification:

- Input / Output Configuration: 1 HDMI input, 9 HDMI outputs
- Maximum Input Resolution &
- Refresh Rate: Up to 4K (3840×2160) @ 30 Hz
- Output Resolution / Refresh
- Rate per Screen: Typically 1080p @ 60 Hz (1920×1080) on each of the 9 outputs
- video Wall / Splicing Modes: Many modes: 3×3, 2×2, 2×3, 3×2, 1×n, n×1
- Rotation / Orientation: 180° (flip) rotation per screen



Control Interfaces: Front panel buttons, IR remote, RS-232, Web GUI / DIP switch
Cascading / Expansion: Some models support cascading / chaining to build larger walls
Power / Consumption: ~ 30 W. ABC: Php 50,000.00

14.) Five (5) units of UAP-AC-M-Pro

Specification:

- Pro

Wireless / Radio

Dual-band: 2.4 GHz + 5 GHz

Wi-Fi standard: 802.11 a/b/g/n/ac

MIMO: 3x3 (three antennas)

- Max TX Power: 22 dBm on both 2.4 GHz and 5 GHz

- Maximum data rate: ~ 450 Mbps on 2.4 GHz, ~ 1300 Mbps on 5 GHz (aggregate ~1750 Mbps)

Hardware / Ports

2 x Gigabit Ethernet ports (10/100/1000)

- Reset button

Antennas: 3 internal dual-band omni antennas

Power

Supports 802.3af PoE (Alternative A)

- Included PoE adapter: 48 V, 0.5 A

- Power consumption: ~ 9 W

- Optace Networks

Mounting: Wall or pole mount (pole kit included)

Performance Features

Supports up to ~100+ concurrent clients

Optace Networks

VLAN (802.1Q), Guest isolation, per-user rate limiting, QoS (WMM)

- Security: WEP, WPA-PSK, WPA-Enterprise (WPA/WPA2, TKIP/AES)

ABC: Php 90,000.00

15.) Two (2) units of UDM Dream Pro

Specification:

- for existing Network System

- Hardware & Physical

- Enclosure material: Aluminium CNC + SGCC steel

- Mounting: 1U rack-mount form factor

- Processor: Quad-core ARM Cortex-A57 @ 1.7 GHz

- System memory (RAM): 4 GB

- On-board storage: 16 GB eMMC

- Power supply: Internal AC/DC 50 W (100-240 V AC, 50/60 Hz)

- Max power consumption: ~33 W

Networking & Ports

- LAN Ports: 8 x 10/100/1000 Mbps RJ45 (LAN)

- WAN Port: 1 x 10/100/1000 Mbps RJ45

- 10G Ports: 1 x 1/10 Gbps SFP+ WAN + 1 x 1/10 Gbps SFP+ LAN

- Management interfaces: Ethernet, Bluetooth (BLE)

IDS/IPS throughput: ~3.5 Gbps

ABC: Php 90,000.00

16.) Two (2) boxes of UTP Cat 6 Cable

Specification:

- cat 6 utp cable

- 305m per box

- Color: Blue

ABC: Php 16,000.00

NOTE: ITEM NOS. 8 TO 11 SHOULD BE COMPATIBLE TO ITEM NO. 7 (MOTHERBOARD).



The criteria to be used for the eligibility check of the prospective bidders, examination and evaluation of bids, post-qualification and all matters relevant to this procurement shall be in accordance with Republic Act. No. 12009 (New Government Procurement Reform Act) and its Implementing Rules and Regulations.

In compliance with RA 12009 Documentary Requirements interested bidders are required to submit their valid and current Mayor's Permit, PhilGEPS Registration (Platinum), Omnibus Sworn Statement (OSS), Income Tax Return(ITR) or Tax Clearance and other relevant documents (if necessary), upon the submission of quotation.

Award of contract shall be made to the LCRB, MEARB, MARB or HRRB, SCRB, as the case maybe, which complies with the necessary description as stated above and other terms and conditions stated in the price quotation form.

Any interlineations, erasures or overwriting shall be valid only if they are signed or initiated by the bidder or his/her duly authorized representative/s.

Submission of Quotation and eligibility documents is on or before **September 18, 2026 9:30AM** at the Procurement Office, Ground Floor, Admin Building, Western Mindanao State University, Normal Road, Baliwasan, Zamboanga City. Open submission may be submitted manually or email (bac@wmsu.edu.ph).

For inquiries, you may coordinate with the BAC Secretariat at telephone no. (062) 991-1771 loc 1002

The WESTERN MINDANAO STATE UNIVERSITY reserves the right to reject any or all Bids and to accept the bid most advantageous to the government, and to award the contract by lot, if warranted. by lot, if warranted.



REQUEST FOR QUOTATION

Quotation No.: _____

PR-26-06-239

Please quote your lowest price on the item/s listed below, subject to the General Conditions on the page, stating the shortest time of delivery and submit your quotation duly signed by your representative not later than **SEP 18 2026** at **9:30 A.M.** in the return envelope attached herewith. Any quotation submitted beyond this date will not be considered.

JOSELITO D. MADROÑAL, DPA
 BAC Chairperson for GOODS

NOTE:

- SUPPLIERS SHALL SUBMIT THEIR REQUEST FOR QUOTATION (RFQ) **DULY SIGNED IN A SEALED MAIL/BROWN ENVELOPE**
- DELIVERY PERIOD _____ CALENDAR DAYS UPON RECEIPT OF THE PURCHASE ORDER.
- WARRANTY SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES AND MATERIALS. ONE (1) YEAR FOR EQUIPMENT, FROM DATE OF ACCEPTANCE BY WESTERN MINDANAO STATE UNIVERSITY
- PRICE VALIDITY SHALL BE FOR A PERIOD OF 120 CALENDAR DAYS UPON RECEIPT OF THE PURCHASE ORDER
- G-EPIS REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSION OF THE QUOTATION
- BIDDERS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATIONS OF THE PRODUCT BEING OFFERED
- For ABCs above Php50,000.00, you are REQUIRED to SUBMIT OMNIBUS SWORN STATEMENT (OSS) upon Award.

Item No.	Qty	Unit	Item and Description	Approved Budget for the Contract (ABC)	Unit Cost	Total Cost
1.	1	unit	Multi-Format Video Switcher with 10.1 Inch Touchscreen Specification: - for Live Display & live stream - Screen: 10.1-inch - Input: 4 x HDMI/ 1 x 3G-SDI - Output: 1 x HDMI/ 1 x 3G-SDI/ 1 x USB3.0 - Audio: 3.5mm MIC/3.5mm LINE - Communication LAN: 1 x RJ45 Connection - Power: 1 x DC Jack - HDMI Input Resolutions: SMPTE:720p@50/60; 1080i@50/60; 1080p@24/30/50/60; 2160p@30; VESA:1024*768@60; 1280*720@60; 1280*768@60; 1280*800@60; 1280*1024@60; 1360*768@60; 1360*768@60; 1440*900@60; 1600*1200@60; 1680*1050@60; 1920*1080@60; SDI Input Resolutions: 720p(60/59.94/50/30/29.97/25); 1080p(60/59.94/50); 1080p(60/59.94/50/30/29.97/25/24/23.98) - HDMI Output Resolutions: SMPTE:720p@50/60; 1080p@25/30/50/60; - VESA:1024*768@60; 1280*720@50/60; 1280*768@60; 1280*1024@60; 1360*768@60; 1920*1080@25/30/50/60 SDI Output Resolutions: 720p(60/59.94/50/30/29.97/25); 1080p(60/59.94/50); 1080p(60/59.94/50/30/29.97/25/24/23.98) USB Output Resolutions: 720p(50/60); 1080p(25/30/50/60)	P38,600.00		

EPS Reference Number: _____

EPS Solicitation Number: _____

EPS Closing Date: _____

Brand & Model: _____

Delivery Period: _____

Warranty: _____

Price Validity: _____

After having carefully read and accepted your General Conditions, the foregoing are our price quotation for the items above indicated.

PhilGEPS Certificate No.: _____

Certificate Reference No.: _____

REY ESPIRITUSANTO

Canvasser

DANNI VINCENT VILLAREAL

Printed Name/Signature

Tel. No./Cellphone #

Date



REQUEST FOR QUOTATION

Quotation No.: _____

PR-26-06-239

Please quote your lowest price on the item/s listed below, subject to the General Conditions on the page, stating the shortest time of delivery and submit your quotation duly signed by your representative not later than **SEP 18 2026** at **9:30 A.M.** in the return envelope attached herewith. Any quotation submitted beyond this date will not be considered.

JOSELITO D. MADROÑAL, DPA
BAC Chairperson for GOODS

NOTE:

- SUPPLIERS SHALL SUBMIT THEIR REQUEST FOR QUOTATION (RFQ) **DULY SIGNED IN A SEALED MAN/BROWN ENVELOPE**
- DELIVERY PERIOD _____ CALENDAR DAYS UPON RECEIPT OF THE PURCHASE ORDER.
- WARRANTY SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES AND MATERIALS. ONE (1) YEAR FOR EQUIPMENT, FROM DATE OF ACCEPTANCE BY WESTERN MINDANAO STATE UNIVERSITY
- PRICE VALIDITY SHALL BE FOR A PERIOD OF 120 CALENDAR DAYS UPON RECEIPT OF THE PURCHASE ORDER
- G-EPIS REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSION OF THE QUOTATION
- BIDDERS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATIONS OF THE PRODUCT BEING OFFERED
- For ABCs above Php50,000.00, you are REQUIRED to SUBMIT OMNIBUS SWORN STATEMENT (OSS) upon Award.

			-HDMI: 1.4 - USB: 3.0 - Input Voltage: DC 12V/3A - Max Power: 27W . 38,600.00/unit.			
2.	1	unit	Wireless Intercom Headset System Specification: - Wireless Intercom Headset System for Live stream 1 Master + 5 Remotes Duplex - Mode: Full-Duplex (FDX) Carrier Frequencies: 1.9 GHz - Modulation: GFSK - Operating Range: Up to 1312R (400m) without obstacles - Microphone Type: Condenser - Battery: Rechargeable 3.7V/1200mAh Li-Ion battery - Battery Life: Approximately 18 hours - with spare battery 49,900.00/unit.	P49,900.00		
3.	7	unit	Supply, Delivery, and Installation of Automatic Room Lighting System Using Motion Detection PIR Motion Sensor Passive Infrared Operating Voltage: 110-240 VAC, 50/60 Hz Load / - Switching Capacity: 800 W Incandescent / LED / 10A Detection Distance / - Range: 3-10 m - Detection Angle / Field of View: 120°	P56,000.00		

EPS Reference Number : _____

EPS Solicitation Number : _____

EPS Closing Date : _____

Brand & Model : _____
Delivery Period : _____
Warranty : _____
Price Validity : _____

After having carefully read and accepted your General Conditions, the foregoing are our price quotation for the items above indicated.

PhilGEPS Certificate No.: _____

Certificate Reference No.: _____

REY ESPIRITUSANTO

Canvasser

DANNI VINCENT VILLAREAL

Printed Name/Signature

Tel. No./Cellphone #

Date



REQUEST FOR QUOTATION

Quotation No.: _____

PR-26-06-239

Please quote your lowest price on the item/s listed below, subject to the General Conditions on the page, stating the shortest time of delivery and submit your quotation duly signed by your representative not later than **SEP 18 2026** at **9:30 A.M.** in the return envelope attached herewith. Any quotation submitted beyond this date will not be considered.

JOSELITO D. MADROÑAL, DPA
BAC Chairperson for GOODS

NOTE:

- SUPPLIERS SHALL SUBMIT THEIR REQUEST FOR QUOTATION (RFQ) **DULY SIGNED IN A SEALED MAIL BROWN ENVELOPE**
- DELIVERY PERIOD _____ CALENDAR DAYS UPON RECEIPT OF THE PURCHASE ORDER.
- WARRANTY SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES AND MATERIALS. ONE (1) YEAR FOR EQUIPMENT, FROM DATE OF ACCEPTANCE BY WESTERN MINDANAO STATE UNIVERSITY
- PRICE VALIDITY SHALL BE FOR A PERIOD OF 120 CALENDAR DAYS UPON RECEIPT OF THE PURCHASE ORDER
- G-EPIS REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSION OF THE QUOTATION
- BIDDERS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATIONS OF THE PRODUCT BEING OFFERED
- For ABCs above Php50,000.00, you are REQUIRED to SUBMIT OMNIBUS SWORN STATEMENT (OSS) upon Award.

			Delay Time / - Hold-Off: ~5-30 seconds Mounting Type / - Size: Fits standard wall switch box . 8,000.00mm			
4.	5	units	Ubiquiti POE Switch Specification: - Switch USW-16-POE (16-Port PoE Switch) Ports 16 x 10/100/1000 RJ45 ports 2 x 1 GbE SFP uplink ports PoE (Power over Ethernet) 8 of the RJ45 ports support PoE+ (802.3af / 802.3at) - Total PoE budget: 42 W Max PoE per PoE+ - port: up to 32 W - Voltage ranges: 802.3af: ~44-57 V 802.3at: ~50-57 V - Performance Switching capacity: 36 Gbps - Non-blocking throughput: 18 Gbps - Forwarding rate: ~26.78 Mpps - Power/ Electrical Power input: 100-240 VAC, 50/60 Hz	P190,000.00		

EPS Reference Number : _____

EPS Solicitation Number : _____

EPS Closing Date : _____

Brand & Model : _____
Delivery Period : _____
Warranty : _____
Price Validity : _____

After having carefully read and accepted your General Conditions, the foregoing are our price quotation for the items above indicated.

PhilGEPS Certificate No.: _____

Certificate Reference No.: _____

REY ESPIRITUSANTO

Canvasser

DANNI VINCENT VILLAREAL

Printed Name/Signature

Tel. No./Cellphone #

Date



REQUEST FOR QUOTATION

Quotation No.: _____

PR-26-06-239

Please quote your lowest price on the item/s listed below, subject to the General Conditions on the page, stating the shortest time of delivery and submit your quotation duly signed by your representative not later than **SEP 18 2026** at **9:30 A.M.** in the return envelope attached herewith. Any quotation submitted beyond this date will not be considered.

JOSELITO D. MADROÑAL, DPA
 BAC Chairperson for GOODS

NOTE:

- SUPPLIERS SHALL SUBMIT THEIR REQUEST FOR QUOTATION (RFQ) **DULY SIGNED IN A SEALED MAILED BROWN ENVELOPE**
- DELIVERY PERIOD _____ CALENDAR DAYS UPON RECEIPT OF THE PURCHASE ORDER.
- WARRANTY SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES AND MATERIALS. ONE (1) YEAR FOR EQUIPMENT, FROM DATE OF ACCEPTANCE BY WESTERN MINDANAO STATE UNIVERSITY
- PRICE VALIDITY SHALL BE FOR A PERIOD OF 120 CALENDAR DAYS UPON RECEIPT OF THE PURCHASE ORDER
- G-EPIS REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSION OF THE QUOTATION
- BIDDERS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATIONS OF THE PRODUCT BEING OFFERED
- For ABCs above Php50,000.00, you are REQUIRED to SUBMIT OMNIBUS SWORN STATEMENT (OSS) upon Award.

			- Power supply: Internal 60 W AC/DC - Maximum power consumption (excluding PoE): ~16 W - Physical / Mechanical - Dimensions: 442.4 x 200 x 43.7 mm - Rack-mountable: 1U chassis - Enclosure: Steel - Display / Cooling 1.32" color touchscreen (LCM) for status / PoE display - Fanless (silent) design - Protection / Environmental - ESD / EMP protection: Air ±16 kV, Contact ±12 kV - Operating temperature: -5 °C to 40 °C - Operating humidity: 10%-90% non-condensing - Certifications: CE, FCC, IC - Management / Features - Managed via UniFi - Network Controller - Layer 2 switching: supports VLANs, QoS, LACP, STP/RSTP, IGMP snooping, ACLs, jumbo frames, port mirroring, storm control, 802.1X.			
5.	50	pcs	CMOS Battery Specification: CR2032 3V LITHIUM CMOS BATTERY . 50.00/pcs.	P2,500.00		

EPS Reference Number : _____

EPS Solicitation Number : _____

EPS Closing Date : _____

Brand & Model : _____
 Delivery Period : _____
 Warranty : _____
 Price Validity : _____

After having carefully read and accepted your General Conditions, the foregoing are our price quotation for the items above indicated.

PhilGEPS Certificate No.: _____

Certificate Reference No.: _____

REY ESPIRITU SANTO

Canvasser

DANNI VINCENT VILLAREAL

Printed Name/Signature

Tel./No./Cellphone #

Date



REQUEST FOR QUOTATION

Quotation No.: _____

PR-26-06-239

Please quote your lowest price on the item/s listed below, subject to the General Conditions on the page, stating the shortest time of delivery and submit your quotation duly signed by your representative not later than **SEP 18 2026** at **9:30 A.M.** in the return envelope attached herewith. Any quotation submitted beyond this date will not be considered.

NOTE:

JOSELITO D. MADROÑAL, DPA
BAC Chairperson for GOODS

- SUPPLIERS SHALL SUBMIT THEIR REQUEST FOR QUOTATION (RFQ) **DULY SIGNED IN A SEALED MAIL/BROWN ENVELOPE**
- DELIVERY PERIOD _____ CALENDAR DAYS UPON RECEIPT OF THE PURCHASE ORDER.
- WARRANTY SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES AND MATERIALS. ONE (1) YEAR FOR EQUIPMENT, FROM DATE OF ACCEPTANCE BY WESTERN MINDANAO STATE UNIVERSITY
- PRICE VALIDITY SHALL BE FOR A PERIOD OF 120 CALENDAR DAYS UPON RECEIPT OF THE PURCHASE ORDER
- G-EPIS REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSION OF THE QUOTATION
- BIDDERS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATIONS OF THE PRODUCT BEING OFFERED
- For ABCs above Php50,000.00, you are REQUIRED to SUBMIT OMNIBUS SWORN STATEMENT (OSS) upon Award.

6.	8	pcs	RJ 45 Connector Passthrough Specification: - 100 Pcs per Box - Positions/Contacts: 8 positions Contact - Material / Plating: Copper alloy 800.00/pcs.	P6,400.00		
7.	9	units	Motherboard for Desktop Computer Specification: - Motherboard for Unit Upgrade - Chipset / CPU Compatibility: Intel Z790 chipset; supports 14th, 13th, and 12th Gen Intel Core CPUs. Socket LGA 1700. - Form Factor: ATX Memory: 4 x DDR5 DIMM slots, dual channel; up to 192 GB; speeds supported up to ~7600 MT/s Power / VRM: 12 + 1 + 1 twin digital power phases / "12+1+1" design; solid power delivery; large MOSFET heatsinks; durable power components. - PCIe Slots / Expansion: 1 x PCIe 5.0 x16 slot 1 x PCIe 4.0 x16 slot 1 x PCIe 3.0 x16 2 x PCIe 3.0 x1 slots - Storage Options: 3 x M.2 - slots: all PCIe 4.0 x4	P207,000.00		

EPS Reference Number: _____

EPS Solicitation Number: _____

EPS Closing Date: _____

Brand & Model: _____
Delivery Period: _____
Warranty: _____
Price Validity: _____

After having carefully read and accepted your General Conditions, the foregoing are our price quotation for the items above indicated.

PhilGEPS Certificate No.: _____
Certificate Reference No.: _____

REY ESPIRITUSANTO

Canvasser

DANNI VINCENT VILLAREAL

Printed Name/Signature

Tel. No./Cellphone #

Date



REQUEST FOR QUOTATION

Quotation No.: _____

PR-26-06-239

Please quote your lowest price on the item/s listed below, subject to the General Conditions on the page, stating the shortest time of delivery and submit your quotation duly signed by your representative not later than **SEP 18 2026** at **9:30 A.M.** in the return envelope attached herewith. Any quotation submitted beyond this date will not be considered.

JOSELITO D. MADROÑAL, DPA
BAC Chairperson for GOODS

NOTE:

- SUPPLIERS SHALL SUBMIT THEIR REQUEST FOR QUOTATION (RFQ) **DULY SIGNED IN A SEALED MAIL/BROWN ENVELOPE**
- DELIVERY PERIOD _____ CALENDAR DAYS UPON RECEIPT OF THE PURCHASE ORDER.
- WARRANTY SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES AND MATERIALS. ONE (1) YEAR FOR EQUIPMENT, FROM DATE OF ACCEPTANCE BY WESTERN MINDANAO STATE UNIVERSITY
- PRICE VALIDITY SHALL BE FOR A PERIOD OF 120 CALENDAR DAYS UPON RECEIPT OF THE PURCHASE ORDER
- G-EPIS REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSION OF THE QUOTATION
- BIDDERS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATIONS OF THE PRODUCT BEING OFFERED
- For ABCs above Php50,000.00, you are **REQUIRED** to SUBMIT OMNIBUS SWORN STATEMENT (OSS) upon Award.

			4 x SATA III ports for traditional drives - Networking & Wireless: 2.5 GbE LAN port; Wi-Fi 6E (802.11ax) with Bluetooth Rear I/O - USB ports: includes USB 3.2 Gen-2, USB 3.2 Gen-1, a USB Type-C port, some USB 2.0 ports - Display outputs: 1 x HDMI, 1 x DisplayPort - Audio: standard 7.1 analog jacks (3.5mm) - PS/2 combo port - BIOS Flashback / Q-Flash Plus and buttons Cooling / Thermal Design Enlarged MOSFET heatsinks; M.2 Thermal Guard (heat shields for M.2 SSD slots); Smart Fan 6 support with multiple sensors & hybrid fan headers including fan-stop functionality. . 23,000.00/units			
8.	9	units	Processor for Desktop Computer Specification: .Processor for Unit Upgrades: Architecture / Family: 14th Gen Intel Core Cores / Threads 20 cores total - 8 Performance (P-cores) + 12 Efficiency (E-cores), 28 threads Clock Speeds: . P-Core Base: 3.4 GHz . E-Core Base: 2.5 GHz . Max Turbo: ~5.6 GHz	P241,200.00		

EPS Reference Number : _____

EPS Solicitation Number : _____

EPS Closing Date : _____

Brand & Model : _____

Delivery Period : _____

Warranty : _____

Price Validity : _____

After having carefully read and accepted your General Conditions, the foregoing are our price quotation for the items above indicated.

PhilGEPS Certificate No.: _____

Certificate Reference No.: _____

REY ESPIRITUSANTO

Canvasser

DANNI VINCENT VILLAREAL

Printed Name/Signature

Tel. No./Cellphone #

Date



REQUEST FOR QUOTATION

Quotation No.: _____

PR-26-06-239

Please quote your lowest price on the item/s listed below, subject to the General Conditions on the page, stating the shortest time of delivery and submit your quotation duly signed by your representative not later than **SEP 18 2026** at **9:30 A.M.** in the return envelope attached herewith. Any quotation submitted beyond this date will not be considered.

JOSELITO D. MADROÑAL, DPA
BAC Chairperson for GOODS

NOTE:

- SUPPLIERS SHALL SUBMIT THEIR REQUEST FOR QUOTATION (RFQ) **DULY SIGNED IN A SEALED MAN/BROWN ENVELOPE**
- DELIVERY PERIOD _____ CALENDAR DAYS UPON RECEIPT OF THE PURCHASE ORDER.
- WARRANTY SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES AND MATERIALS. ONE (1) YEAR FOR EQUIPMENT, FROM DATE OF ACCEPTANCE BY WESTERN MINDANAO STATE UNIVERSITY
- PRICE VALIDITY SHALL BE FOR A PERIOD OF 120 CALENDAR DAYS UPON RECEIPT OF THE PURCHASE ORDER
- G-EPS REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSION OF THE QUOTATION
- BIDDERS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATIONS OF THE PRODUCT BEING OFFERED
- For ABCs above Php50,000.00, you are REQUIRED to SUBMIT OMNIBUS SWORN STATEMENT (OSS) upon Award.

			. E-Core Turbo: ~4.3 GHz Cache: L3 (Smart Cache): 33 MB L2 Cache: 28 MB Power / TDP: Base / PL1 (Processor Base Power): 125 W Max Turbo / PL2: ~253 W Memory Support Supports both DDR5 and DDR4: . DDR5 up to ~5600 MT/s . DDR4 up to ~3200 MT/s Max memory size: up to ~192 GB depending on configuration Socket / Board Compatibility: Socket LGA 1700; works with Intel 600- and 700-series chipsets . 26,800.00/units			
9.	9	units	Computer Memory for Desktop Computer Specification: - for Desktop Unit Upgrade Kit Size: 32GB (2x16gb) - Type: DDR5, 288-pin - DIMMs Speed: DDR5-6000 MT/s . 10,000.00/units.	P90,000.00		
10.	9	units	Video Card for Desktop Computer Specification: - Video Card for Unit Upgrade - GPU Engine: NVIDIA GeForce RTX 5060 CUDA - Cores: 3840	P216,000.00		

EPS Reference Number : _____

EPS Solicitation Number : _____

EPS Closing Date : _____

Brand & Model : _____
 Delivery Period : _____
 Warranty : _____
 Price Validity : _____

After having carefully read and accepted your General Conditions, the foregoing are our price quotation for the items above indicated.

PhilGEPS Certificate No.: _____

Certificate Reference No.: _____

REY ESPIRITUSANTO

Canvasser

DANNI VINCENT VILLAREAL

Printed Name/Signature

Tel. No./Cellphone #

Date



REQUEST FOR QUOTATION

Quotation No.: _____

PR-26-06-239

Please quote your lowest price on the item/s listed below, subject to the General Conditions on the page, stating the shortest time of delivery and submit your quotation duly signed by your representative not later than **SEP 18 2026** at **9:30 A.M.**, in the return envelope attached herewith. Any quotation submitted beyond this date will not be considered.

NOTE:

JOSELITO D. MADROÑAL, DPA
 BAC Chairperson for GOODS

- SUPPLIERS SHALL SUBMIT THEIR REQUEST FOR QUOTATION (RFQ) **DULY SIGNED IN A SEALED MANILA/BROWN ENVELOPE**
- DELIVERY PERIOD _____ CALENDAR DAYS UPON RECEIPT OF THE PURCHASE ORDER.
- WARRANTY SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES AND MATERIALS. ONE (1) YEAR FOR EQUIPMENT, FROM DATE OF ACCEPTANCE BY WESTERN MINDANAO STATE UNIVERSITY
- PRICE VALIDITY SHALL BE FOR A PERIOD OF 120 CALENDAR DAYS UPON RECEIPT OF THE PURCHASE ORDER
- G-EPS REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSION OF THE QUOTATION
- BIDDERS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATIONS OF THE PRODUCT BEING OFFERED
- For ABCs above Php50,000.00, you are **REQUIRED** to SUBMIT OMNIBUS SWORN STATEMENT (OSS) upon Award.

			- Memory: 8 GB GDDR7 - Memory Interface: 128-bit - Memory Speed / Bandwidth: Memory speed ~28 Gbps - 24,000.00units.			
11.	9	units	Power Supply for Desktop Computer - Power Supply for Unit Upgrade - Type: ATX12V - Maximum Power: 750 W - Fans: 1 x 120 mm - PFC: Active - SATA - Power Connector: 5 - Max PSU Length: 150 mm - Modular: Full Modular - Energy-Efficient: 80 PLUS GOLD - Certified - Protection: OVP, OCP, OTP, OPP, SCP, UVP - Input Voltage: 100 - 240 V - Input Frequency Range: 47 - 63 Hz - Input Current: 10A (Max.) - Output: +3.3V@20A, +5V@20A, +12V@60.2A, -12V@0.3A, +5VSB@2.5A - Connectors: 1 x MB (24/20 pins)	P67,500.00		

EPS Reference Number: _____

EPS Solicitation Number: _____

EPS Closing Date: _____

Brand & Model: _____
 Delivery Period: _____
 Warranty: _____
 Price Validity: _____

After having carefully read and accepted your General Conditions, the foregoing are our price quotation for the items above indicated.

PhilGEPS Certificate No.: _____
 Certificate Reference No.: _____

REY ESPIRITOSANTO / **DANNI VINCENT VILLAREAL**
 Canvasser

Printed Name/Signature

Tel. No./Cellphone #

Date



REQUEST FOR QUOTATION

Quotation No.: _____

PR-26-06-239

Please quote your lowest price on the item/s listed below, subject to the General Conditions on the page, stating the shortest time of delivery and submit your quotation duly signed by your representative not later than **SEP 18 2026** at **9:30 A.M.** in the return envelope attached herewith. Any quotation submitted beyond this date will not be considered.

JOSELITO D. MADRONAL, DPA
BAC Chairperson for GOODS

NOTE:

- SUPPLIERS SHALL SUBMIT THEIR REQUEST FOR QUOTATION (RFQ) **DULY SIGNED IN A SEALED MAIL/BROWN ENVELOPE**
- DELIVERY PERIOD _____ CALENDAR DAYS UPON RECEIPT OF THE PURCHASE ORDER.
- WARRANTY SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES AND MATERIALS. ONE (1) YEAR FOR EQUIPMENT, FROM DATE OF ACCEPTANCE BY WESTERN MINDANAO STATE UNIVERSITY
- PRICE VALIDITY SHALL BE FOR A PERIOD OF 120 CALENDAR DAYS UPON RECEIPT OF THE PURCHASE ORDER
- G-EPS REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSION OF THE QUOTATION
- BIDDERS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATIONS OF THE PRODUCT BEING OFFERED
- For ABCs above Php50,000.00, you are REQUIRED to SUBMIT OMNIBUS SWORN STATEMENT (OSS) upon Award.

			2 x CPU (8/4 pins) 3 x PCIe (8/6 pins) 1(450W) x 12VHPWR (PCI-E 5.0) 8 x SATA 4 x Molex 1 x Molex to FDD Adapter. 7,500.00/units.			
12.	1	unit	Smart Temperature Sensors Specification: - Sensors Type: IoT-enabled Smart Sensor (varies: temperature, motion, humidity, CO2, light, etc.) - Sensing Range: Depends on sensor type (e.g., Temp: -40°C to +85°C, Humidity: 0-100% RH, - Motion: up to 12 m) - Communication Protocols: Zigbee, Z-Wave, LoRaWAN, Wi-Fi, or Bluetooth Low Energy (BLE) - Power Supply: - Wired (DC 5V/12V, PoE-enabled) - Data Output: Digital (over MQTT, BACnet/IP, Modbus, or REST API for BMS integration) - Operating Environment: -20°C to 60°C, 10-85% RH (non-condensing) - Mounting: Wall Mounted - Certifications: CE, FCC, RoHS, ISO compliance - Smart Features: - Edge computing (local data processing)	P4,000.00		

EPS Reference Number: _____

EPS Solicitation Number: _____

EPS Closing Date: _____

Brand & Model: _____
Delivery Period: _____
Warranty: _____
Price Validity: _____

After having carefully read and accepted your General Conditions, the foregoing are our price quotation for the items above indicated.

PhilGEPS Certificate No.: _____
Certificate Reference No.: _____

REY ESPRITUSANTO / **DANNI VINCENT VILLAREAL**
Canvasser

Printed Name/Signature

Tel. No./Cellphone #

Date



REQUEST FOR QUOTATION

Quotation No.: _____

PR-26-06-239

Please quote your lowest price on the item/s listed below, subject to the General Conditions on the page, stating the shortest time of delivery and submit your quotation duly signed by your representative not later than **SEP 18 2026** at **9:30 A.M.** in the return envelope attached herewith. Any quotation submitted beyond this date will not be considered.

JOSELITO D. MADROÑAL, DPA
 BAC Chairperson for GOODS

NOTE:

- SUPPLIERS SHALL SUBMIT THEIR REQUEST FOR QUOTATION (RFQ) **DULY SIGNED IN A SEALED MAIL/BROWN ENVELOPE**
- DELIVERY PERIOD _____ CALENDAR DAYS UPON RECEIPT OF THE PURCHASE ORDER.
- WARRANTY SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES AND MATERIALS. ONE (1) YEAR FOR EQUIPMENT, FROM DATE OF ACCEPTANCE BY WESTERN MINDANAO STATE UNIVERSITY
- PRICE VALIDITY SHALL BE FOR A PERIOD OF 120 CALENDAR DAYS UPON RECEIPT OF THE PURCHASE ORDER
- G-EPS REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSION OF THE QUOTATION
- BIDDERS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATIONS OF THE PRODUCT BEING OFFERED
- For ABCs above Php50,000.00, you are REQUIRED to SUBMIT OMNIBUS SWORN STATEMENT (OSS) upon Award.

13.	2	units	- AI-enabled anomaly detection (for predictive maintenance) - Remote monitoring and control - 4,000.00/unit. Video Wall Processor / Controller Specification: - Input / Output Configuration: 1 HDMI input, 9 HDMI outputs - Maximum Input Resolution & - Refresh Rate: Up to 4K (3840x2160) @ 30 Hz - Output Resolution / Refresh - Rate per Screen: Typically 1080p @ 60 Hz (1920x1080) on each of the 9 outputs - video Wall / Splicing Modes: Many modes: 3x3, 2x2, 2x3, 3x2, 1xn, n*1 - Rotation / Orientation: 180° (flip) rotation per screen - Control Interfaces: Front panel buttons, IR remote, RS-232, Web GUI / DIP switch - Cascading / Expansion: Some models support cascading / chaining to build larger walls - Power / Consumption: ~ 30 W. 25,000.00/unit.	P50,000.00		
14.	5	units	UAP-AC-M-Pro Specification: - Pro - Wireless / Radio - Dual-band: 2.4 GHz + 5 GHz - Wi-Fi standard: 802.11 a/b/g/n/ac - MIMO: 3x3 (three antennas) - Max TX Power: 22 dBm on both 2.4 GHz and 5 GHz	P90,000.00		

EPS Reference Number: _____

EPS Solicitation Number: _____

EPS Closing Date: _____

Brand & Model: _____
 Delivery Period: _____
 Warranty: _____
 Price Validity: _____

After having carefully read and accepted your General Conditions, the foregoing are our price quotation for the items above indicated.

PhilGEPS Certificate No.: _____
 Certificate Reference No.: _____

REY ESPIRITUSANTO / **DANNI VINCENT VILLAREAL**
 Canvasser

Printed Name/Signature

Tel. No./Cellphone #

Date



REQUEST FOR QUOTATION

Quotation No.: _____

PR-26-06-239

Please quote your lowest price on the item/s listed below, subject to the General Conditions on the page, stating the shortest time of delivery and submit your quotation duly signed by your representative not later than **SEP 18 2026** at **9:30 A.M.** in the return envelope attached herewith. Any quotation submitted beyond this date will not be considered.

JOSELITO D. MADROÑAL, DPA
 BAC Chairperson for GOODS

NOTE:

- SUPPLIERS SHALL SUBMIT THEIR REQUEST FOR QUOTATION (RFQ) **DULY SIGNED IN A SEALED MAIL BROWN ENVELOPE**
- DELIVERY PERIOD _____ CALENDAR DAYS UPON RECEIPT OF THE PURCHASE ORDER.
- WARRANTY SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES AND MATERIALS. ONE (1) YEAR FOR EQUIPMENT, FROM DATE OF ACCEPTANCE BY WESTERN MINDANAO STATE UNIVERSITY
- PRICE VALIDITY SHALL BE FOR A PERIOD OF 120 CALENDAR DAYS UPON RECEIPT OF THE PURCHASE ORDER
- G-EPIS REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSION OF THE QUOTATION
- BIDDERS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATIONS OF THE PRODUCT BEING OFFERED
- For ABCs above Php50,000.00, you are REQUIRED to SUBMIT OMNIBUS SWORN STATEMENT (OSS) upon Award.

			- Maximum data rate: ~ 450 Mbps on 2.4 GHz, ~ 1300 Mbps on 5 GHz (aggregate ~1750 Mbps) - Hardware / Ports 2 x Gigabit Ethernet ports (10/100/1000) - Reset button - Antennas: 3 internal dual-band omni antennas - Power - Supports 802.3af PoE (Alternative A) - Included PoE adapter: 48 V, 0.5 A - Power consumption: ~ 9 W - OptiFace Networks - Mounting: Wall or pole mount (pole kit included) - Performance Features - Supports up to ~100+ concurrent clients - OptiFace Networks - VLAN (802.1Q), Guest isolation, per-user rate limiting, QoS (WMM) - Security: WEP, WPA-PSK, WPA-Enterprise (WPA/WPA2, TKIP/AES) - 18,000.00units.			
15.	2	units	UDM Dream Pro Specification: - for existing Network System - Hardware & Physical - Enclosure material: Aluminium CNC + SGCC steel - Mounting: 1U rack-mount form factor - Processor: Quad-core ARM Cortex-A57 @ 1.7 GHz	P90,000.00		

EPS Reference Number: _____

EPS Solicitation Number: _____

EPS Closing Date: _____

Brand & Model: _____
 Delivery Period: _____
 Warranty: _____
 Price Validity: _____

After having carefully read and accepted your General Conditions, the foregoing are our price quotation for the items above indicated.

PhilGEPS Certificate No.: _____
 Certificate Reference No.: _____

REY ESPIRITUSANTO / **DANNI VINCENT VILLAREAL**
 Canvasser

Printed Name/Signature

Tel. No./Cellphone #

Date



REQUEST FOR QUOTATION

Quotation No.: _____

PR-26-06-239

Please quote your lowest price on the item/s listed below, subject to the General Conditions on the page, stating the shortest time of delivery and submit your quotation duly signed by your representative not later than **SEP 18 2026** at **9:30 A.M.**, in the return envelope attached herewith. Any quotation submitted beyond this date will not be considered.

NOTE:

JOSELITO D. MADROÑAL, DPA
BAC Chairperson for GOODS

- SUPPLIERS SHALL SUBMIT THEIR REQUEST FOR QUOTATION (RFQ) **DULY SIGNED IN A SEALED MANILA BROWN ENVELOPE**
- DELIVERY PERIOD _____ CALENDAR DAYS UPON RECEIPT OF THE PURCHASE ORDER.
- WARRANTY SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES AND MATERIALS. ONE (1) YEAR FOR EQUIPMENT, FROM DATE OF ACCEPTANCE BY WESTERN MINDANAO STATE UNIVERSITY
- PRICE VALIDITY SHALL BE FOR A PERIOD OF 120 CALENDAR DAYS UPON RECEIPT OF THE PURCHASE ORDER
- G-EPIS REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSION OF THE QUOTATION
- BIDDERS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATIONS OF THE PRODUCT BEING OFFERED
- For ABCs above Php50,000.00, you are REQUIRED to SUBMIT OMNIBUS SWORN STATEMENT (OSS) upon Award.

			- System memory (RAM): 4 GB - On-board storage: 16 GB eMMC - Power supply: Internal AC/DC 50 W (100-240 V AC, 50/60 Hz) - Max power consumption: ~33 W Networking & Ports - LAN Ports: 8 × 10/100/1000 Mbps RJ45 (LAN) - WAN Port: 1 × 10/100/1000 Mbps RJ45 - 10G Ports: 1 × 1/10 Gbps SFP+ WAN + 1 × 1/10 Gbps SFP+ LAN - Management interfaces: Ethernet, Bluetooth (BLE) - IDS/IPS throughput: ~3.5 Gbps 45,000.00/units.			
16.	2	boxes	UTP Cat 6 Cable Specification: - cat 6 utp cable - 305m per box - Color: Blue 8,000.00/boxes.	P16,000.00		
NOTE: ITEM NOS. 8 TO 11 SHOULD BE COMPATIBLE TO ITEM NO. 7 (MOTHERBOARD).						
NOTE: For the MISTO Use.						

Total: _____

EPS Reference Number : _____

EPS Solicitation Number : _____

EPS Closing Date : _____

Brand & Model : _____

Delivery Period : _____

Warranty : _____

Price Validity : _____

After having carefully read and accepted your General Conditions, the foregoing are our price quotation for the items above indicated.

PhilGEPS Certificate No.: _____

Certificate Reference No.: _____

REY ESPIRITUSANTO

Canvasser

[Signature]
DANNI VINCENT VILLAREAL

Printed Name/Signature

Tel. No./Cellphone #

Date