REQUEST FOR QUOTATION Western Mindanao State University

		F + T	The state of the s	ात	Quotation	n No.:		
					PR No.: P	R-22-02-07:	2	
					*			
Please o	uote you	ur lowest price	on the item/s listed below, subject to the General Conditi	ons o	n the page, stati	ing the		
shortest	time of	delivery and s	ibmit your quotation duly signed by your representative n	of lots	NO.	V 17 2022)	
10:00 A	AM in th	ne return envel	ope attached herewith. Any quotation submitted beyond	this da	ate will not be so	nsidered.	att	
						1		
NOTE:					JOEL G.	FERNANDO	, Ph.D.	
DPO I E.	1		IUST BE TYPEWRITTEN			BAC Chair		
	3	WARRANTY SH DATE OF ACCE PRICE VALIDIT G-EPS REGISTI	IOD WITHIN 10 CALENDAR DAYS FROM THE RECEIPT OF THE P FALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES AND MA PTANCE BY WESTERN MINDANAO STATE UNIVERSITY Y SHALL BE FOR A PERIOD OF 120 CALENDAR DAYS UPON RECEIP RATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSION OF L SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATIONS OF	TERIAL TOFT	S. ONE (1) YEAR FO HE OURCHASE OR	DER	T, FROM	
Item No.	Qty	Unit	Item and Description		proved Budget for Contract (ABC)	Unit Cost	Total Cos	
1.	1	Unit	Theodolite Transit	P	190,000.00			
2.	5	Units	Specification: Telescope with 26x magnification Rating of IP-66 against dust and water Single backlit LCD display Operating Time with laser: at least 45 hours Accuracy: 9 seconds Horizontal and Vertical measurements Laser point range: 165 Optical plummet Bubble level Operating Temp200C-500C To include: Theodolite with laser pointer Plumb bob Tool kit Lint free cloth Waterproof protective cover Hand carrying case Abney Hand Level Specification: S %" Long with radius arc Graduated 0 to 90 degrees in both direction	P	15,000.00			
			 Vernier reading to 10 minutes Percent of grade scale from 0% to 100% 					
			- With complete Condura belt loop case			(
	1		Note: For the College of Forestry of the University.					
			PAGE 1 of 3		1	Total:		
EPS Refe	rence No	mber .			Brand & M	lodel :		
		2000 TO 100 TO 1			Delivery Pe			
EPS Solic		umber :	*		Warranty Price Validi	ity		
EPS Clos	75%	-						
After havi	ng carefu	illy read and acc	epted your General Conditions, the foregoing are our price quot	ation fo	or the items above	indicated.		
			PhilGEDS	Pagist	ration No.:			
			and the second s	100	rence No.:			
		II.			Printed Na	me/Signature	_	
REY ESPIRITUSANTO / JORGE CONCEPCION / RALPH JUDE LLACUÑA Canvasser					Tel .No./Celiphone #			
				_	[Date		

WMSU-BAC-FR-016

Effective Date: 31 Oct. 2016

REQUEST FOR QUOTATION Western Mindanao State University

		gl			Quotation	No.:	·
148					PR No.: P	R-22-02-072	!
hortest	time of c	ur lowest price	on the item/s listed below, subject to the General Condition	ot late	r than NO	V 17 2022	at
10:00 A	IVI_ in th	ne return envel	ope attached herewith. Any quotation submitted beyond t	his da	ite will not be co	nsidered.	
OTE:	3	DELIVERY PERI WARRANTY SH DATE OF ACCE PRICE VALIDITY G-EPS REGISTS	UST BE TYPEWRITTEN OD WITHIN10CALENDAR DAYS FROM THE RECEIPT OF THE PI ALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES AND MA' PTANCE BY WESTERN MINDANAO STATE UNIVERSITY 'SHALL BE FOR A PERIOD OF 120 CALENDAR DAYS UPON RECEIP RATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSION OF I	TERIAL TOF THE O	ASE ORDER. S. ONE (1) YEAR FO HE OURCHASE OR	DER	
Item No.	Qty	Unit	Item and Description		proved Budget for Contract (ABC)	Unit Cost	Total Cos
3.	1	Set	Canopy Imager Specification: - Lens: Equidisant wide-angle lens - Fish-eye lens angle: 150 - Image resolution: 8 megapixels - Interface: 7" capacitive touchscreen - Keypad: 6 button, trigger-release capture - Measuring time: 0.5 second - Operating Temperature: 5C to 50C	P	300,000.00		
4.	1	Unit	Digital Electronic Precision Balance Specification: - Capacity: 20mg-200g - Accuracy: 0.001g/1mg - Repeatability Error: -/+0.002g/2mg - Non-linear Error: -/+0.002g/2mg - Pan Size: at least 90mm - Power: 220V, 60Hz	P	12,800.00		
5.	2	Units	Laser Dendrometer Specification: - BAF measurement range: 1 to 127 ft2/acre (0.2 to 39.0 m2/hectare). Diameter accuracy ± ¼" up to 80' (±6mm up to 24 m). Diameter measurement range: 2" to 100" (5 cm to 254cm). Inclination accuracy ± 0.1 typical. Inclination measurement range: ±90". Height measurement resolution: 0.1' (3cm). Optics: normal, 1x magnified, 2.4x. Data communications: serial RS 232 input/output. Operating temperature: -22°F to 140°F (-30°C to 60°C) Power: 2 AA or 1 CRV3; 3.0V DC nominal (included). - Dimensions: 2.75"W x 2"D x 6.5"L. Weight: 1.1 lbs. Note: For the College of Forestry of the University.	1	170,000.00		
	1	1		3			
EPS Solid	erence N	lumber :	PAGE 2 of 3		Brand & N Delivery Po Warranty Price Valid	eriod :	
EPS Clos After havi	sing Date ing caref	: ully read and acc	pepted your General Conditions, the foregoing are our price quot				The state of the s
					tration No.: erence No.:		19
	REY ES		/ JORGE CONCEPCION / RALPH JUDE LLACUÑA		Printed Na	me/Signature	
		Car	IVGSSGI		Tel .No./C	ellphone #	
				_		Date	

WMSU-BAC-FR-016

Effective Date: 31 Oct. 2016

REQUEST FOR QUOTATION Western Mindanao State University

				Quotation No.:			
					PR No.: P	R-22-02-072	!
			on the item/s listed below, subject to the General Condition		MON	ng the	
			bmit your quotation duly signed by your representative no ope attached herewith. Any quotation submitted beyond th		te will not be co	0 583 545	at
NOTE:		DELIVERY PERI WARRANTY SH. DATE OF ACCE PRICE VALIDITY G-EPS REGISTE	UST BE TYPEWRITTEN OD WITHIN 10 CALENDAR DAYS FROM THE RECEIPT OF THE PI ALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES AND MAT PTANCE BY WESTERN MINDANAO STATE UNIVERSITY SHALL BE FOR A PERIOD OF 120 CALENDAR DAYS UPON RECEIP RATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSION OF L SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATIONS OF T	TERIAL T OF TI THE Q	SE ORDER. S. ONE (1) YEAR F HE OURCHASE OR UOTATION	AC Chair OR EQUIPMEN	
Item No.	Qty	Unit	Item and Description		proved Budget for Contract (ABC)	Unit Cost	Total Cost
6.	2	Units	Altimeter Specification: - Height and slope measurements are made simple with these six scales. Required scales baseline distance measuring range 1 chain = 66'66' -27' to +144'15 15ft., yds., or m-6 to +26ft., yds., or m 20.20ft., yds., or m-8 to +34 ft., yds., or m 25 25ft., yds., or m-10 to +43ft. yds., or m. 30 30 ft., yds., or m -12 to +52 ft., yds., or m percent any distance in ft., -40 to +150% of baseline yds., or m distance.	P	50,000.00		
7.	1	Unit	Water Flow Probes Specification: Range: 0.3 to 19.9 FPS (0.1 to 6.1 mps) Accuracy: Average velocity ±0.1 FPS Averaging: Digital running average Display: LCD Operating Temp: 4F to 158F (-20C to 70C) Sensor Type: Protected Turbo-Prop Propeller with electromagnetic pick-up Probe size: Expand from 3ft to 6ft or 5ft to 15ft Sensor Housing: 2" in dia x 3" length Made of PVC handle and propeller housing Anodized Aluminum Shaft, stainless steel bearing	₽	70,000.00		
			Note: For the College of Forestry of the University.				-
EPS Soli	erence Nu citation Nu sing Date		PAGE 3 of 3		Brand & M Delivery P Warranty Price Valid	eriod :	
After hav	ing carefu	lly read and acc	cepted your General Conditions, the foregoing are our price quot	ation f	or the items above	e indicated.	
PhilGEPS Registration No.: Certificate Reference No.:							
	REY ES		/ JORGE CONCEPCION / RALPH JUDE LLACUÑA		Printed Na	ame/Signature	
		Car	nvasser		Tel .No./C	ellphone #	
-						Date	

WMSU-BAC-FR-016

Effective Date: 31 Oct. 2016