

Republic of the Philippines WESTERN MINDANAO STATE UNIVERSITY Zamboanga City Telephone No.: 062-991-7875 <u>www.wmsu.edu.ph</u>

REQUEST FOR QUOTATION

The Western Mindanao State University, through its Bids and Awards Committee (BAC), is inviting PhilGEPS registered suppliers to apply for eligibility and to submit bids for the item mentioned hereunder:

Name of Project: Supply and Delivery of Various Supplies and Materials for the Administration

Approved Budget Cost: **Php 300,520.00** Purchase Request No.: **PR 23-01-036** Closing Date: **April 3, 2023** @ **10AM** Description:

1.) Two (2) pc of TRS and Female XLR Connector (cable with gold-pin/black body 1/4") Specify technical specification Connector1: 3 pin XLR Connector 2: 6.35 Mm 1/4 Inch TRS Connector 1 Gendter: Female Connector 2 Gendter: Male Cable length: 3m Jacket Material: Black PVC Cable Wire Gauge: Not indicated (recommended #24 Wire Gause) Conntector Type: TRS Balanced Connector.

2.) Two (2) pc of Stereo mini male to 3-pin XLR female cable Connector1: 3 pin XLR Connector 2:3.5 mm Stereo mini Connector 1 Gendter: Male Connector 2 Gendter: Female Cable length: 3m Outer shealth Material: PVC.

3.) One (1) roll of Speaker Wire Audio Cable Type: Speaker cable Number of Cores: 2 Insulation Materials: PVC Cable Shape: Flat Conductor Strand Type: Stranded Core Strand: 48/0.2 mm Voltage Rating: 900 volts Series type: Euroclass ECA 100 meter/roll

4.) Two (2) PC of Gold Plated 4k HDMI Cable HDMI Specification:
Connector Type: Male to Male or Male to Female Cable length: 3m
Maximum Resolution: 4K
Shielding: Braid.

5.) One (1) roll of Microphone Cable Audio Cable Type: Microphone Cable Insulation Material : PE Fire Behaviour: Self Extinguishing Sheath Material: PVC Cable Shape: Single Core Voltage Rating: 30 volts Single core PVC jacketed cable.

6.) Five (5) SET of 3 Pin XLR Female Microphone Connector Gold Plated Pins length: 3 meters Material used as conductor: NIckel Tin Wire Gauge: 20.

7.) Five (5) SET of 3 Pin XLR Male Microphone Connector Connector Gold Plated Pins length: 3 M Material used as conductor: Nickel Tin Wire Gauge: 20.

8.) One (1) unit of 12 - Channel Mixing Console Number of Channels: 12CH input Sensitive: -60dBm - -40dBm Nominal Input Level: Mic -60dBm Line -20dBm Eff Ret -20dB Aux In -20dB Tape In-10dB Nominal Output Level: Eff Send-10dBm Aux Send-0dBm Common Mode Rejection: -70dB Output Voltage(mixer part): 4V Max S/N Ratio: ?80dB THD(1KHz Full Power): Less than 0.03%l(at 1 khz) Frequency Response: 20hz -20khz + 3dB2 Headphone: 7V/220?

Parametric CQ: Hi±15dB/12KHz Mid±15dB/2.5K (CQ-Channel eQualizer) Low±15dB/80KHz

Power Consumptions: 30W Power Supply: AC110 -240V / 50 -60Hz.

9.) Three (3) pc of Wall Mounted Brace Bracket (Max load: 60kg, Protruding depth: 36cm, Backplate height: 25cm, Backplate width: 14cm, Net weight: 2.5kg, Top hat: 35mm, Wall plate dimensions: 250x135mm) Material: Steel.

10.) Seven (7) unit of VOICE RECORDER Specifications:

- . Memory: at least 4GB
- . With a built-in microphone
- . With intelligent noise cut
- . Battery: Rechargeable lithium battery.

11.) Two (2) unit of LCD PROJECTOR Specifications:

- . Brightness: at least 3,600 lumens
- . Resolution: at least XGA (1024 x 768)
- . Interface: VGA, HDMI, composite video
- . With a carrying case
- . with a tripod screen.

- 12.) Two (2) SET of Wireless UHF Microphone Set
- . 1 receiver
- . 1 pair wireless microphone
- . Frequency Range: at least 600 MHz
- . Working Range: approximately 300m
- . With a carrying case.

The criteria to be used for the eligibility check of the prospective bidders, examination and evaluation of bids, post-qualification and all matters relevant to this procurement shall be in accordance with Republic Act. No. 9184 (The Government Procurement Reform Act) and its Implementing Rules and Regulations.

Interested bidders are required to submit their valid and current Mayor's Permit and PhilGEPS Registration, upon the submission of quotation.

Award of contract shall be made to the lowest calculated and responsive bid, which complies with the necessary description as stated above and other terms and conditions stated in the price quotation form.

Any interlineations, erasures or overwriting shall be valid only if they are signed or initiated by the bidder or his/her duly authorized representative/s.

Submission of Quotation and eligibility documents is on or before April 3, 2023 at the BAC Office, Ground Floor Executive Building, Western Mindanao State University, Normal Road, Baliwasan, Zamboanga City. Open submission may be submitted manually, email (bacsecretariate@wmsu.edu.ph) or through facsimile at (062)991-7875. For inquiries, you may coordinate with the BAC Secretariat at telephone no. (062)991-7875.

Western Mindanao State University

Quotation No.:

PR No.: PR-23-01-036

Please quote your lowest price on the item/s listed below, subject to the General Conditions on the page, stating the

shortest time of delivery and submit your quotation duly signed by your representative not later than 10:00 AM in the return envelope attached herewith. Any quotation submitted beyond this date will not be considered.

SAN JUAN, Ph.D. FREDELING M BA

AFR US ZUZS

at

NOTE:

ALL ENTRIES MUST BE TYPEWRITTEN 1

- DELIVERY PERIOD WITHIN 10 CALENDAR DAYS FROM THE RECEIPT OF THE PURCHASE ORDER. 2
- WARRANTY SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES AND MATERIALS. ONE (1) YEAR FOR EQUIPMENT, FROM 3 DATE OF ACCEPTANCE BY WESTERN MINDANAO STATE UNIVERSITY PRICE VALIDITY SHALL BE FOR A PERIOD OF 120 CALENDAR DAYS UPON RECEIPT OF THE OURCHASE ORDER
- 4
- G-EPS REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSION OF THE QUOTATION BIDDERS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATIONS OF THE PRODUCT BEING OFFERED 5
- 6

Item No.	Qty	Unit	Item and Description	Approved Budget for Contract (ABC)	Unit Cost	Total Cost
4.	2	Pieces	Gold Plated 4K HDMI Cable HDMI Specification: Connector Type: Male to Male or Male to Female Cable Length: 3m Maximum resolution: 4K Shielding: Braid	₽ 3,200.00		
5.	1	Roll	Microphone Cable Audio Cable Type: Microphone Cable Insulation Material: PE Fire Behavior: Self Extinguishing Sheath Material: PVC Cable Shape: Single Core Voltage Rating: 30 Volts Single Core PVC Jacketed Cable	₽ 23,600.00		V.
6.	5	Sets	3 Pin XLR Female Microphone Connector Gold Plated Pins Length: 3 meters Material used as conductor: Nickel Tin Wire Gauge: 20	₽ 5,000.00		
7.	5	Sets	3 Pin XR Male Microphone Connector Connector gold Plated Pins Length: 3 meters Material used as conductor: Nickel Tin Wire Gauge: 20	₽ 5,000.00		
			Note: For the Supply Office of the University.			

PAGE 2 of 4

EPS Reference Number **EPS Solicitation Number**

EPS Closing Date

After having carefully read and accepted your General Conditions, the foregoing are our price quotation for the items above indicated.

PhilGEPS Registration No.: Certificate Reference No.:

REYNANTE ESPIRITUSANTO / JORGE CONCEPCION / RALPH JUDE LLACUÑA

Canvasser

Printed Name/Signature

Tel .No./Cellphone #

Date

Total: Brand & Model

Delivery Period Warranty

Price Validity

Western Mindanao State University

Quotation No.:

BA Ch

PR No.: PR-23-01-036

Please quote your lowest price on the item/s listed below, subject to the General Conditions on the page, stating the

shortest time of delivery and submit your quotation duly signed by your representative not later than 10:00 AM in the return envelope attached herewith. Any quotation submitted beyond this date will not be considered.

NOTE:

1 ALL ENTRIES MUST BE TYPEWRITTEN

- DELIVERY PERIOD WITHIN 10 CALENDAR DAYS FROM THE RECEIPT OF THE PURCHASE ORDER. 2
- WARRANTY SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES AND MATERIALS. ONE (1) YEAR FOR EQUIPMENT, FROM DATE OF ACCEPTANCE BY WESTERN MINDANAO STATE UNIVERSITY 3
- 4
- PRICE VALIDITY SHALL BE FOR A PERIOD OF 120 CALENDAR DAYS UPON RECEIPT OF THE OURCHASE ORDER G-EPS REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSION OF THE QUOTATION BIDDERS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATIONS OF THE PRODUCT BEING OFFERED 5

6

Item No.	Qty	Unit	Item and Description	Approved Budget for Contract (ABC)	Unit Cost	Total Cost
8.	1	Unit	12-Channel Mixing Console Number of Channels: 12CH Input Sensitive: -60dBm40dBm Nominal Input Level: Mic – 60dBm Line – 20dB Aux In – 20dB Tape In – 10dB Nominal Output Level: Eff Send -10dBm Aux Send @dBm Common Mode Rejection: -70dB Output Voltage (mixer part): 4V max S/N Ratio: 80dB THD(1KHz Full Power): Less than 0.03%I(at 1 khz) Frequency Response: 20hz -20khz + 3dB2 Headphone: 7V/220dB	₽ 45,000.00		
9.	3	Pieces	Wall Mounted Brace Bracket (Max Load: 60kg, Protruding depth: 36cm, Backplate height: 25cm, Backplate width: 14cm, Net Weight: 2.5kg, Top hat: 35mm, Wall plate dimensions: 250x135mm) Material: Steel	₽ 18,000.00		
10.	7	Units	Voice Recorder Specifications: Memory: at least 4GB With a built-in microphone With intelligent noise cut Battery: Rechargeable lithium battery Note: For the Supply Office of the University.	₽ 73,920.00		

PAGE 3 of 4

EPS Reference Number

EPS Solicitation Number

EPS Closing Date

After having carefully read and accepted your General Conditions, the foregoing are our price quotation for the items above indicated.

PhilGEPS Registration No.: Certificate Reference No.:

REYNANTE ESPIRITUSANTO / JORGE CONCEPCION / RALPH JUDE LLACUÑA Canvasser

Printed Name/Signature

Tel .No./Cellphone #

Date

Total:

Brand & Model

Delivery Period Warranty

Price Validity

AFR 03 2023

at

SAN JUAN, Ph.D.

Western Mindanao State University

Quotation No.: ____

PR No.: PR-23-01-036

Please quote your lowest price on the item/s listed below, subject to the General Conditions on the page, stating the

AFR 0 8 7523 shortest time of delivery and submit your quotation duly signed by your representative not later than 10:00 AM in the return envelope attached herewith. Any quotation submitted beyond this date will not be considered.

NOTE:

ALL ENTRIES MUST BE TYPEWRITTEN 4

- 2
- DELIVERY PERIOD WITHIN 10 CALENDAR DAYS FROM THE RECEIPT OF THE PURCHASE ORDER. WARRANTY SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES AND MATERIALS. ONE (1) YEAR FOR EQUIPMENT, FROM 3
- 4
- WARRANTY SHALL BE FOR A PERIOD OF SIX (6) MONTHS UNIVERSITY DATE OF ACCEPTANCE BY WESTERN MINDANAO STATE UNIVERSITY PRICE VALIDITY SHALL BE FOR A PERIOD OF 120 CALENDAR DAYS UPON RECEIPT OF THE OURCHASE ORDER G-EPS REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSION OF THE QUOTATION BIDDERS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATIONS OF THE PRODUCT BEING OFFERED 5
- 6

Item No.	Qty	Unit	Item and Description	Approved Budget for Contract (ABC)	Unit Cost	Total Cost
11.	2	Units	LCD Protector Specifications: - Brightness: at least 3,600 lumens - Resolution: at least XGA (1024 x 768) - Interface: VGA, HDMI, composite video - With a carrying case - With a tripod screen	₽ 96,000.00		
12.	2	Sets	Wireless UHF Microphone Set - 1 receiver - 1 pair wireless microphone - Frequency Range: at least 600 MHz - Working Range: approximately 300m - With a carrying case	₽ 8,000.00		
			Note: For the Supply Office of the University.			

PAGE 4 of 4

Tota Brand & Mode **Delivery** Period Warranty

Price Validity

I:		
1		
1	*	
2		
1	A	

EPS Solicitation Number

EPS Reference Number

EPS Closing Date

After having carefully read and accepted your General Conditions, the foregoing are our price quotation for the items above indicated.

PhilGEPS Registration No.: Certificate Reference No.:

REYNANTE ESPIRITUSANTO / JORGE CONCEPCION / RALPH JUDE LLACUÑA Canvasser

Printed Name/Signature

Tel .No./Cellphone #

Date

FREDELING M. SAN JUAN, Ph.D. BAG Cha

at

Western Mindanao State University

Quotation No.:

FREDELINO B

PR No.: PR-23-01-036

at

SAN JUAN, Ph.D.

Please quote your lowest price on the item/s listed below, subject to the General Conditions on the page, stating the

shortest time of delivery and submit your quotation duly signed by your representative not later than	
10:00 AM in the return envelope attached herewith. Any quotation submitted beyond this date will it	not be considered.

NOTE:

ALL ENTRIES MUST BE TYPEWRITTEN 1

- 2
- DELIVERY PERIOD WITHIN 10 CALENDAR DAYS FROM THE RECEIPT OF THE PURCHASE ORDER. WARRANTY SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES AND MATERIALS. ONE (1) YEAR FOR EQUIPMENT, FROM 3
- DATE OF ACCEPTANCE BY WESTERN MINDANAO STATE UNIVERSITY 4
- PRICE VALIDITY SHALL BE FOR A PERIOD OF 120 CALENDAR DAYS UPON RECEIPT OF THE OURCHASE ORDER G-EPS REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSION OF THE QUOTATION BIDDERS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATIONS OF THE PRODUCT BEING OFFERED 5

6

Qty	Unit	Item and Description	Approved Budget for Contract (ABC)	Unit Cost	Total Cost
2	Pieces	TRS and Female XLR Connector (cable with gold- pin/black body %") Specify technical specification Connector1: 3 pin XLR Connector2: 6.35 Mm ¼ inch TRS Connector 1 Gendter: Female Connector 2 Gendter: Male Cable Length: 3m Jacket Material: Black PVC Cable Wire Gauge: Not indicated (recommended #24 Wire Gauge) Connector Type: TRS Balanced Connector	₽ 12,800.00		
2	Pieces	Stereo Mini Male to 3-pin XLR female cable Connector1: 3 pin XLR Connector2: 3.5mm stereo mini Connector1 Gendter: Male Connector2 Gendter: Female Cable Length: 3m Outer Sheath Material: PVC	₱ 6,000.00		
1	Rolls	Speaker Wire Audio Cable Type: Speaker Cable Number of Cores: 2 Insulation Materials: PVC Cable Shape : Flat Conductor Strand Type: Stranded Core Strand: 48/0.2 mm Voltage Rating: 900 Volts Series Type: Euroclass ECA 100 meter/roll	₽ 4,000.00		
	2	2 Pieces	pin/black body ¼") Specify technical specification Connector1: 3 pin XLR Connector 1 Gendter: Female Connector 2 Gendter: Male Cable Length: 3m Jacket Material: Black PVC Cable Wire Gauge: Not indicated (recommended #24 Wire Gauge) Connector 1 Gendter: Female Connector Type: TRS Balanced Connector 2 Pieces Stereo Mini Male to 3-pin XLR female cable Connector1 3 pin XLR Connector2 Gendter: Female Connector2 3.5mm stereo mini Connector1 Gendter: Male Connector2 Gendter: Female Cable Length: 3m Outer Sheath Material: PVC 1 Rolls Speaker Wire Audio Cable Type: Speaker Cable Number of Cores: 2 Insulation Materials: PVC Cable Shape : Flat Conductor Strand Type: Stranded Core Strand: 48/0.2 mm Voltage Rating: 900 Volts Series Type: Euroclass ECA	2 Pieces TRS and Female XLR Connector (cable with gold- pin/black body ¼") P 12,800.00 Specify technical specification Connector1: 3 pin XLR Connector2: 6.35 Mm ¾ inch TRS Connector 2 Gendter: Male Cable Length: 3m Jacket Material: Black PVC Cable Wire Gauge) Connector Type: TRS Balanced Connector P 6,000.00 2 Pieces Stereo Mini Male to 3-pin XLR female cable Connector1: 3 pin XLR Connector1: 3 pin XLR Connector2: 3.5mm stereo mini Connector2: 3.5mm stereo mini Connector2 Gendter: Male Cable Length: 3m Outer Sheath Material: PVC P 6,000.00 1 Rolls Speaker Wire Number of Cores: 2 Insulation Materials: PVC Cable Shape : Flat Conductor Strand Type: Stranded Core Strand: 48/0.2 mm Voltage Rating: 900 Volts Series Type: Euroclass ECA 100 meter/roll P 4,000.00	2 Pieces TRS and Female XLR Connector (cable with gold- pin/black body %") Specify technical specification Connector1: 3 pin XLR Connector1 Gendter: Female Connector 1 Gendter: Male Cable Length: 3m Jacket Material: Black PVC Cable Wire Gauge: Not indicated (recommended #24 Wire Gauge: Not indicated (recommended Connector1: 3 pin XLR Connector2: 3.5mm stere mini Connector2: 3.5mm stere mini Connector2: Gendter: Female Cable Length: 3m Outer Sheath Material: PVC P 6,000.00 1 Rolls Speaker Wire Audio Cable Type: Speaker Cable Number of Cores: 2 Insulation Material: PVC Cable Shape : Flat Conductor Strand Type: Stranded Core Strand: 48/0.2 mm Voltage Rating: 900 Volts Series Type: Euroclass ECA 100 meter/roll P 4,000.00

PAGE 1 of 4

Total: Brand & Model **Delivery Period** Warranty Price Validity

3	
•	

EPS Reference Number EPS Solicitation Number

EPS Closing Date

After having carefully read and accepted your General Conditions, the foregoing are our price quotation for the items above indicated.

PhilGEPS Registration No.: Certificate Reference No.:

REYNANTE ESPIRITUSANTO / JORGE CONCEPCION / RALPH JUDE LLACUÑA

Canvasser

Printed Name/Signature

Tel .No./Cellphone #

Date