The state of the s

Republic of the Philippines WESTERN MINDANAO STATE UNIVERSITY

Zamboanga City Telephone No.: 062-991-7875 www.wmsu.edu.ph

REQUEST FOR QUOTATION

The Western Mindanao State University, through its Bids and Awards Committee (BAC), is inviting PhilGEPS registered suppliers to apply for eligibility and to submit bids for the item mentioned hereunder:

Name of Project: Supply and Delivery of Various Tools and Supplies for

the Environmental Engineering (I.R.F)
Approved Budget Cost: Php 20,760.00
Purchase Request No.: PR 23-02-087
Closing Date: March 16, 2023 @ 10AM

Description:

1.) One (1) SET of INSULATED SCREW DRIVER SET OF 6,

1 x SL5.5*5*75 mm

1 x SL5.5*5*100 mm

1 x SL6.5*6*150 mm

1 x PH1*5*75 mm

1 x PH1*5*100 mm

1 x PH2*6*150 mm

Material: CR - VRound Blade Packed in Hanger Card

2.) Two (2) PC of SOLDERING IRON STATION (ADJUSTABLE TEMPERATURE, 60W, 220V)

Power Consumption: 700W

Air Flow Type: Soft Whirling Wind Max Air Flow Volume: 120L/min

Hot Air: 700W

Temperature Range: 100Degrees - 500degrees celsius

Temperature Stability: ±5 ?C

Soldering Iron: 60W

Temperature Range: 100?C ? 450?C Temperature Stability: ±2 ?C (Static)

Noise: ?45db

Fuse: 4A. 1,500.00/PC. Total of 3,000.00

- 3.) Two (2) PC of MANUAL DESOLDERING PUMP/SOLDER SUCKER
- pLUNGER-sTYLE sOLDER SUCKER
- -Hand Operated
- -Soft, non-slip handle
- -Piston with double oil seals to guarantee no air leakage
- Replaceable nozzle
- Anti-static design
- Suction capability of 32 cm-Hg.
- 4.) One (1) roll of SOLDERING LEAD
- 0.8 mm 60/40 Soldering Lead Rosin Core 1 roll/pound.
- 5.) One (1) PC of SOLDERING PASTE
- 1 can/tin 50GRAMS. 200.00/PC. Total of 200.00
- 6.) Three (3) pcs of PVC Pipe (3" Diameter) PVC Sanitary UPVC Orange Pipe 3 meter.
- 7.) Twenty (20) pcs of PVC End Cap (3" Diameter)
- -Generic PVC Clean Out End Cap 3" for Sanitary Use Orange

(with Head Type) Adaptor.

- 8.) Twenty (20) pcs of Electric Plug
 Type A: Have Two Flat, Parallel, Non-Coplanar Blades
 Socket Standard: Nema 1-15 Polarized
 Power Rating: 10A/220V.
- 9.) Ten (10) pc of Outlet, 10A/220V Universal Outlet With Ground 3 Gang.
- 10.) Ten (10) bot of Solvent Cement 45 ml.
- 11.) One (1) roll of Electric Wire
- Flat Cord 150 meters per roll AWG 16 1.25mm.

The criteria to be used for the eligibility check of the prospective bidders, examination and evaluation of bids, post-qualification and all matters relevant to this procurement shall be in accordance with Republic Act. No. 9184 (The Government Procurement Reform Act) and its Implementing Rules and Regulations.

Interested bidders are required to submit their valid and current Mayor's Permit and PhilGEPS Registration, upon the submission of quotation.

Award of contract shall be made to the lowest calculated and responsive bid, which complies with the necessary description as stated above and other terms and conditions stated in the price quotation form.

Any interlineations, erasures or overwriting shall be valid only if they are signed or initiated by the bidder or his/her duly authorized representative/s.

Submission of Quotation and eligibility documents is on or before March 16, 2023 at the BAC Office, Ground Floor Executive Building, Western Mindanao State University, Normal Road, Baliwasan, Zamboanga City. Open submission may be submitted manually, email (bacsecretariate@wmsu.edu.ph) or through facsimile at (062)991-7875. For inquiries, you may coordinate with the BAC Secretariat at telephone no. (062)991-7875.

REQUEST FOR QUOTATION Western Mindanao State University

No.						Quotation	No.:	<u> </u>
shortest time of delivery and submit your quotation duly signed by your representative not later than						PR No.: P	R-23-02-087	
1. ALL ENTRIES MUST BE TYPEWRITTEN 1. ALL ENTRIES MUST BE TYPEWRITTEN 2. BUILDON PERROD WITHOU 19. CALERDAR DAYS FROM THE RECEIPT OF THE PURCHASE ORDER. 3. WARRANT SHALL BE FOR A PERIOD OF SIX ON MONTHS FOR SUPPLIES AND MATERIALS. ORDER, THE PURCHASE ORDER. 4. CITCLE VALADITY SHALL BE FOR A PERIOD OF SIX ON MONTHS FOR SUPPLIES AND MATERIALS. ORDER OF THE PURCHASE ORDER. 5. BUILDERS SHALL SUBMIT ORIGINAL BEOCHUSES SHOWING CERTIFICATION OF THE PURCHASE ORDER. 6. BUILDERS SHALL SUBMIT ORIGINAL BEOCHUSES SHOWING CERTIFICATION OF THE PRODUCT SHIN ORDER. 7. STATE OR SHALL SUBMIT ORIGINAL BROCHUSES SHOWING CERTIFICATION OF THE PRODUCT SHIN OFFICE AND MATERIALS. ORIGIN THE PRODUCT SHIN ORIGINAL BROCHUSES SHOWING CERTIFICATION OF THE PRODUCT SHIN OFFICE AND MATERIALS. 8. SUBDERS SHALL SUBMIT ORIGINAL BROCHUSES SHOWING CERTIFICATIONS OF THE PRODUCT SHIN OFFICE AND THE PRODUCT SHIP OFFICE		Please	quote your lov	vest price on the item/s listed below, subject to the General	al Con			
ALL ENTRIES MUST BE TYPEWRITTEN 2 DELIVERY PERIOD WITHIN 10 CALERIDAR DAYS FROM THE RECEIPT OF THE PURCHASE ORDER. 3 WATER OF ACCEPTANCE SEY WESTERN MINIONANO STATE UNIVERSITY 4 PRICE VALIDITY SHALL BE COTA PERIOD OF 100 CALERIDAR DAYS UNDO RECEIPT OF THE DURCHASE ORDER. 5 GEPS REGISTRATION CERTIFICATE SHALL BE ATTACHED OPPON BURBHISTOR OF THE DURCHASE ORDER. 6 GEPS REGISTRATION CERTIFICATE SHALL BE ATTACHED OPPON BURBHISTOR OF THE DURCHASE ORDER. 7 PRICE VALIDITY SHALL BE COTA PERIOD OF 100 CALERIDAR DAYS UNDO RECEIPT OF THE DURCHASE ORDER. 8 GEPS REGISTRATION CERTIFICATE SHALL BE ATTACHED OPPON BURBHISTOR. 1 PRICE SHALL SHEMT ORDER. 1 SEE I Insulated Screw Driver Set of 6, 1 x SL5-575 TSomm 1 x SL5-575 TSomm 1 x SL5-575 TSomm 1 x SL5-575 TSomm 1 x PH12** 9150mm 1 x PH12** 975mm 1 x PH12** 975mm 1 x PH12** 9150mm 1 x PH12** 975mm 1 x PH12** 975mm 1 x PH12** 9150mm 1 x PH12** 975mm 1 x PH12** 9150mm 1 x PH1							nsidered.	at
No.	NOTE:	2 3 4 5	DELIVERY PER WARRANTY SH DATE OF ACCE PRICE VALIDIT G-EPS REGIST	IOD WITHIN 10 CALENDAR DAYS FROM THE RECEIPT OF THE P HALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES AND MA EPTANCE BY WESTERN MINDANAO STATE UNIVERSITY Y SHALL BE FOR A PERIOD OF 120 CALENDAR DAYS UPON RECEIP RATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSION OF	TERIAL TOFTI THE Q	SE ORDER. S. ONE (1) YEAR FO THE OURCHASE OR UOTATION	OR EQUIPMEN	
1. 1 Set Insulated Screw Driver Set of 6, 1 x SL5.5**5*Smm 1 x SL5.5**5*Smm 1 x SL5.5**5*Smm 1 x SL5.5**5*Smm 1 x PH1*5*100mm 1 x PH1*5*100mm 1 x PH1*5*100mm 1 x PH1*5*150mm 1 x PH1*5*150mm Metreibl. CR Ground Blade Packed in Hanger Card 2. 2 Pleces Soldering trons Station Adjustable Temperature, 60W, 220V) Power Consumption: 700W Air Flow Volume: 120L/min Hot Air: 700W Temperature Bange: 100*C ~ 500*C Temperature Stability: ±5 *C Soldering from: 60W Temperature Range: 100*C ~ 450*C Temperature Stability: ±2 *C (Static) Noise: 450*D Fuse: 4A 3. 2 Pleces Manual Desidering Pump/Solder Sucker Plunger-Style Solder Sucker And-Operated Soft, non-slip handle Piston with double oil seals to guarantee no air leakage Replaceable notzle Anti-static design Suction capability of 32 cm-Hg Note: For the Environmental Engineering (COE) of the University PAGE 1 of 2 Total: Enrand & Mhodel Delivery Period Warranty Priod Pri		Qty	Unit	Item and Description		for Contract	Unit Cost	Total Cost
2. 2 Pieces Soldering Iron Station (Adjustable Temperature, 60W, 220V) Power Consumption: 700W Air Flow Type: Max Air Flow Volume: 120L/min Hot Air: 700W Temperature Range: 100°C ~ 500°C Temperature Stability: ±5 °C Soldering Iron: 60W Temperature Stability: ±5 °C Soldering Iron: 60W Temperature Stability: ±2 °C (Static) Noise: 485db Fuse: 4A 3. 2 Pieces Manual Desoldering Pump/Solder Sucker Plunger-Style Solder Suck	1.	1	Set	1 x SL5.5*5*75mm 1 x SL5.5*5*100mm 1 x SL6.5*6*150mm 1 x PH1*5*75mm 1 x PH1*5*100mm 1 x PH2*6*150mm	₽	840.00		1
After having carefully read and accepted your General Conditions, the foregoing are our price quotation for the items above indicated. Pilunger-Style Solder Sucker Hand Operated Soft, non-slip handle Piston with double oil seals to guarantee no air leakage Replaceable nozzle Anti-static design Suction capability of 32 cm-Hg Note: For the Environmental Engineering (COE) of the University. PAGE 1 of 2	2.	2	Pieces	Soldering Iron Station (Adjustable Temperature, 60W, 220V) Power Consumption: 700W Air Flow Type: Max Air Flow Volume: 120L/min Hot Air: 700W Temperature Range: 100°C ~ 500°C Temperature Stability: ±5 °C Soldering Iron: 60W Temperature Range: 100°C ~ 450°C Temperature Stability: ±2 °C (Static) Noise: <45db	P	3,000.00		
EPS Reference Number	3.	2	Pieces	Manual Desoldering Pump/Solder Sucker Plunger-Style Solder Sucker Hand Operated Soft, non-slip handle Piston with double oil seals to guarantee no air leakage Replaceable nozzle Anti-static design Suction capability of 32 cm-Hg Note: For the Environmental Engineering (COE) of the	₽	1,400.00		
EPS Solicitation Number :				PAGE 1 of 2			Γotal:	
PhilGEPS Registration No.: Certificate Reference No.: Printed Name/Signature REYNANTE ESPIRITUSANTO / JORGE CONCEPCION / RALPH JUDE LLACUÑA Canvasser Tel .No./Cellphone #	EPS Soli	citation N	umber :			Brand & N Delivery Pe Warranty	lodel : eriod :	
REYNANTE ESPIRITUSANTO / JORGE CONCEPCION / RALPH JUDE LLACUÑA Canvasser Tel .No./Cellphone #	After hav	ring carefu	illy read and ac	PhilGEPS I	Regist	tration No.:		
Tel .No./Cellphone #		REYNAI	NTE ESPIRITU			Printed Name	e/Signature	
				341114444			ellphone #	

WMSU-BAC-FR-016 Effective Date: 31 Oct. 2016

REQUEST FOR QUOTATION Western Mindanao State University

					Quotation	1 No.:	
					PR No.: P	R-23-02-087	7
	Please q	uote your lov	vest price on the item/s listed below, subject to the Genera	l Cond	litions on the p	age, stating	the
			ubmit your quotation duly signed by your representative no lope attached herewith. Any quotation submitted beyond the			R 16 202 Insidered.	2 at
NOTE:	1	ALL ENTRIE	ES MUST BE TYPEWRITTEN		FREDELI	NO M. SAN	JUAN, Ph.D
	3 4 5	WARRANTY SH DATE OF ACCI PRICE VALIDIT G-EPS REGIST	RIOD WITHIN10_ CALENDAR DAYS FROM THE RECEIPT OF THE PU HALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES AND MAT EPTANCE BY WESTERN MINDANAO STATE UNIVERSITY Y SHALL BE FOR A PERIOD OF 120 CALENDAR DAYS UPON RECEIPT RATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSION OF LL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATIONS OF TI	ERIALS OF THE	ONE (1) YEAR F COURCHASE OR OTATION	DER	T, FROM
Item No.	Qty	Unit	Item and Description		roved Budget or Contract (ABC)	Unit Cost	Total Cost
4.	1	Rolls	Soldering Lead 0.8 mm 60/40 Soldering Lead Rosin Core – 1 roll/pound	₽	320.00		
5.	1	Pieces	Soldering Paste -1 can/tin 50grams	P	200.00		
6.	3	Pieces	PVC Pipe (3" diameter) PVC Sanitary UPVC Orange Pipe 3 meter	₽	3,000.00		
7.	20	Pieces	PVC Sanitary OFVC Orange Fipe 5 meter PVC End Cap (3" diameter) - Generic PVC Clean Out End Cap 3" for sanitary Use Orange (with head type) adaptor	P	2,000.00		
8.	20	Pieces	Electric Plug - Type A: Have Two Flat, Parallel, Non-Caplanar Blades - Socket Standard: Nema 1-15 Polarized - Power Rating: 10A/220V	₽	1,500.00		
9.	10	Pieces	Outlet, 10A/220V Universal Outlet With Ground 3 Gang	₽	2,000.00		
10.	10	Bottles	Solvent Cement 45ml	₽	500.00		
11.	1	Rolls	Electric Wire - Flat Cord 150 Meters per roll AWG 16 1.25mm	₽	4 6,000.00		
			Note: For the Environmental Engineering (COE) of the University.				
	-		PAGE 2 of 2		т	otal:	
EPS Refe	erence Nun	nber :			Brand & M Delivery Pe	odel :	
= 1 10.00	citation Nu	mber :			Warranty Price Validi	:	
EPS Clos		:	cepted your General Conditions, the foregoing are our price quota	tion for	the items above	indicated	
Alter Havi	ing careiuii	y read and ac	cepted your General Conditions, the foregoing are our price quota	u011 101	the items above	mulcateu.	
					ation No.:		
			Certificate	Refer	ence No.:		
	REYNAN	TE ESPIRITU:	SANTO / JORGE CONCEPCION / RALPH JUDE LLACUÑA	1-	Printed Name	/Signature	
			Canvasser	-	Tel .No./Ce	ellphone #	
				-	1	Date	·