

# Western Mindanao State University Office of the President BIDS AND AWARDS COMMITTEE Zamboanga City

# **NOTICE OF AWARD**

DEO	OP	2022
UEL	2.7	2023

## **ASPEN MULTI SYSTEM CORPORATION**

Unit D5 Lui Gin Condo., MLA., East Road, El Monteverde Subd., Brgy. San Juan, Taytay Rizal

## Sir/Madam:

This is to advise you that your bid dated September 20, 2023 for PR-23-02-157; Public Bidding Procurement of SUPPLY AND DELIVERY OF VARIOUS MEDICAL EQUIPMENT FOR THE COLLEGE OF MEDICINE of the University, with a following Contract Price is hereby accepted;

Object of Bidding	Total Amount in Figures		Amount in Words	
2. Four (4) Units MALE PELVIS SIMULATOR/MANIKIN FOR CLINICAL SKILLS  Specifications:  * Unit should include anatomically accurate lower trunk, groin, upper thighs, and Life Like Male Genitalia  * Light to medium skin tone  * Genitella must be interchangeable to allow variation of examination findings  * Skills that can be practiced using the manikin:  • Examination of normal male genitalia anatomy  • Palpation of normal testicles  • Palpation of abnormal testicular masses  • Urinary catheterization  Accessories must include user manual, replaceable/spare parts, storage/ transport container, and consumables, if any	Php	2,323,200.00	Two Million Three Hundred Twenty Three Thousand Two Hundred Pesos	
Offer: Limbs and Things Clinical Male Pelvic Trainer (CMPT) MK2; Advanced; CMPT Module 1: Normal; CMPT Module 2: Varicocele; CMPT Module 3: Tumours; CMPT Module 4: Epididymal Cysts; CMPT				

Page 1 of 9

Module 5: Hydrocele; CMPT Module 6: Orchitis/Epididymo-orchitis; CMPT Module 7' Indirect Inguinal Hernia; CMPT Abdominal Insert; CMPT Public Bone; CMPT Foreskins Pack (2 foreskins & 3 lube sachets); Lower Torso; Support base; LED pen torch; Carry case		
5. Five (5) Units AUSCULTATION TRAINING MANIKIN WITH SPEAKERS  Specifications:  * Unit must include manikin and Compatible speakers  * manikin with anatomically accurate neck and trunk and with medium or Light brown skin tone	Php 6,265,000.00	Six Million Two Hundred Sixty – Five Thousand Pesos
* Skills that can be simulated:  • Auscultation of normal and abnormal cardiac sounds when stethoscope is applied on anterior chest		
<ul> <li>Auscultation of normal and abnormal pulmonary sounds when stethoscope is applied on the back</li> </ul>		
<ul> <li>Auscultation of normal and abnormal bowel sounds when real stethoscope is applied on the abdomen</li> </ul>		
* manikin can be wirelessly connected to tablet/computer that allows control of the auscultatory findings on the manikin		
* Accessories must include charger/s, user manual, replaceable/spare parts, and storage/transport container compatible with Philippine Electrical Standard		
Offer:  BT Inc. BT – CECS; Adult torso manikin (Speaker included);		
Bluetooth receiver: User Manual: Storage Case: Dimensions: 65 x 24 x 35 (cm); Weight: 6.7 kg; Power Supply: Main Power: Power bank SV,		
AA battery; Heart sound, lung sound auscultation training; Realistic training with the most lifelike sound; Training with a stethoscope; Auscultation		
training on the front and back of torso manikin — easy to rotate the manikin; Auscultation training with		
KIKUZO; Training of Heart sound (30 cases), ung sound (25 cases) by connecting with KIKUZO; Wireless connection to the operating device (PC, tablet,		

smartphone etc.); Possible to use a portable powerbank			
7. Five (5) Units LIFE-SIZE HUMAN SKELETON ANATOMINAL MODEL	Php 2	248,000.00	Two Hundred Forty – Eight Thousand Pesos
Specifications:  * Unit must include a complete Human skeleton model, a metal stand with wheels, a dust cover, a user manual, a storage/transport	-		
container, and a set of replaceable/spare parts  * Skeleton must at least be 170 cm in height and must be composed of 206 anatomically accurate bones			
* All bones and teeth must be painted in a shade of white * All joints possess Human-like articulation with full range of motion Entire skeleton can be hung or mounted to the metal stand to assume an upright			
display;  Offer:  Model: E / 011 – L; Human Skeleton Model  176cm Tall with Painted Muscles; (ENF  KOREA)			
8. Five (5) Units OBSTETRIC DELIVERY SURGICAL INSTRUMENT SET  Specifications:  * All instruments made out of Stainless	Php 4	495,000.00	Four Hundred Ninety – Five Thousand Pesos
steel and or Grade			
* Minimum contents of set:  . 6 Pcs. Sponge Holding Forcep 9 1/2" straight  . 6 pcs. Backhaus Towel Clamp 5			
1/4" . 1 pc. Operating Scissors S/B 5			
1/2" straight . 1 pc. Braun Episiotomy Scissors 8 1/2" Angled to side			
. 1 pc. Umbilican Scissors 4" . 2 pcs. Thumb Forceps 5 1/2" Serrated			
. 2 pcs. Tissue Forceps (1 x2T) 5 1/2" . 6 pcs. Allis Tissue Forceps (5x			
6T) 6"			
. 6pcs Crile Forceps 5 1/2"		1	
. 6pcs Crile Forceps 5 1/2" Straight . 1 pc. Bozeman Uterine Dressing Forceps 10 1/4" (Double Curved)			

Puncturing	Forceps	10	1/4
"(double cur	ved)		

- . 1 pc. Simpson Obstetrical Forceps 4"
- . 1pc. Mclean-Tucker-Luikart Obstetrical Forceps 15 1/2"
- . 1 pc. Kielland Obstetrical Forceps 17 1/2"
- . 1 pc Piper Obstetrical Forceps 17 1/2"
- . 1 pc. Bill Traction Handle (For use with any Obstetrical Forceps)
- . 1 pc. Martin Pelvimeter (Graduated in cm and inches)
- . 1 pc. Mayo-Hegar Needle Holder 6"
- . 1pc. Mayo-Hegar Needle Holder 7"
- . 1 pc Sterilizing Tray (Perforated)

## Offer:

- . 6 Pcs. Sponge Holding Forcep 9 1/2" straight
- . 6 pcs. Backhaus Towel Clamp 5 1/4"
- . 1 pc. Operating Scissors S/B 5 1/2" straight
- . 1 pc. Braun Episiotomy Scissors 8 1/2" Angled to side
- . 1 pc. Umbilican Scissors 4"
- . 2 pcs. Thumb Forceps 5 1/2" Serrated
- . 2 pcs. Tissue Forceps (1 x2T) 5 1/2"
- . 6 pcs. Allis Tissue Forceps (5x 6T) 6"
- . 6pcs Crile Forceps 5 1/2" Straight
- . 1 pc. Bozeman Uterine Dressing Forceps 10 1/4" (Double Curved)
- . 2 pcs Schroeder Braun Uterine Tenaculum 10 1/4" straight
- . 1 pc. Lowa Membrane Puncturing Forceps 10 1/4 "(double curved)
- . 1 pc. Simpson Obstetrical Forceps 14"
- . 1pc. Mclean-Tucker-Luikart Obstetrical Forceps 15 1/2"
- . 1 pc. Kielland Obstetrical Forceps 15 1/2"
- . 1 pc Piper Obstetrical Forceps 17 1/2"
- . 1 pc. Bill Traction Handle (For use with any Obstetrical Forceps)
- . 1 pc. Martin Pelvimeter (Graduated in cm and inches)
- . 1 pc. Mayo-Hegar Needle Holder
- . 1pc. Mayo-Hegar Needle Holder

		Maria or and	
Five (5) Units MAJOR SURGERY STRUMENT SET WITH STERILIZING TRAY Specifications:	Php	675,000.00	Six Hundred Seventy – Five Thousand Pesos
* All instruments made out of Stainless steel and or Grade		-	
* Minimum contents of set:		-	
. 6 pcs. Sponge Holding Forceps 9 1/2" straight			
. 12 pcs. Backhaus Towel Clamp 5 1/4"			
. 1 pc. Knife Handle #3			
. 1 pc. Knife Handle #4 . 1 pc. Knife Handle #7	-		
. 1 pc. Mayo Dissecting Scissor 6 3/4" straight			
. 1 pc. Mayo Dissecting Scissor 6 3/4" curved			
. 1 pc. Metzenbaum Scissor 7" curved			
. 1 pc. Operating Scissor S/B 5 1/2" straight			
. 1 pc. Suture Wire Scissor Angled to side (One Serrated Blade)			
. 2 pcs. Thumb Forcep 5 1/2" Serrated			
. 1 pc. Thumb Forcep 8" Serrated . 2 pcs. Tissue Forcep (1x2T) 5			
1/2"			
. 1 pc. Tissue Forcep (1x2T) 8" . 6 pcs. Allis Tissue Forcep (5x6T) 6"			
. 2 pcs. Babcock Tissue Forcep 6 1/4"			
. 12 pcs. Halsted Mosquito Forcep 5" straight	2.5		
. 12 pcs. Halsted Mosquito Forcep 5" curved			
. 6 pcs. Crile Forcep 6 1/4" straight			
. 6 pcs. Crile Forcep 6 1/4" curved . 12 pcs. Rochester-Pean Forcep 6 1/4" curved	9.		
. 6 pcs. Ochsner Forcep 6 1/4" straight			
. 2 pcs. Kelly Retractor Hollow Grip Handle (small)			
. 2 pcs. Kelly Retractor Hollow Grip Handle (medium)			
. 2 pcs. Kelly Retractor Hollow Grip Handle (large)			
. 2 pcs. Deaver Retractor 2×12" . 2 pcs. Volkman Retractor 4			
prong 9" Blunt . 2 pcs. Volkman Retractor 6			
prong 9" Blunt . 2 pcs. Cushing Vein Retractor			
(10mm) 8" . 2 set US Army Retractor (set of 2 pcs)	ve I		

. 1 pc. Malleable Retractable (Ribbon) 1×13"		
. 2 pcs. Malleable Retractable (Ribbon) 1 1/2×13" . 1 pc. Balfour Abdominal		
Retractable 8" spread . 1 pc. Groove Director and		
Tongue tie 5"		
. 1 pc. Probe with Eye 5" . 1 pc. Deschamps Ligature	3	
Carrier Blunt Left . 1 pc. Deschamps Ligature		
Carrier Blunt Right . 1 pc. Poole Suction Tube straight		
. 2 pcs. Mayo-Hegar Needle Holder 6"		
. 2 pcs. Mayo-Hegar Needle Holder 7"		
. 1 pc. Sterilizing tray (Perforated)		
10. Five (5) Units EXTERNAL FETAL AND	Php 1,000,000.00	One Million Pesos
MATERNAL MONITOR Specifications:		
* Device is able to continuously and		
simultaneously monitor fetal heart rate, frequency of maternal uterine		
contractions, and/or maternal heart rate		
* Unit includes wired and		
waterproof ultrasound		
transducers, central monitor with LCD screen, speakers, built-in		
printer, graph paper, batteries,		
power adaptor with cord, a transport container,		
and a user manual	9.4	
* LCD screen is able to show:  . Waveform and numeric		
measurement of fetal heart		
rate, uterine contractions, and/or maternal heart rate		
. Date and time of examination		
, Battery life		
Offer:		
7" LCD display; Technical Specifications: FEATURES:		
• 7" TFT color screen, high		
resolution, Folding up 90 degree  Build in long life 110mm thermal		
printer		
<ul><li>Special High sensitive probe</li><li>Long time data storage which can</li></ul>		
be played back and printed		
<ul> <li>Rechargeable battery many hours work</li> </ul>	5.5	
• DSP Technology, Real – time		
identifying and measurement for FHR, accurate and reliable results		
<ul> <li>Central Monitoring System</li> </ul>		
<ul> <li>CTG Scoring System</li> </ul>	Part of	

FHR  Transducer: Multi – crystals, wide wave beam, pulsed – wave working mode; Strength: < 5mW/cm²; Working Frequency: 1.0MHz; Signal Processing: Special DSP system and pattern recognition  TOCO  Measurement Range: 0 – 100 units  Display: 7" TFT LCD; Dimension: 295D x 240W x 73H (mm); Net Weight: 1.75kg		
13. Five (5) Units PLASTINATED ANATOMICAL MODEL OF BRAIN WITH HORIZONTAL CROSS-SECTIONS Specifications:  * Life size model of an anatomically accurate Human brain with horizontal cross-sections dividing brain into multiple sheets to show unique anatomic details at each level *Unit includes anatomical model, a stand/pedestal, and a user manual  Offer: Zhengzhou Meiwo Science & Technology Co., Ltd	Php 1,559,250.00	One Million Five Hundred Fifty – Nine Thousand Two Hundred Fifty Pesos
14. Two (2) Units PLASTINATED ANATOMICAL MODEL OF ARTERIES AT THE BASE OF THE BRAIN Specifications:  * Life size model of an anatomically accurate Human brain and brainstem with posteroinferiorly located internal carotid artery, middle cerebral artery, and the basilar artery with its branches  *Unit includes anatomical model, a stand/pedestal, and a user manual  Offer: Zhengzhou Meiwo Science & Technology Co., Ltd	Php 415,800.00	Four Hundred Fifteen Thousand Eight Hundred Pesos
16. One (1) Unit PLASTINATED HUMAN KIDNEYS ANATOMICAL MODEL  Specifications:  * Lifelike size of bilateral anatomically accurate kidneys, adrenal glands, and proximal ureters  * at least one kidney with detachable cross-section to show the renal pelvis, calices, the renal cortex, and the renal medulla  *Unit includes anatomical model, a stand/pedestal, and a user manual  Offer:  Zhengzhou Meiwo Science & Technology Co., Ltd	Php 57,750.00	Fifty – Seven Thousand Seven Hundred Fifty Pesos

TOTAL CONTRACT PRICE	Php	13,946,500.00	Thirteen Million Nine Hundred Forty-Six Thousand Five Hundred Pesos Only
stand/pedestal, and a user manual  Offer:  Zhengzhou Meiwo Science & Technology  Co., Ltd			
* Life-size anatomical model of a human heart showing 2 atria, 2 ventricles, the aorta, the pulmonary vessels, the coronary arteries, and all the normal anatomical structures of the papillary muscles and cardiac valves  * Color: veins painted a shade of blue while arteries painted a shade of red  * heart wall is detachable to show cross-sectional view of internal structure  *Unit includes anatomical model, a			
18. Five (5) Units PLASTINATED ANATOMICAL MODEL OF INTERNAL HEART STRUCTURE  Specifications:	Php	445,500.00	Four Hundred Forty – Five Thousand Five Hundred Pesos
offer:  Zhengzhou Meiwo Science & Technology  Co., Ltd			
* Model shows anatomically accurate liver, gallbladder, bile duct, pancreas, and duodenum  * liver is detachable to allow closer study of gallbladder and bile duct  *Unit includes anatomical model, a			
17. Five (5) Units PLASTINATED ANATOMICAL MODEL OF BILIARY PASSAGE, DUODENUM AND PANCREAS Specifications:	Php	462,000.00	Four Hundred Sixty – Two Thousand Pesos

You are hereby required to provide, within ten (10) days from receipt hereof, the Performance Security/ Performance Bond equivalent to the following;

Form of Performance Security		Amount of Performance Security (Equal to Percentage of the Total Contract Price
a)	Cash or cashier's/manager's check issued by a Universal or Commercial Bank.	Five percent (5%)
b)	Bank draft/ guarantee or irrevocable letter of credit issued by a Universal or Commercial Bank: Provided, however, that it shall be confirmed or authenticated by a Universal or Commercial Bank, if issued by a foreign	Five percent (5%)

WMSU-BAC-LET-001 Page 8 of 9

	bank	
c)	Surety bond callable upon demand issued by a surety or insurance company duly certified by the insurance Commission as authorized to issue such security.	Thirty percent (30%)
d)	Any combination of the foregoing.	Proportionate to share of form with respect to total amount of security

Failure to provide the Performance Security shall constitute sufficient ground for the cancellation of the award and forfeiture of the Bid Security.

WA. CARLA A. OCHOTORENA, RN., Ph.D.
President

(Signature Over Printed Name)

Date: \_\_\_