# ALL MAN STATE OF THE STATE OF T

## Republic of the Philippines WESTERN MINDANAO STATE UNIVERSITY

Zamboanga City Telephone No.: 062-991-7875 www.wmsu.edu.ph

#### REQUEST FOR QUOTATION

The Western Mindanao State University, through its Bids and Awards Committee (BAC), is inviting PhilGEPS registered suppliers to apply for eligibility and to submit bids for the item mentioned hereunder:

Name of Project: Supply and Delivery of Professional Broadcast Studio Camcorder, Professional Studio Electro Microphone Kit, Shotgun Microphone, Studio Lights, TelePrompter and Green Screen Studio Backdrop for Video Presentation for the Mass Communication Department of the University

Approved Budget Cost: Php 369,000.00 Purchase Request No.: PR 23-04-243

Closing Date: November 28, 2023 @ 9:30 AM

Description:

#### 1. Two (2) units of Professional Broadcast Studio camcorder

**Sensor Unit** 

Image Sensor: 1/3.1-type BSI MOS Sensor

Pixels: 6.03 megapixels [16:9]

Lens

F Value: F1.8 - F3.6 Optical Zoom: 20x

Focal Length: 4.08 - 81.6 mm

35 mm Film Camera Equivalent (Motion Image/Still Image): 29.5-612 mm (16:9)

Filter Diameter: 49 mm

**Camera Unit** 

Standard Illumination: 1400 lx

Minimum Subject Illumination: 1.4 lx (Super Gain 36 dB, Shutter 1/30) (AG-

AC30PJ/PB)

1.2 lx (Super Gain 36 dB, Shutter 1/25) (AG-AC30EJ)

Focus: Auto / Manual

Zoom: Intelligent Zoom OFF- 20x Intelligent Zoom ON- 40x Digital Zoom- 2x / 5x / 10x

White Balance

ATW / ATW Lock / 3200K / 5600K / VAR (2000K-15000K) / AWB Ach / AWB Bch

**Shutter Speed** 

60p / 60i 1/8 - 1/8000 23.98p 1/6 - 1/8000 Super Slow 1/120 - 1/8000

Iris

**Auto/ Manual** 

Still Image Section Recording format: JPEG

Recording Media: SDHC/SDXC Memory Card

Recording Format: MOV / MP4 / AVCHD: AVCHD Progressive

Video Compression Method: MPEG-4 AVC/H.264

Recording Playback Mode: MP4 / MOV Microphone: Stereo Microphone

Speaker: Dynamic type

**LED Video Light** 

Average Illumination: Approx. 300 lx (1.0 m) Irradiation Angle: Approx. 30 ° Color Temperature: Approx. 5000 K Average Illumination with Diffusion Filter: Approx. 70 lx (1.0 m) Color Temperature with Color Conversion Filter: Approx. 2000 K

Ix (1.0 m) Color Temperature with Color Conversion Filter: Approx. 3000 K

Other Features
Dual SDXC Card Slots
Illuminating Lens Recording Ring

Tilt-up color EVF Pullout LCD high-resolution touchscreen Manual ring for focus, zoom, or iris control with accessory shoe

**Power** 

Power Supply: 7.2V (Battery)/12V (AC Adaptor) Power Consumption: 9.2W

(Recording)/27.4W (Charging)

#### 2. Two (2) units of Professional Studio Electro Microphone KIT

Specifications: Microphone Type: Dynamic Polar Pattern: Cardioid

Frequency Response: 20Hz-20kHz

Sensitivity: -38dB ± 3dB (0dB = 1V/Pa @ 1kHz)

Impedance: 600? ± 15% (at 1kHz)

Maximum SPL: 130dB SPL (THD ? 1% at 1kHz)

Signal-to-Noise Ratio: ?65dB

Power Requirements: 5V DC (supplied via USB

cable)

Dimensions: 48 x 150 mm

Weight: 400g

**ITEM** 

**NO. ITEM ABC** 

(UNIT PRICE) REMARKS/RECOMMENDATION

Accessories Mini Tripod USB Cable (2m) XLR Cable (3m) **Carrying Case** Connectivity

**USB XLR** 

**Other Features High SPL Handling Low Noise Floor** 

**Durable Metal Construction** 

Includes Mini Tripod, USB and XLR Cables, and

**Carrying Case** 

#### 3. Two (2) sets of SHOTGUN MICROPHONE

Specifications:

**Type** 

Super-cardioid **Frequency Response** 

30Hz-20kHz Sensitivity

-33dB ± 1dB / 0dB+ 1V/Pa, 1kHz

Signal-to-Noise Ratio

80dB

**Output Impedance** 300?

**Power** 1.5V AA battery Plug

Mini-Plug **Filter** 

Controlled by lw-cut filter switch

Length Approx. 38cm **Net Weight** Approx. 146g Accessories Foam windscreen **Furry windscreen Shock mount** 

#### 4. Two (2) units of STUDIO LIGHTS (Kleg Led Lights)

Specifications:

Type: Point-source LED light

Power: 200W

Beam angle: 105 degrees

**ITEM** 

**NO. ITEM ABC** 

(UNIT PRICE) REMARKS/RECOMMENDATION

**Dimmable: 0-100%** Color temperature: 5600K

Accessories:

Bluetooth remote controllable

With heavy tripod

#### 5. One (1) unit of TelePrompter

Specifications: Lens hood: All-in-one

Shooting angle: High-definition wide-angle without

vignetting

Compatibility: Compatible with a variety of shooting

equipment

Body material: Aluminum alloy with full metal texture

Shooting orientation: Vertical and horizontal Power supply: AC adapter or DC battery Remote control distance: Up to 10 meters

Teleprompter app: Compatible with iOS or Android

devices Accessories:

Potable storage suitcase Glass frame + lens hood

Teleprompter Flat clamp USB flash disk Dust cloth Gimbal

Remote control

Softdog Manual

#### 6. Two (2) sets of GREEN SCREEN STUDIO BACKDROP FOR VIDEO PRODUCTION

Specifications:

Material: aluminum alloy Size: 2meterx3meter Package includes:

1 Backdrop stand 2meterx3meter

3 backdrops 2 meterx3meter(black, green,

white)

2 2m Light Stands

2 50cmx70cm Softbox

2 backdrops Clamps

2 Light Bulbs (135W)

1 Carrying Bag

The criteria to be used for the eligibility check of the prospective bidders, examination and evaluation of bids, post-qualification and all matters relevant to this procurement shall be in accordance with Republic Act. No. 9184 (The Government Procurement Reform Act) and its Implementing Rules and Regulations.

Interested bidders are required to submit their valid and current Mayor's Permit and PhilGEPS Registration, upon the submission of quotation.

Award of contract shall be made to the lowest calculated and responsive bid, which complies with the necessary description as stated above and other terms and conditions stated in the price quotation form.

Any interlineations, erasures or overwriting shall be valid only if they are signed or initiated by the bidder or his/her duly authorized representative/s.

Submission of Quotation and eligibility documents is on or before **November 28, 2023** at the BAC Office, 2<sup>nd</sup> Floor, Admin Building, Western Mindanao State University, Normal Road, Baliwasan, Zamboanga City. Open submission may be submitted manually, email (bacsecretariate@wmsu.edu.ph) or through facsimile at (062)991-7875. For inquiries, you may coordinate with the BAC Secretariat at telephone no. (062)991-7875

# REQUEST FOR QUOTATION Western Mindanao State University

				Quotation No.:				
_				PR	No.: 23-04-243	3		
shōi at §	test time	of delivery	your lowest price on the item/s listed below, subject to the and submit your quotation duly signed by your represent In envelope attached herewith. Any quotation submitted by	lative not later than	NOV 2 8 202			
NO'	ſE:	2 DELIVI 3 WARR DATE 4 PRICE 5 G-EPS	NTRIES MUST BE TYPEWRITTEN  ERY PERIOD WITHIN 10 CALENDAR DAYS FROM THE RECEIPT OF ANY SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES OF ACCEPTANCE BY WESTERN MINDANAO STATE UNIVERSITY VALIDITY SHALL BE FOR A PERIOD OF 120 CALENDAR DAYS UPOR REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISRS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATION	BAC Ch OF THE PURCHASE ORDER AND MATERIALS, ONE (1) IN RECEIPT OF THE OURCE SION OF THE QUOTATION	YEAR FOR EQUIPME HASE ORDER I	DS		
Item No.	Qty	Unit	Item and Description	Approved Budget for the Contract (ABC)	Unit Cost	Total Cost		
1.	2	Units	Professional Broadcast Studio camcorder  Sensor Unit Image Sensor: 1/3.1-type BSI MOS Sensor Pixels: 6.03 megapixels [16:9] Lens F Value: F1.8 - F3.6 Optical Zoom: 20x Focal Length: 4.08 - 81.6 mm 35 mm Film Camera Equivalent (Motion Image/Still Image): 29.5-612 mm (16:9) Filter Diameter: 49 mm Camera Unit Standard Illumination: 1400 lx Minimum Subject Illumination: 1.4 lx (Super Gain 36 dB, Shutter 1/30) (AG-AC30PJ/PB) 1.2 lx (Super Gain 36 dB, Shutter 1/25) (AG-AC30EJ) Focus: Auto / Manual Zoom: Intelligent Zoom OFF- 20x	₽ 240,000.00				
EPS	Referenc	e Number	: PAGE 1 0f 5		Total:			
EPS Solicitation Number				Wa	Delivery Period : Warranty : Price Validity :			
EPS	Closing D	ate	<u> </u>	FIIC	e validity			
	Afte	r having care		are our price quotation for GEPS Certificate No ificate Reference N				
	REY	ESPIRITUS	SANTO / JORGE CONCEPCION / RALPH JUDE LLACUÑA	Printe	d Name/Signature	-		
			Canvasser	Te	.No./Cellphone #			
					Dale			

WMSU-BAC-FR-007 Effectivity Date: 31 Oct. 2016

## REQUEST FOR QUOTATION

			Western Mindanao State Univers	ity		
				Quota	ation No.:	-
_				PR N	o.: 23-04-243	
sho at §	riest time 9:30 A.M	of delivery in the return the ret	your lowest price on the item/s listed below, subject to the Ge y and submit your quotation duly signed by your representativ irn envelope attached herewith. Any quotation submitted beyon  NTRIES MUST BE TYPEWRITTEN ERY PERIOD WITHIN 10 CALENDAR DAYS FROM THE RECEIPT OF TO ANTY SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES AND OF ACCEPTANCE BY WESTERN MINDANAO STATE UNIVERSITY VALIDITY SHALL BE FOR A PERIOD OF 120 CALENDAR DAYS UPON RE REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSIO RS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATIONS	JOSELITO D BAC Chair HE PURCHASE ORDER. MATERIALS. ONE (1) YE CEIPT OF THE OURCHAS N OF THE PRODUCT BEING	2 8 2023 De gons dered.  . MADROÑAL Design for GOO  ARTHOR EQUIPMER SE ORDER	., DPA DS
Item No.	Qty	Unit	Item and Description	Approved Budget for the Contract (ABC)	Unit Cost	Total Cost
1.		Units	Video Compression Method: MPEG-4 AVC/H.264 Recording Playback Mode: MP4 / MOV Microphone: Stereo Microphone Speaker: Dynamic type LED Video Light Average Illumination: Approx. 300 lx (1.0 m) Irradiation Angle: Approx. 30 ° Color Temperature: Approx. 5000 K Average Illumination with Diffusion Filter: Approx. 70 lx (1.0 m) Color Temperature with Color Conversion Filter: Approx. 3000 K Other Features Dual SDXC Card Slots Illuminating Lens Recording Ring Tilt-up color EVF Pullout LCD high-resolution touchscreen Manual ring for focus, zoom, or iris control with accessory shoe Power Power Supply: 7.2V (Battery)/12V (AC Adaptor) Power Consumption: 9.2W (Recording)/27.4W (Charging)			
2.	2	Units	Professional Studio Electro Microphone KIT  Specifications: Microphone Type: Dynamic Polar Pattern: Cardioid Frequency Response: 20Hz-20kHz Sensitivity: -38dB ± 3dB (0dB = 1V/Pa @ 1kHz) Impedance: 600? ±15% (at 1kHz) Maximum SPL: 130dB SPL (THD? 1% at 1kHz) Signal-to-Noise Ratio: ?65dB Power Requirements: 5V DC (supplied via USB cable) Dimensions: 48 x 150 mm Weight: 400g	₹ 28,000.00		
EPS		be Number on Number Date	PAGE 2 OF 5	Delive Warra	Total: I & Model : ry Period : anty : Validity :	
			efully read and accepted your General Conditions, the foregoing are	our price quotation for t	he items above in	dicated.
				PS Certificate No.: cate Reference No.		
	RE	Y ESPIRITU	SANTO / JORGE CONCEPCION / RALPH JUDE LLACUÑA Canvasser	-	Name/Signature	
				1 el .N	lo./Cellphone #	
					Date	

### REQUEST FOR QUOTATION

Western Mindanao State University

					Quota	Quotation No.:		
					PR No	o.: <u>23-04-243</u>		
šhō at <u>§</u>	rtest time	of delivery	our lowest price on the item/s listed below, subject and submit your quotation duly signed by your repire rn envelope attached herewith. Any quotation subm	esentative	not later than NOV	2 8 2023	the	
NO	TE:	2 DELIVE 3 WARRA DATE ( 4 PRICE 5 G-EPS	ITRIES MUST BE TYPEWRITTEN  TRY PERIOD WITHIN 10 CALENDAR DAYS FROM THE REC  ANTY SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUR  OF ACCEPTANCE BY WESTERN MINDANAO STATE UNIVERS  VALIDITY SHALL BE FOR A PERIOD OF 120 CALENDAR DAY  REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON S  RS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATE	PPLIES AND M ITY S UPON REC SUBMISSION	E PURCHASE ORDER. MATERIALS. ONE (1) YEA EIPT OF THE OURCHAS OF THE QUOTATION	Derson for GOO AN VOR EQUIPMEN SE ORDER	DS	
Item No.	Qty	Unit	Item and Description		Approved Budget for the Contract (ABC)	Unit Cost	Total Cost	
3.	2	Sets	ITEM NO. ITEM ABC (UNIT PRICE) REMARKS/RECOMMENDATION Accessories Mini Tripod USB Cable (2m) XLR Cable (3m) Carrying Case Connectivity USB XLR Other Features High SPL Handling Low Noise Floor Durable Metal Construction Includes Mini Tripod, USB and XLR Cables, and Carrying Case.  SHOTGUN MICROPHONE Specifications: Type Super-cardioid Frequency Response 30Hz-20kHz Sensitivity -33dB ± 1dB / 0dB+ 1V/Pa, 1kHz Signal-to-Noise Ratio 80dB Output Impedance 300? Power 1.5V AA battery		₱ 16,000.00			
EPS Reference Number : PAGE 3 Of 5  EPS Solicitation Number :						Total: & Model : y Period : nty :		
	Closing [		1		Price \			
	Afte	r having care	fully read and accepted your General Conditions, the fore	going are ou	ur price quotation for th	ne items above inc	dicated.	
					Certificate No.: _ te Reference No.:			
	<u>RE</u> )	/ ESPIRITUS	SANTO / JORGE CONCEPCION / RALPH JUDE LLACU Canvasser	ÑA		Name/Signature		
					I el .N	o./Cellphone #		

## REQUEST FOR QUOTATION

Western Mindanao State University

-				Quota	ation No.:		
				PR N	o.: 23-04-243	l.	
	Plea	ase quote y	our lowest price on the item/s listed below, subject to the Ge		10.10.10.10.10.10.10.10.10.10.10.10.10.1	; the	
			and submit your quotation duly signed by your representative rn envelope attached herewith. Any quotation submitted beyon	O HOT ICTOL WICE	UV Z 8 2023 be considered.		
NOTE:		2 DELIVE 3 WARRA DATE ( 4 PRICE 5 G-EPS	ITRIES MUST BE TYPEWRITTEN  ERY PERIOD WITHIN 10 CALENDAR DAYS FROM THE RECEIPT OF THE ANTY SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES AND DE ACCEPTANCE BY WESTERN MINDANAO STATE UNIVERSITY VALIDITY SHALL BE FOR A PERIOD OF 120 CALENDAR DAYS UPON RE REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSION RS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATIONS	MATERIALS. ONE (1) YEAR FOR EQUIPMENT, FROM EITH OF THE OURCHASE ORDER OF THE QUOTATION			
Item No.	Qty	Unit	Item and Description	Approved Budget for the Contract (ABC)	Unit Cost	Total Cost	
			Plug Mini-Plug Filter Controlled by lw-cut filter switch Length Approx. 38cm Net Weight Approx. 146g Accessories Foam windscreen Furry windscreen Shock mount				
4.	2	Units	STUDIO LIGHTS (Kleg Led Lights)  Specifications: Type: Point-source LED light Power: 200W  Beam angle: 105 degrees ITEM NO. ITEM ABC (UNIT PRICE) REMARKS/RECOMMENDATION Dimmable: 0-100% Color temperature: 5600K Accessories: Bluetooth remote controllable With heavy tripod.	₱ 50,000.00			
5.	1	Unit	TelePrompter Specifications: Lens hood: All-in-one Shooting angle: High-definition wide-angle without vignetting Compatibility: Compatible with a variety of shooting equipment Body material: Aluminum alloy with full metal texture Shooting orientation: Vertical and horizontal	₱ 15,000.00			
EDG	Pafarana	e Number	PAGE 4 OF 5	Brand	Total:		
		on Number		Deliver Warra	ry Period : inty :		
EPS	Closing E	Date	·	Price \	/alidity :	-	
	Afte	r having care	efully read and accepted your General Conditions, the foregoing are	our price quotation for the	ne items above in	dicated.	
				os Certificate No.: _ ate Reference No.:			
	REY	/ ESPIRITUS	SANTO / JORGE CONCEPCION / RALPH JUDE LLACUÑA Canvasser	Printed P	Name/Signature		
			VIII I VII VIII VIII VIII VIII VIII VI	Tel .N	Tel .No./Cellphone #		
				2	Date		

# REQUEST FOR QUOTATION Western Mindanao State University

					Quoti	ation No.:		
					PR N	o.: <u>23-04-243</u>		
šhō at	rtëst timë	of delivery	our lowest price on the item/s listed below and submit your quotation duly signed by rn envelope attached herewith. Any quotat	your representative	ē not later than	10 V 2 8 2023	the	
NO	TE:	2 DELIVE 3 WARR DATE 0 4 PRICE 5 G-EPS	ITRIES MUST BE TYPEWRITTEN  ERY PERIOD WITHIN 10 CALENDAR DAYS FROI  ANTY SHALL BE FOR A PERIOD OF SIX (6) MONTH-  OF ACCEPTANCE BY WESTERN MINDANAO STATE  VALIDITY SHALL BE FOR A PERIOD OF 120 CALEN  REGISTRATION CERTIFICATE SHALL BE ATTACHE  RS SHALL SUBMIT ORIGINAL BROCHURES SHOW	S FOR SUPPLIES AND UNIVERSITY IDAR DAYS UPON REI D UPON SUBMISSION	BAC Chair HE PURCHASE ORDER. MATERIALS. ONE (1) YE CEIPT OF THE OURCHAS NOF THE QUOTATION	SE ORDER	DS	
Item No.	Qty	Unit	Item and Description	***************************************	Approved Budget for the Contract	Unit Cost	Total Cost	
6.	2	Sets	Accessories: Potable storage suitcase Glass frame + lens hood Teleprompter Flat clamp USB flash disk Dust cloth Gimbal Remote control Softdog Manual.  GREEN SCREEN STUDIO BACKDROP PRODUCTION Specifications: Material: aluminum alloy Size: 2meterx3meter Package includes: 1 Backdrop stand 2meterx3meter 3 backdrops 2 meterx3meter(black, green, v. 2 2m Light Stands 2 50cmx70cm Softbox 2 backdrops Clamps 2 Light Bulbs (135W) 1 Carrying Bag		(ABC)  P 20,000.00			
			Note: For the Mass Communication	department				
EPS Reference Number EPS Solicitation Number EPS Closing Date				PAGE 5 Of 5	Total: Brand & Model : Delivery Period : Warranty : Price Validity :			
	Aftei	r having care	fully read and accepted your General Condition	PhilGEP	S Certificate No.:		icated.	
	REY ESPIRITUSAI		TUSANTO / JORGE CONCEPCION / RALPH JUDE LLACUÑA Canvasser		Printed Name/Signature			
						Tel .No./Cellphone #		
						Date		