



Western Mindanao State University
Office of the President
BIDS AND AWARDS COMMITTEE
Zamboanga City

NOTICE OF AWARD

DEC 30 2023

MUSTARD SEED SYSTEM CORP.

DOOR 4, Diana Bldg., Quimbo Blvd., cor Ecoland Drive
 Matina, Davao City

Sir/Madam:

This is to advise you that your bid dated December 12, 2023 for PR-23-07-355 C; Public Bidding Procurement of Supply and Delivery of Networking Devices for the Smart Campus of the University, with a following Contract Price is hereby accepted;

Object of Bidding	Total Amount in Figures	Amount in Words
1. 1 Lot Supply and Delivery of Networking Devices One (1) Unit Ribbon Splicing Machine Q102 Mass Fusion Splicer Kit with FC-6RM-C Mass Fiber Cleaver Specifications: - Compact Mass Fusion Splicer with dual built-in Heat Shrink Ovens - Mass Fiber Cleaver - Heated Fiber Stripper - Splice Protection Sleeves - 12 Cores Fiber Cable Management Tray - Pair of 250um single fiber holders - AC interface/Battery Charger with Power Cord - Battery Unit Cleaning Kit - High Resolution Touch Screen Display - Seventeen (17) Units Access Point Specifications: .2.4GHz Speed: 450 Mbps .5GHz Speed: 1300 Mbps .PoE Mode: 802.3af PoE/802.3at PoE+ .Ports: (2) 10/100/1000 Ethernet .WiFi Users: at least 200 users Note: Should be compatible with existing network (Ubiquiti) Seventeen (17) Units Access Point Offer: Skycam Fiber Fusion Machine	Php 977,317.78	Nine Hundred Seventy Seven Thousand Three Hundred Seventeen Pesos And Seventy Eight Centavos

<p>Splicer T-207X Highlights: Display: 5 inches high resolution colorful LCD Monitor Average Splice Time: 10 second Average Tube-heat Time: 30 second Lithium Battery: up to 180 times of continuous splice and heat Magnification: Simultaneous X and Y views with 300 times, 400 times magnification of fiber core views Splicing Mode: Auto & Manual & Full Automation Storage: up to 6,000 groups of splice results USB terminal New developed providing wind and dust resistance New technology of fiber core alignment, enhanced accuracy New 3-in-1 cutting fixture for rubber-insulated wire (patented) Mini Pro OTDR Fiber Optic Integrated design, smart and rugged FC/SC connectors interchangeable Automatic and manual test function Visual Fault Locator (VFL) function OTDR Viewer software for data analysis Multi-functions: 1. OTDR 2. Optical Power Meter (OPM) 3. Optical Light Source (OLS) 4. Visual Fault Locator (VFL) Visual Fault Locator users red laser of 650mm to located broken fiber point and test fiber continuity. 5. Event map Event map is similar to EXFO's IOLM function, which can display events 6. RJ45 Sequence, Length and Tracker</p>		
<p>TOTAL CONTRACT PRICE</p>	<p>Php. 977,317.78</p>	<p>Nine Hundred Seventy Seven Thousand Three Hundred Seventeen Pesos And Seventy Eight Centavos</p>

You are hereby required to provide, within ten (10) days from receipt hereof, the Performance Security/ Performance Bond equivalent to the following;

Form of Performance Security	Amount of Performance Security (Equal to Percentage of the Total Contract Price)
a) Cash or cashier's/manager's check issued by a Universal or Commercial Bank.	Five percent (5%)
b) Bank draft/ guarantee or irrevocable letter of credit issued by a Universal or Commercial Bank: Provided, however, that it shall be confirmed or authenticated by a Universal or Commercial Bank, if issued by a foreign bank	Five percent (5%)
c) Surety bond callable upon demand issued by a surety or insurance company duly certified by the insurance Commission as authorized to issue such security.	Thirty percent (30%)
d) Any combination of the foregoing.	Proportionate to share of form with respect to total amount of security

Failure to provide the Performance Security shall constitute sufficient ground for the cancellation of the award and forfeiture of the Bid Security.

Very truly yours,

MA. CARLA A. OCHOTORENA, RN., Ph.D.
President

Received by:

(Signature Over Printed Name)

Date: _____