PHILIPPINE BIDDING DOCUMENTS

(As Harmonized with Development Partners)

Procurement of GOODS

Government of the Republic of the Philippines

SUPPLY AND DELIVERY OF VARIOUS LABORATORY SUPPLIES AND EQUIPMENT FOR THE COLLEGE OF CRIMINAL JUSTICE EDUCATION OF THE UNIVERSITY

(PR 23-09-415)

Sixth Edition July 2020

Preface

These Philippine Bidding Documents (PBDs) for the procurement of Goods through Competitive Bidding have been prepared by the Government of the Philippines for use by any branch, constitutional commission or office, agency, department, bureau, office, or instrumentality of the Government of the Philippines, National Government Agencies, including Government-Owned and/or Controlled Corporations, Government Financing Institutions, State Universities and Colleges, and Local Government Unit. The procedures and practices presented in this document have been developed through broad experience, and are for mandatory use in projects that are financed in whole or in part by the Government of the Philippines or any foreign government/foreign or international financing institution in accordance with the provisions of the 2016 revised Implementing Rules and Regulations of Republic Act No. 9184.

The Bidding Documents shall clearly and adequately define, among others: (i) the objectives, scope, and expected outputs and/or results of the proposed contract or Framework Agreement, as the case may be; (ii) the eligibility requirements of Bidders; (iii) the expected contract or Framework Agreement duration, the estimated quantity in the case of procurement of goods, delivery schedule and/or time frame; and (iv) the obligations, duties, and/or functions of the winning bidder.

Care should be taken to check the relevance of the provisions of the PBDs against the requirements of the specific Goods to be procured. If duplication of a subject is inevitable in other sections of the document prepared by the Procuring Entity, care must be exercised to avoid contradictions between clauses dealing with the same matter.

Moreover, each section is prepared with notes intended only as information for the Procuring Entity or the person drafting the Bidding Documents. They shall not be included in the final documents. The following general directions should be observed when using the documents:

- a. All the documents listed in the Table of Contents are normally required for the procurement of Goods. However, they should be adapted as necessary to the circumstances of the Procurement Project.
- b. Specific details, such as the "*name of the Procuring Entity*" and "*address for bid submission*," should be furnished in the Instructions to Bidders, Bid Data Sheet, and Special Conditions of Contract. The final documents should contain neither blank spaces nor options.
- c. This Preface and the footnotes or notes in italics included in the Invitation to Bid, Bid Data Sheet, General Conditions of Contract, Special Conditions of Contract, Schedule of Requirements, and Specifications are not part of the text of the final document, although they contain instructions that the Procuring Entity should strictly follow.
- d. The cover should be modified as required to identify the Bidding Documents as to the Procurement Project, Project Identification Number, and Procuring Entity, in addition to the date of issue.
- e. Modifications for specific Procurement Project details should be provided in the Special Conditions of Contract as amendments to the Conditions of Contract. For easy completion, whenever reference has to be made to specific clauses in the Bid Data Sheet or Special Conditions of Contract, these terms shall be

printed in bold typeface on Sections I (Instructions to Bidders) and III (General Conditions of Contract), respectively.

f. For guidelines on the use of Bidding Forms and the procurement of Foreign-Assisted Projects, these will be covered by a separate issuance of the Government Procurement Policy Board.

Table of Contents

Glossa	ary of Acronyms, Terms, and Abbreviations	4
Sectio	on I. Invitation to Bid	7
Sectio	on II. Instructions to Bidders	10
1.	Scope of Bid	11
2.	Funding Information Error! Bookmark not defined.	
3.	Bidding Requirements	11
4.	Corrupt, Fraudulent, Collusive, and Coercive Practices	11
5.	Eligible Bidders	11
6.	Origin of Goods	12
7.	Subcontracts	12
8.	Pre-Bid Conference	12
9.	Clarification and Amendment of Bidding Documents	
10.	Documents comprising the Bid: Eligibility and Technical Components	13
11.	Documents comprising the Bid: Financial Component	13
12.	Bid Prices	13
13.	Bid and Payment Currencies	14
14.	Bid Security	14
15.	Sealing and Marking of Bids	15
16.	Deadline for Submission of Bids	15
17.	Opening and Preliminary Examination of Bids	15
18.	Domestic Preference	15
19.	Detailed Evaluation and Comparison of Bids	15
20.	Post-Qualification	
21.	Signing of the Contract	
Sectio	on III. Bid Data Sheet	17
Sectio	on IV. General Conditions of Contract	24
1.	Scope of Contract	25
2.	Advance Payment and Terms of Payment	25
3.	Performance Security	25
4.	Inspection and Tests	25
5.	Warranty	26
6.	Liability of the Supplier	26
Sectio	on V. Special Conditions of Contract	27
Sectio	on VI. Schedule of Requirements	31
	on VII. Technical Specifications	
	on VIII. Checklist of Technical and Financial Documents	

Glossary of Acronyms, Terms, and Abbreviations

ABC – Approved Budget for the Contract.

BAC – Bids and Awards Committee.

Bid – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

Bidder – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

Bidding Documents – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

BIR – Bureau of Internal Revenue.

BSP – Bangko Sentral ng Pilipinas.

Consulting Services – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

CDA - Cooperative Development Authority.

Contract – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

CIF – Cost Insurance and Freight.

- **CIP** Carriage and Insurance Paid.
- **CPI** Consumer Price Index.

DDP – Refers to the quoted price of the Goods, which means "delivered duty paid." **DTI** – Department of Trade and Industry.

EXW – Ex works.

FCA – "Free Carrier" shipping point.

FOB – "Free on Board" shipping point.

Foreign-funded Procurement or Foreign-Assisted Project– Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

Framework Agreement – Refers to a written agreement between a procuring entity and a supplier or service provider that identifies the terms and conditions, under which specific purchases, otherwise known as "Call-Offs," are made for the duration of the agreement. It is in the nature of an option contract between the procuring entity and the bidder(s) granting the procuring entity the option to either place an order for any of the goods or services identified in the Framework Agreement List or not buy at all, within a minimum period of one (1) year to a maximum period of three (3) years. (GPPB Resolution No. 27-2019)

GFI – Government Financial Institution.

GOCC - Government-owned and/or -controlled corporation.

Goods – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term "related" or "analogous services" shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

GOP – Government of the Philippines.

GPPB – Government Procurement Policy Board.

INCOTERMS – International Commercial Terms.

Infrastructure Projects – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u]) **LGUs** – Local Government Units.

NFCC – Net Financial Contracting Capacity.

NGA – National Government Agency.

PhilGEPS - Philippine Government Electronic Procurement System.

Procurement Project – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

PSA – Philippine Statistics Authority.

SEC – Securities and Exchange Commission.

SLCC – Single Largest Completed Contract.

Supplier – refers to a citizen, or any corporate body or commercial company duly organized and registered under the laws where it is established, habitually established in business and engaged in the manufacture or sale of the merchandise or performance of the general services covered by his bid. (Item 3.8 of GPPB Resolution No. 13-2019, dated 23 May 2019). Supplier as used in these Bidding Documents may likewise refer to a distributor, manufacturer, contractor, or consultant.

UN – United Nations.

Notes on the Invitation to Bid

The Invitation to Bid (IB) provides information that enables potential Bidders to decide whether to participate in the procurement at hand. The IB shall be posted in accordance with Section 21.2 of the 2016 revised IRR of RA No. 9184.

Apart from the essential items listed in the Bidding Documents, the IB should also indicate the following:

- a. The date of availability of the Bidding Documents, which shall be from the time the IB is first advertised/posted until the deadline for the submission and receipt of bids;
- b. The place where the Bidding Documents may be acquired or the website where it may be downloaded;
- c. The deadline for the submission and receipt of bids; and
- d. Any important bid evaluation criteria (*e.g.*, the application of a margin of preference in bid evaluation).

The IB should be incorporated in the Bidding Documents. The information contained in the IB must conform to the Bidding Documents and in particular to the relevant information in the Bid Data Sheet.



Republic of the Philippines WESTERN MINDANAO STATE UNIVERSITY BIDS AND AWARDS COMMITTEE FOR GOODS Normal Road, Baliwasan Zamboanga City Telephone: 062-991-7875



INVITATION TO BID FOR Supply and Delivery of Various Laboratory Supplies and Equipment for the College of Criminal Justice Education of the University (PR-23-09-415)

- 1. The Western Mindanao State University, as part of its Early Procurement Acitvity (EPA) through the NEP 2024 intends to apply the sum of Four Million pesos (Php 10,000,000.00) being the ABC to payments under the contract for Supply and Delivery of Various Laboratory Supplies and Equipment for the College of Criminal Justice Education of the University. Bids received in excess of the ABC shall be automatically rejected at bid opening.
- 2. The *Western Mindanao State University* now invites bids for the above Procurement Project. Delivery of the Goods is required by *within Twenty (30) calendar days*. Bidders should have completed, within *reasonable period* from the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II (Instructions to Bidders).
- 3. Bidding will be conducted through open competitive bidding procedures using a nondiscretionary "*pass/fail*" criterion as specified in the 2016 Revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.
- 4. Prospective Bidders may obtain further information from *WMSU- BAC Office* and inspect the Bidding Documents at the address given below during 8:00 AM to 5:00 PM.
- 5. A complete set of Bidding Documents may be acquired by interested Bidders on *December 13, 2023 to January 16, 2024 from* the given address and website(s) and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB, in the amount of *Five Thousand Pesos (10,000.00)*. The Procuring Entity shall allow the bidder to present its proof of payment for the fees will be presented in person, by facsimile, or through electronic means.
- 6. The Western Mindanao State University will hold a Pre-Bid Conference¹ on December 20, 2023 9:30 AM at BAC Office, @nd Floor Admin. Building Building, Western Mindanao State University, Baliwasan, Zamboanga City, which shall be open to prospective bidders.
- 7. Bids must be duly received by the BAC Secretariat through manual submission at the office address indicated below, on or before *January 16, 2024 at 9:30 AM at the WMSU BAC-Office*. Late bids shall not be accepted.
- 8. Bid opening shall be on *January 16, 2024 at 9:30 AM* at the given address. Bids will be opened in the presence of the bidders' representatives who choose to attend the activity.

¹ May be deleted in case the ABC is less than One Million Pesos (PhP1,000,000) where the Procuring Entity may not hold a pre-bid conference.

- 9. The *Western Mindanao State University* reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised IRR of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.
- 10. For further information, please refer to:

Ma. Josefina Mendoza Bacalla Head Secretariat for GOODS 2nd Floor Admin. Building Western Mindanao State University Normal Road, Baliwasan Zamboanga City Tel. No.: (062)991-7875 Email: <u>bac@wmsu</u>.ph

11. You may visit the following websites:

For downloading of Bidding Documents: wmsu.edu.ph; PhilGeps Website

December 13, 2023

DR. JOSELITO D. MADROÑAL BAC Chairperson for Goods

Notes on the Instructions to Bidders

This Section on the Instruction to Bidders (ITB) provides the information necessary for bidders to prepare responsive bids, in accordance with the requirements of the Procuring Entity. It also provides information on bid submission, eligibility check, opening and evaluation of bids, post-qualification, and on the award of contract.

1. Scope of Bid

The Procuring Entity, Western Mindanao State University wishes to receive Bids for the Supply and Delivery of Various Laboratory Supplies and Equipment for the College of Criminal Justice Education of the University (PR 23-09-415).

The Procurement Project (referred to herein as "Project") is composed of *Ten (10) items* the details of which are described in Section VII (Technical Specifications).

2. Funding Information

- 2.1. The GOP through the source of funding as indicated below for *NEP 2024* in the amount of *Four Million Pesos (Php 4,000,000.00)*.
- 2.2. The source of funding is:

[Early Procurement Activity]

a. NGA, the National Expenditure Program.

3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or **IB** by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

4. Corrupt, Fraudulent, Collusive, and Coercive Practices

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex "I" of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

5. Eligible Bidders

- 5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.
- 5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall have an SLCC that is at least one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA's CPI, must be at least equivalent to:

- a. For the procurement of Non-expendable Supplies and Services: The Bidder must have completed a single contract that is similar to this Project, equivalent to at least fifty percent (50%) of the ABC.
- b. For the procurement of Expendable Supplies: The Bidder must have completed a single contract that is similar to this Project, equivalent to at least twenty-five percent (25%) of the ABC.
- c. For procurement where the Procuring Entity has determined, after the conduct of market research, that imposition of either (a) or (b) will likely result to failure of bidding or monopoly that will defeat the purpose of public bidding: the Bidder should comply with the following requirements: [Select either failure or monopoly of bidding based on market research conducted]
 - i. Completed at least two (2) similar contracts, the aggregate amount of which should be equivalent to at least *fifty percent* (50%) in the case of non-expendable supplies and services or twenty-five percent (25%) in the case of expendable supplies] of the ABC for this Project; and
 - ii. The largest of these similar contracts must be equivalent to at least half of the percentage of the ABC as required above.
- 5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

6. Origin of Goods

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under **ITB** Clause 18.

7. Subcontracts

7.1. The Bidder may subcontract portions of the Project to the extent allowed by the Procuring Entity as stated herein, but in no case more than twenty percent (20%) of the Project.

The Procuring Entity has prescribed that:

- a. Subcontracting is not allowed.
- 7.2. Subcontracting of any portion of the Project does not relieve the Supplier of any liability or obligation under the Contract. The Supplier will be responsible for the acts, defaults, and negligence of any subcontractor, its agents, servants, or workmen as fully as if these were the Supplier's own acts, defaults, or negligence, or those of its agents, servants, or workmen.

8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on *December 20*, 2023 9:30 AM either at its physical address 2^{nd} Flr. Admin. Building, BAC Office, WMSU Campus and/or through videoconferencing/webcasting as indicated in paragraph 6 of the **IB**.

9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

10. Documents comprising the Bid: Eligibility and Technical Components

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in Section VIII (Checklist of Technical and Financial Documents).
- 10.2. The Bidder's SLCC as indicated in **ITB** Clause 5.3 should have been completed within *[state relevant period as provided in paragraph 2 of the IB]* prior to the deadline for the submission and receipt of bids.
- 10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.

11. Documents comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in **Section VIII (Checklist of Technical and Financial Documents)**.
- 11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.
- 11.3. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.
- 11.4. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

12. Bid Prices

- 12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:
 - a. For Goods offered from within the Procuring Entity's country:
 - i. The price of the Goods quoted EXW (ex-works, ex-factory, exwarehouse, ex-showroom, or off-the-shelf, as applicable);
 - ii. The cost of all customs duties and sales and other taxes already paid or payable;

- iii. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and
- iv. The price of other (incidental) services, if any, listed in e.
- b. For Goods offered from abroad:
 - i. Unless otherwise stated in the **BDS**, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the **BDS**. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
 - ii. The price of other (incidental) services, if any, as listed in Section VII (Technical Specifications).
- 12.2. *[Include if Framework Agreement will be used:]* For Framework Agreement, the following should also apply in addition to Clause 12.1:
 - a. For a single year Framework Agreement, the prices quoted by the Bidder shall be fixed during the Bidder's performance of the contract and not subject to variation or escalation on any account. Price schedules required under Clause 12.1 shall be submitted with the bidding documents.
 - b. For a multi-year Framework Agreement, the prices quoted by the Bidder during submission of eligibility documents shall be the ceiling and the price quoted during mini-competition must not exceed the initial price offer. The price quoted during call for mini-competition shall be fixed during the Bidder's performance of that Call-off and not subject to variation or escalation on any account. Price schedules required under Clause 12.1 shall be submitted with the bidding documents.

13. Bid and Payment Currencies

- 13.1. For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.
- 13.2. Payment of the contract price shall be made in:
 - a. Philippine Pesos.

14. Bid Security

14.1. The Bidder shall submit a Bid Securing Declaration² or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.

 $^{^{2}}$ In the case of Framework Agreement, the undertaking shall refer to entering into contract with the Procuring Entity and furnishing of the performance security or the performance securing declaration within ten (10) calendar days from receipt of Notice to Execute Framework Agreement.

14.2. The Bid and bid security shall be valid until **120 days**. Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

15. Sealing and Marking of Bids

Each Bidder shall submit one copy of the first and second components of its Bid.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

16. Deadline for Submission of Bids

16.1. The Bidders shall submit on the specified date and time and either at its physical address or through online submission as indicated in paragraph 7 of the **IB**.

17. Opening and Preliminary Examination of Bids

17.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

17.2. The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

18. Domestic Preference

18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.

19. Detailed Evaluation and Comparison of Bids

- 19.1. The Procuring BAC shall immediately conduct a detailed evaluation of all Bids rated "*passed*," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.
- 19.2. If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the

case maybe. In this case, the Bid Security as required by **ITB** Clause 15 shall be submitted for each lot or item separately.

- 19.3. The descriptions of the lots or items shall be indicated in Section VII (Technical Specifications), although the ABCs of these lots or items are indicated in the BDS for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.
- 19.4. The Project shall be awarded as follows:
 - One Project having several items, which shall be awarded as separate contracts per item.
- 19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

20. Post-Qualification

20.2. Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the **BDS**.

21. Signing of the Contract

21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

Notes on the Bid Data Sheet

The Bid Data Sheet (BDS) consists of provisions that supplement, amend, or specify in detail, information, or requirements included in the ITB found in Section II, which are specific to each procurement.

This Section is intended to assist the Procuring Entity in providing the specific information in relation to corresponding clauses in the ITB and has to be prepared for each specific procurement.

The Procuring Entity should specify in the BDS information and requirements specific to the circumstances of the Procuring Entity, the processing of the procurement, and the bid evaluation criteria that will apply to the Bids. In preparing the BDS, the following aspects should be checked:

- a. Information that specifies and complements provisions of the ITB must be incorporated.
- b. Amendments and/or supplements, if any, to provisions of the ITB as necessitated by the circumstances of the specific procurement, must also be incorporated.

ITB	Diu Data Sheet
Clause	
5.3	For this purpose, contracts similar to the Project shall be:
	a. Supply and Delivery of Various Laboratory Supplies and Equipment
	b. completed within reasonable period prior to the deadline for the submission and receipt of bids.
7.1	Not Applicable
12	The price of the Goods shall be quoted DDP [state place of destination] or the applicable International Commercial Terms (INCOTERMS) for this Project.
14.1	The bid security shall be in the form of a Bid Securing Declaration, or any of the following forms and amounts:
	a. The amount of not less <i>two percent (2%) of ABC</i> if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or
19.3	1.) One (1) unit of AMMUNITION FILE
	Specifications: . 30-minute fire rating up to 7600C/1,4000F; . UL listed programmable digital lock;
	 Emergency access keys; Adjustable/Removable 14 gun rack; Scratch resistant powder coat finish;
	. Predrilled mounting holes; Mounting kit with bolts included;
	. 5# steel one inch live lock bolts; . Sturdy open/close spindle handle;
	. carpeted interior and floor;
	. Temperature and humidity gauges; . Outside Dimension: 59.1in x 22.8in x 19.7in
	ABC: Php 190,000.00
	2.) One (1) unit of FORENSIC DIGITAL BULLET COMPARISON MICROSCOPE WITH CRIME IMAGE FORENSIC ANALYSIS SOFTWARE Specifications:
	- Display: 9.7" LCD Pad Digital Camera with Android operating system
	- Bullet Holders: Designed to accommodate at least two sets of bullet holders
	. Magnification: 3.8x-230x . Head: Binocular Head, 300 Incline, Interpupilary Distance 48-75mm, Diopter±5 Adjustable
	. Eyepiece: WF 10x/22mm, High Eyepoint WF 20x/12mm, High Eyepoint
	. Objective: 5 Step Zoom Plan Objective 0.8x, 1.25x, 3.2x, 4.8x
	Auxiliary Lens 0.4x, 2.0x . Working distance: 101mm

Bid Data Sheet

. View Field: Dia. 2.3~62mm
. Magnification Correction: Magnification Correction System, with Correcting
Lens
. Separation Line Adjusting: Separation Line Adjust System in Black, with
special designed adjust driver
. Working stage:
? Square Manual Working Stage 90x90mm, Moving Range 54x54x54mm
? Round Titable Working Stage Dia. 90mm, 0-450 Inclined, 3600 Rotatable
? Joint Left/Right Moving Range 54mm, Joint Up/down Range 60mm
. Light source: 2pcs each item
? 12V 50W Fan Cooling Strong Halogen Light, Brightness Adjustable
? 5W LED cold Light, High Brightness, Adjustable
? Coaxial Light Lens, to observe in deep hole, or Smooth Object Surface
? Polarizing Light Lens, To Eliminate Flare Light and Dazzling Lights
? Ultraviolet Light Lens ? Filters: Red, Blue, Yellow, Green (2pcs each color/)
. Adapter:
? 0.5x CCD Adapter for Digital Camera
? Front View Adapter 2.5X for SLR Digital Camera
. Power: 240V Wide Range Voltage
. Bullet Holde Standard Bullet Holder (2 sets)
. Dimension: at least 37*30*63*
. LCD Pad Digital Camera: 9.7", Android System
Feature:
Crime Image Professional Forensic Analysis Software; Capture inspection
result in real-time, and create database and can be measure length, angle,
area, size and more data, can put your word or mark in any position on image
ABC: Php 620,000.00
3.) One (1) unit of Gun Executive Safe with Climate Monitoring
Specifications:
Dimensions:
. 59.1 inches (H) x 22.8 inches (W) x 19.7 inches (D)
Exterior:
. Durable steel construction
. Scratch-resistant powder coat finish
. Predrilled mounting holes for easy installation
Mounting kit with bolts included
. Sturdy open/close spindle handle
Interior:
. Carpeted interior and floor to protect firearms
. Adjustable/removable 14 gun rack . Temperature and humidity gauges to monitor storage
conditions
. UL listed programmable digital lock for secure access
. Emergency access keys for backup entry
Fire Protection:
. 30-minute fire rating up to 760°C/1,400°F
. Protects firearms and valuables from damage in the event
of a fire
ABC: Php 120,000.00
4.) One (1) unit of Enlarger with Lens Kit
Specifications:
Maximum Film Size: 35mm 6 x 7cm via optional accessory

Maximum Height: 39.5" / 1m
Baseboard Size: 19 x 14" / 48.3 x 35.6cm
Maximum Print Size on Baseboard: Approx. 11 x 14" / 27.9 x
35.6cm
Reversible Column: Yes
Light Source: Condenser
Replacement Lamp: PH 140
Voltage: 120VAC
Filter Drawer: Yes, for 3.5 x 3.5" / 8.9 x 8.9cm Filters Modular Head System: 67 VC-W Variable Contrast Head Dichro 67
Colorhead
Colorneuu
ABC: Php 155,000.00
5.) One (1) unit of Folding Polygraph Examination Chair
Specifications:
Material: The chair is made of high-quality aluminum alloy, which
is strong and durable but also lightweight and portable. The seat
and backrest are made of a comfortable and breathable material,
such as mesh or vinyl.
Size: The chair is large and comfortable enough to accommodate
most people. It has a wide seat and backrest, and a high backrest
that provides support for your neck and back.
Portable shair can be folded with or without the padded arm attached
. Portable chair can be folded with or without the padded arm attached . Rated to Support 400 lbs
. Double Layer of 600 D strain resistant fabric
. Weight: at least 20 lbs
. Dimensions: H33" W22" D13"
<i>Feature:</i>
<i>. Easy Adjustment to raise or lower the arm cushion or arm height position is</i>
adjusted by moving the padded arm
. Cushion inward toward the body or outward away from the body
. Allow the arm cushion be angled to obtain the most stable cardio tracing.
Features: The chair has several features that make it ideal for use
in a polygraph exam, such as:
. A built-in armrest with a writing surface
. A footrest
. A strap to secure the examinee to the chair
. A polygraph machine attachment
. The chair is foldable, which makes it easy to store and
transport. . The chair is adjustable, so you can customize it to your
own comfort level.
. The chair comes with a warranty, so you can be sure that
it is a well-made product
ABC: Php 85,000.00
6.) One (1) unit of Fingerprint Digital Scanner kit
Specifications:
Kit Contents:
. 1x Master carrying case (17"L x 12"W x 7"H)
. 1x 8oz fingerprint ridge builder pump spray
. 4x 2oz jars of tissue builder solutionITE
M

1	
	NO.
	ITEM REMARKS/RECOMMENDATION
	pad inking tool; 1ea. Postmortem cardholder;
	50ea. right hand
	postmortem cards, 50ea. left hand postmortem
	cards; 40ea ink
	remover towelettes; 20ea. nitrile barrier gloves;
	lea. kit instruction
	sheet
	. 5x 6cc disposable syringes
	$.5x 18g \times 1^{1/2}$ " needles
	. 1x Postmortem pad inking tool
	. 1x Postmortem cardholder
	. 50x Right hand postmortem cards
	. 50x Left hand postmortem cards
	. 40x Ink remover towelettes
	. 20x Nitrile barrier gloves
	. 1x Kit instruction sheet
	Pixel Resolution: 512 dni (querage x y over the sean grea)
	. Pixel Resolution: 512 dpi (average x, y over the scan area)
	. Scan capture area: 14.6 mm (nom. Width at the center) 18.1 mm (nom.
	Length)
	. Reader Size: approx. 65mmx36mmx15.56mm
	To Include:
	. 1pc 8oz fingerprint ridge builder pump spray;
	. 4 bottles 2oz jars tissue builder solution;
	. 5pcs. 6cc disposable syringes;
	. 5 pcs. 18g x 1½" needles;
	. 1pc. Postmortem pad inking tool;
	. 1pc. Postmortem cardholder;
	. 50pcs. right hand postmortem cards,
	. 50pcs. left hand postmortem cards;
	. 40pcs. ink remover towelettes;
	. 20pcs. nitrile barrier gloves;
	· ·
	. 1pc. kit instruction sheet
	. With a Carrying Case
	A.D.C. DL- 50,000,00
	ABC: Php 50,000.00
	7.) One (1) unit of STEREOSCOPIC MICROSCOPE
	Specifications:
	. Eyepiece: Pair of WF10x/20 mm with eyecups
	. Head: Binocular or trinocular 45° inclined tubes, diopter adjustment on both
	eyepieces,
	. Interpupillary distance adjustable between 55mm and 75mm
	. Trinocular head is supplied with a fixed light path beam splitter (50:50)
	. All optics are anti-fungus treated and anti-reflection coated for maximum
	light throughput
	. With Dual Magnification
	. Nosepiece with dual $1x/3x$ or $2x/4x$ revolving objectives
	. Magnifications $10x/30x$ or $20x/40x$ (can be enlarged to $135x$)
	. Field of view 20mm/6.6mm or 10mm/5mm,
	. working distance 100mm
	. Zoom Models: Stereo Zoom 0.7x to 4.5x parfocal objective
	. Magnification from 7x to 45x, field of view 28.5mm to 4.4mm,
	. Working distance 100mm
	. Stands: The rack & pinion and pillar stands are equipped with ergonomically
i	

designed flat bases, complete with two object clamps and \emptyset 60mm transparent
and black/white stage plate
. Coarse adjustment is equipped with tension control
. Stands are alloy metal casted with hardened coating
. Illumination: 3W transmitted and incident LED illuminators which can be used simultaneously or adjusted separately
ABC: Php 80,000.00
8.) One (1) unit of Fuming Chamber (Capture BT)
Specifications:
Interior:
Type 304 brushed stainless steel interior with removable
perforated floor
. Four stainless steel hanging rods (26.9" long x 3/8" dia)
. Quick-release sidewall brackets mounted at four heights
. Interior space of 19 cubic feet and 58.6" diagonal
dimension
. Built-in humidifier and compartment with 500mL water
bottle Built in CA fumine commenter attaith herter alate
. Built-in CA fuming compartment with heater plate
. Tempered safety glass door with electronic door lock to prevent opening during the fuming cycle
. Power outage override
. Interior LED light for illumination
. 30-minute end-of-fuming-cycle alert
. ECM recirculation blower
Exterior:
. Powder-coated steel exterior
Controls:
. Full-color, eye-level LCD control screen for display of
programs
. Program parameters
. Number of completed fuming cycles
. Filter life remaining
. Low-level water reservoir and open door alerts
. Microprocessor-controlled operating system
Operating Parameters:
. Chamber humidity: 80% ±5% relative humidity
. Pre-fuming humidity incubation $F_{uming temperature} = 424^{\circ}F_{uvithin} \pm 1\%$
. Fuming temperature: 424°F within ±1% . Fuming and exhaust times
Additional Features:
. Stores 20 programs
. Includes 3 factory set programs: Low Heat, High Heat,
Lumincyano
. Includes diagnostic mode with audible/visual alerts for
program cycle completion
. Acti-Vent Smart Controls with programmable purge time
. Standby exhaust mode
. Cleaning mode
. Drawer: 28"W x 13" D x 1.5" H (71 x 33 x 4cm) with flush-
mounted disappearing handle and $5" \times 6"$ platform
. One each Prefilter, Carbon Filter, and Humidifier Filter are
included and accessible from inside the chamber
. Four leveling feet

	. 10' (3meter) power cord and plug
	Certifications:
	. ETL and ETL-C listed
	. CE conformity marking
	ABC: Php 2,400,000.00
	9.) One (1) unit of DSLR Camera
	Specifications:
	Type: Single Lens Reflex Digital Camera
	Sensor Size: At least 23.5 mm x 15.6 mm
	Effective Pixels: At least 24 million
	Focal Length: 18mm - 55mm Lens or Higher with a 3x optical zoom for
	versatile shooting
	Lens Aperture: Instant Return, Electronically Controlled
	Shutter Type: Electronically-Controlled Vertical - Travel Focal-Plane Shutter
	Maximum Video Resolution: 1080P
	Battery: Replaceable and Rechargeable Lithium-Ion Battery
	Lens Mount: Support for interchangeable lenses to meet a variety of
	photographic needs
	-With Built-in Flash
	- With at least 64GB (or higher) SD Card
	-With Camera Bag and Camera Strap
	ABC: Php 50,000.00
	10.) One (1) unit of Traffic Board with Frame
	Specifications:
	Dimensions: 5 feet x 4 feet
	Material: Aluminum frame, $\frac{1}{2}$ inch thick whiteboard
	Surface: Dry erase and magnetic
	Accessories: Bottom tray, at least 6 magnetic cars
	<i>Features: Common traffic situations, traffic signs, blank traffic</i>
	lights, lighted turn arrows, crosswalk lights
	Features:
	. Dry erase and magnetic surface for versatile teaching and
	learning
	. Durable aluminum frame surrounding a 1/2" thick whiteboard
	. Convenient bottom tray for storing markers, erasers, and
	other accessories
	. Depicts common traffic situations and associated signs to
	enhance road safety education
	. Includes blank traffic lights, lighted turn arrows, and
	crosswalk lights for customization during lessons
	. Free set of 6 magnetic cars to add engagement and
	interactivity to teaching
	ABC: Php 250,000.00
	-
20.2	All licenses and permits relevant to the Project and the corresponding law requiring it.
21.2	All additional contract documents relevant to the Project that may be required by
<i>21.2</i>	existing laws and/or the Procuring Entity.

Section IV. General Conditions of Contract

Notes on the General Conditions of Contract

The General Conditions of Contract (GCC) in this Section, read in conjunction with the Special Conditions of Contract in Section V and other documents listed therein, should be a complete document expressing all the rights and obligations of the parties.

Matters governing performance of the Supplier, payments under the contract, or matters affecting the risks, rights, and obligations of the parties under the contract are included in the GCC and Special Conditions of Contract.

Any complementary information, which may be needed, shall be introduced only through the Special Conditions of Contract.

1. Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the **Special Conditions of Contract (SCC).**

2. Advance Payment and Terms of Payment

- 2.1. Advance payment of the contract amount is provided under Annex "D" of the revised 2016 IRR of RA No. 9184.
- 2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the **SCC**.

[Include the following clauses if Framework Agreement will be used:]

- 2.3. For a single-year Framework Agreement, prices charged by the Supplier for Goods delivered and/or services performed under a Call-Off shall not vary from the prices quoted by the Supplier in its bid.
- 2.4. For multi-year Framework Agreement, prices charged by the Supplier for Goods delivered and/or services performed under a Call-Off shall not vary from the prices quoted by the Supplier during conduct of Mini-Competition.

3. Performance Security

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than prior to the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184.*[Include if Framework Agreement will be used:]* In the case of Framework Agreement, the Bidder may opt to furnish the performance security or a Performance Securing Declaration as defined under the Guidelines on the Use of Framework Agreement.*]*

4. Inspection and Tests

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project *{[Include if Framework Agreement will be used:]* or Framework Agreement*]* specifications at no extra cost to the Procuring Entity in accordance with the Generic Procurement Manual. In addition to tests in the **SCC**, **Section IV** (**Technical Specifications**) shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring

Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

5. Warranty

- 6.1. In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.
- 6.2. The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

6. Liability of the Supplier

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

Section V. Special Conditions of Contract

Notes on the Special Conditions of Contract

Similar to the BDS, the clauses in this Section are intended to assist the Procuring Entity in providing contract-specific information in relation to corresponding clauses in the GCC found in Section IV.

The Special Conditions of Contract (SCC) complement the GCC, specifying contractual requirements linked to the special circumstances of the Procuring Entity, the Procuring Entity's country, the sector, and the Goods purchased. In preparing this Section, the following aspects should be checked:

- a. Information that complements provisions of the GCC must be incorporated.
- b. Amendments and/or supplements to provisions of the GCC as necessitated by the circumstances of the specific purchase, must also be incorporated.

However, no special condition which defeats or negates the general intent and purpose of the provisions of the GCC should be incorporated herein.

GCC Clause 1 [List here any additional requirements for the completion of this Contract. The following requirements and the corresponding provisions may be deleted, amended, or retained depending on its applicability to this Contract:] **Delivery and Documents –** For purposes of the Contract, "EXW," "FOB," "FCA," "CIF," "CIP," "DDP" and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows: [For Goods supplied from abroad, state:] "The delivery terms applicable to the Contract are DDP delivered [*indicate place of destination*]. In accordance with INCOTERMS." [For Goods supplied from within the Philippines, state:] "The delivery terms applicable to this Contract are delivered [indicate place of destination]. Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination." Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements). For purposes of this Clause the Procuring Entity's Representative at the Project Site is Mr. Alfredo D. Montero, University Supply Officer Incidental Services -The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements: performance or supervision of on-site assembly and/or start-up of a. the supplied Goods; furnishing of tools required for assembly and/or maintenance of the b. supplied Goods; furnishing of a detailed operations and maintenance manual for each c. appropriate unit of the supplied Goods; performance or supervision or maintenance and/or repair of the d. supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and training of the Procuring Entity's personnel, at the Supplier's plant e. and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied Goods. The Contract price for the Goods shall include the prices charged by the Supplier for incidental services and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services.

Special Conditions of Contract

Spare Parts -

The Supplier is required to provide all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the Supplier:

Select appropriate requirements and delete the rest.

- a. such spare parts as the Procuring Entity may elect to purchase from the Supplier, provided that this election shall not relieve the Supplier of any warranty obligations under this Contract; and
- b. in the event of termination of production of the spare parts:
 - i. advance notification to the Procuring Entity of the pending termination, in sufficient time to permit the Procuring Entity to procure needed requirements; and
 - ii. following such termination, furnishing at no cost to the Procuring Entity, the blueprints, drawings, and specifications of the spare parts, if requested.

The spare parts and other components required are listed in **Section VI** (**Schedule of Requirements**) and the cost thereof are included in the contract price.

The Supplier shall carry sufficient inventories to assure ex-stock supply of consumable spare parts or components for the Goods for a period of [*indicate here the time period specified*. *If not used indicate a time period of three times the warranty period*].

Spare parts or components shall be supplied as promptly as possible, but in any case, within [*insert appropriate time period*] months of placing the order.

Packaging –

The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the Goods' final destination and the absence of heavy handling facilities at all points in transit.

The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified below, and in any subsequent instructions ordered by the Procuring Entity.

The outer packaging must be clearly marked on at least four (4) sides as follows:

Name of the Procuring Entity Name of the Supplier Contract Description

	Final Destination Gross weight Any special lifting instructions Any special handling instructions
	Any relevant HAZCHEM classifications
	A packaging list identifying the contents and quantities of the package is to be placed on an accessible point of the outer packaging if practical. If not practical the packaging list is to be placed inside the outer packaging but outside the secondary packaging.
	Transportation –
	Where the Supplier is required under Contract to deliver the Goods CIF, CIP, or DDP, transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price.
	Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the contract price.
	Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered force majeure.
	The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination.
	Intellectual Property Rights –
	The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof.
2.2	Not Applicable.
4	The inspections and tests that will be conducted are: all the applicable inspections and tests.

Section VI. Schedule of Requirements

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Item Number	Description	Quan	tity	Total	Delivered, Weeks/Months
1.)	AMMUNITION FILE Specifications: . 30-minute fire rating up to 7600C/1,4000F; . UL listed programmable digital lock; . Emergency access keys; . Adjustable/Removable 14 gun rack; . Scratch resistant powder coat finish; . Predrilled mounting holes; Mounting kit with bolts included; . 5# steel one inch live lock bolts; . Sturdy open/close spindle handle; . carpeted interior and floor; . Temperature and humidity gauges; . Outside Dimension: 59.1 in x 22.8 in x 19.7 in	One unit	(1)		
2.)	FORENSIC DIGITAL BULLET COMPARISON MICROSCOPE WITH CRIME IMAGE FORENSIC ANALYSIS SOFTWARE Specifications: - Display: 9.7" LCD Pad Digital Camera with Android operating system - Bullet Holders: Designed to accommodate at least two sets of bullet holders . Magnification: 3.8x-230x . Head: Binocular Head, 300 Incline, Interpupilary Distance 48-75mm, Diopter±5 Adjustable . Eyepiece: WF 10x/22mm, High Eyepoint WF 20x/12mm, High Eyepoint . Objective: 5 Step Zoom Plan Objective 0.8x, 1.25x, 3.2x, 4.8x Auxiliary Lens 0.4x, 2.0x . Working distance: 101mm . View Field: Dia. 2.3~62mm . Magnification Correction:	One unit	(1)		

	Т	r		Г	r
	Magnification Correction System,				
	with Correcting Lens				
1	. Separation Line Adjusting:				
	Separation Line Adjust System in				
	Black, with special designed				
1		1			
	adjust driver				
	. Working stage:	1			
	? Square Manual Working Stage				
	90x90mm, Moving Range	1			
	54x54x54mm	1			
	? Round Titable Working Stage	1			
	Dia. 90mm, 0-450 Inclined, 3600				
	Rotatable				
		1			
	? Joint Left/Right Moving Range				
	54mm, Joint Up/down Range				
	60mm				
	. Light source: 2pcs each item				
	? 12V 50W Fan Cooling Strong	1			
	Halogen Light, Brightness				
	Adjustable				
	0				
	? 5W LED cold Light, High				
	Brightness, Adjustable	1			
	? Coaxial Light Lens, to observe	1			
	in deep hole, or Smooth Object	1			
	Surface				
	? Polarizing Light Lens, To				
	Eliminate Flare Light and	1			
	_	1			
	Dazzling Lights				
	? Ultraviolet Light Lens				
	? Filters: Red, Blue, Yellow,				
	Green (2pcs each color/)				
	. Adapter:				
	? 0.5x CCD Adapter for Digital	1			
	Camera				
	? Front View Adapter 2.5X for	1			
	SLR Digital Camera				
	. Power: 240V Wide Range	1			
	Voltage				
	. Bullet Holde Standard Bullet				
1	Holder (2 sets)	1			
	. Dimension: at least 37*30*63*				
	. LCD Pad Digital Camera: 9.7",				
1	0	1			
	Android System				
1	Feature:	1			
	Crime Image Professional				
	Forensic Analysis Software;				
	Capture inspection result in real-				
	time, and create database and can				
1	be measure length, angle, area,	1			
	0 0				
1	size and more data, can put your	1			
1	word or mark in any position on	1			
	image				
L					
3.)	Gun Executive Safe with Climate	One	(1)		
Í	Monitoring	unit	. /		
	Specifications:				
L	-r-c-jicomons.	1		I	1

	Dimensions: . 59.1 inches (H) x 22.8 inches			
	 (W) x 19.7 inches (D) Exterior: Durable steel construction Scratch-resistant powder coat 			
	finish . Predrilled mounting holes for easy installation Mounting kit with bolts included			
	. Sturdy open/close spindle handle Interior: . Carpeted interior and floor to protect firearms			
	. Adjustable/removable 14 gun rack . Temperature and humidity gauges to monitor storage			
	conditions . UL listed programmable digital lock for secure access . Emergency access keys for			
	backup entry Fire Protection: . 30-minute fire rating up to 760°C/1,400°F			
	. Protects firearms and valuables from damage in the event of a fire			
4.)	Enlarger with Lens Kit Specifications: Maximum Film Size: 35mm, 6 x 7cm via optional accessory Maximum Height: 39.5" / 1m Baseboard Size: 19 x 14" / 48.3 x 35.6cm Maximum Print Size on Baseboard: Approx. 11 x 14" / 27.9 x	One unit	(1)	
	27.9 x 35.6cm Reversible Column: Yes Light Source: Condenser Replacement Lamp: PH 140 Voltage: 120VAC Filter Drawer: Yes, for 3.5 x 3.5" / 8.9 x 8.9cm Filters Modular Head System: 67 VC-W Variable Contrast Head Dichro 67 Colorhead			
5.)	Folding Polygraph Examination Chair	One unit	(1)	
	Specifications: Material: The chair is made of high-quality aluminum alloy,			

	which			
	is strong and durable but also			
	lightweight and portable. The seat			
	and backrest are made of a			
	comfortable and breathable			
	material,			
	such as mesh or vinyl.			
	Size: The chair is large and			
	comfortable enough to			
	accommodate			
	most people. It has a wide seat			
	and backrest, and a high backrest			
	that provides support for your			
	neck and back.			
	песк ини биск.			
	Destable shain and he felded			
	. Portable chair can be folded			
	with or without the padded arm			
	attached			
	. Rated to Support 400 lbs			
	. Double Layer of 600 D strain			
	resistant fabric			
	. Weight: at least 20 lbs			
	. Dimensions: H33" W22" D13"			
	Feature:			
	. Easy Adjustment to raise or			
	lower the arm cushion or arm			
	height position is adjusted by			
	moving the padded arm			
	. Cushion inward toward the body			
	or outward away from the body			
	. Allow the arm cushion be angled			
	Ū.			
	to obtain the most stable cardio			
	tracing.			
	Features: The chair has several			
	features that make it ideal for use			
	in a polygraph exam, such as:			
	. A built-in armrest with a writing			
	surface			
	. A footrest			
	. A strap to secure the examinee to			
	the chair			
	. A polygraph machine attachment			
	. The chair is foldable, which			
	makes it easy to store and			
	transport.			
	. The chair is adjustable, so you			
	can customize it to your			
	own comfort level.			
	. The chair comes with a			
	warranty, so you can be sure that			
	it is a well-made product			
6)	Fingerprint Digital Secure on Lit	0	(1)	
6.)	Fingerprint Digital Scanner kit	One	(1)	
	Specifications:	unit		
	Kit Contents:			
	. 1x Master carrying case (17"L x			

12"W x 7"H)		
. 1x 80z fingerprint ridge builder		
pump spray		
. 4x 2oz jars of tissue builder		
solutionITE		
Μ		
NO.		
ITEM		
REMARKS/RECOMMENDATION		
pad inking tool; 1ea. Postmortem		
cardholder;		
-		
50ea. right hand		
postmortem cards, 50ea. left hand		
postmortem		
cards; 40ea ink		
remover towelettes; 20ea. nitrile		
barrier gloves;		
lea. kit instruction		
sheet		
. 5x 6cc disposable syringes		
$.5x 18g x 1\frac{1}{2}$ needles		
. 1x Postmortem pad inking tool		
. 1x Postmortem cardholder		
. 50x Right hand postmortem		
cards		
. 50x Left hand postmortem cards		
. 40x Ink remover towelettes		
. 20x Nitrile barrier gloves		
. 1x Kit instruction sheet		
. Ix Kii instruction sheet		
Divel Deselution, 512 dai		
. Pixel Resolution: 512 dpi		
(average x, y over the scan area)		
. Scan capture area: 14.6 mm		
(nom. Width at the center) 18.1		
mm (nom. Length)		
. Reader Size: approx.		
65mmx36mmx15.56mm		
To Include:		
. 1pc 8oz fingerprint ridge builder		
pump spray;		
. 4 bottles 20z jars tissue builder		
solution;		
. 5pcs. 6cc disposable syringes;		
.5 pcs. 18g x 11/2" needles;		
. 1pc. Postmortem pad inking		
tool;		
. 1pc. Postmortem cardholder;		
. 50pcs. right hand postmortem		
cards, 50pag left hand postmortem		
. 50pcs. left hand postmortem		
cards;		
. 40pcs. ink remover towelettes;		
. 20pcs. nitrile barrier gloves;		
. 1pc. kit instruction sheet		
. With a Carrying Case		

7)	STEDEOSCODIC MICDOSCODE	Ores	(1)]
7.)	STEREOSCOPIC MICROSCOPE	One	(1)	
	Specifications:	unit		
	. Eyepiece: Pair of WF10x/20 mm			
	with eyecups			
	. Head: Binocular or trinocular			
	45° inclined tubes, diopter			
	adjustment on both eyepieces,			
	. Interpupillary distance			
	adjustable between 55mm and			
	75mm			
	. Trinocular head is supplied with			
	a fixed light path beam splitter (50:50)			
	. All optics are anti-fungus treated			
	and anti-reflection coated for			
	maximum light throughput			
	. With Dual Magnification			
	. Nosepiece with dual $1x/3x$ or			
	2x/4x revolving objectives			
	. Magnifications 10x/30x or			
	20x/40x (can be enlarged to $135x$)			
	. Field of view 20mm/6.6mm or			
	10mm/5mm,			
	. working distance 100mm			
	. Zoom Models: Stereo Zoom 0.7x			
	to 4.5x parfocal objective			
	. Magnification from 7x to 45x,			
	field of view 28.5mm to 4.4mm,			
	. Working distance 100mm			
	. Stands: The rack & pinion and			
	pillar stands are equipped with			
	ergonomically designed flat bases,			
	complete with two object clamps			
	and \emptyset 60mm transparent and			
	black/white stage plate			
	. Coarse adjustment is equipped			
	with tension control			
	. Stands are alloy metal casted			
	with hardened coating			
	. Illumination: 3W transmitted			
	and incident LED illuminators			
	which can be used simultaneously			
	or adjusted separately			
8.)	Fuming Chamber (Capture BT)	One	(1)	
Í	Specifications:	unit	. /	
	Interior:			
	Type 304 brushed stainless-steel			
	interior with removable			
	perforated floor			
	. Four stainless steel hanging rods			
	(26.9" long x 3/8" dia)			
	. Quick-release sidewall brackets			
	mounted at four heights			
	. Interior space of 19 cubic feet			
	and 58.6" diagonal			
L	. 0			

 1:	
dimension	
. Built-in humidifier and	
compartment with 500mL water	
bottle Puilt in CA fuming compartment	
. Built-in CA fuming compartment	
with heater plate	
. Tempered safety glass door with	
electronic door lock to	
prevent opening during the fuming	
cycle	
. Power outage override	
. Interior LED light for	
illumination	
. 30-minute end-of-fuming-cycle alert	
. ECM recirculation blower	
Exterior: . Powder-coated steel exterior	
<i>Controls:</i>	
. Full-color, eye-level LCD	
control screen for display of	
programs . Program parameters	
. Number of completed fuming	
cycles . Filter life remaining	
. Low-level water reservoir and	
open-door alerts	
. Microprocessor-controlled	
operating system	
Operating Parameters:	
. Chamber humidity: 80% ±5%	
relative humidity	
. Pre-fuming humidity incubation	
<i>. Fuming temperature: 424°F</i>	
within $\pm 1\%$	
. Fuming and exhaust times	
Additional Features:	
. Stores 20 programs	
. Includes 3 factory set programs:	
Low Heat, High Heat,	
Lumincyano	
. Includes diagnostic mode with	
audible/visual alerts for	
program cycle completion	
. Acti-Vent Smart Controls with	
programmable purge time	
. Standby exhaust mode	
. Cleaning mode	
. Drawer: 28"W x 13" D x 1.5" H	
(71 x 33 x 4cm) with flush-	
mounted disappearing handle and	
5" x 6" platform	
. One each Prefilter, Carbon	
Filter, and Humidifier Filter are	
included and accessible from	
inside the chamber	

[Γ
	. Four leveling feet			
	. 10' (3meter) power cord and			
	plug			
	Certifications:			
	. ETL and ETL-C listed			
	. CE conformity marking			
9.)	DSLR Camera	One	(1)	
	Specifications:	unit		
	Type: Single Lens Reflex Digital			
	Camera			
	Sensor Size: At least 23.5 mm x			
	15.6 mm			
	Effective Pixels: At least 24			
	million			
	Focal Length: 18mm - 55mm Lens			
	or Higher with a 3x optical zoom			
	for versatile shooting			
	Lens Aperture: Instant Return,			
	Electronically Controlled			
	Shutter Type: Electronically-			
	Controlled Vertical - Travel			
	Focal-Plane Shutter			
	Maximum Video Resolution:			
	1080P			
	Battery: Replaceable and			
	Rechargeable Lithium-Ion Battery			
	Lens Mount: Support for			
	interchangeable lenses to meet a			
	variety of photographic needs			
	-With Built-in Flash			
	- With at least 64GB (or higher)			
	SD Card			
	-With Camera Bag and Camera			
	Strap			
		-	(1)	
10.)	Traffic Board with Frame	One	(1)	
	Specifications:	unit		
	Dimensions: 5 feet x 4 feet			
	Material: Aluminum frame, ½			
	inch thick whiteboard			
	Surface: Dry erase and magnetic			
	Accessories: Bottom tray, at least			
	6 magnetic cars			
	Features: Common traffic			
	situations, traffic signs, blank			
	traffic			
	lights, lighted turn arrows,			
	crosswalk lights			
	Features:			
	. Dry erase and magnetic surface			
	for versatile teaching and			
	learning			
	. Durable aluminum frame			
	surrounding a 1/2" thick			
	whiteboard			
	minicouru			1

. Convenient bottom tray for storing markers, erasers, and other accessories . Depicts common traffic situations and associated signs to enhance road safety education . Includes blank traffic lights, lighted turn arrows, and crosswalk lights for customization during lessons Erree set of 6 magnetic cars to		
0 0		

Notes for Preparing the Technical Specifications

A set of precise and clear specifications is a prerequisite for Bidders to respond realistically and competitively to the requirements of the Procuring Entity without qualifying their Bids. In the context of Competitive Bidding, the specifications (*e.g.* production/delivery schedule, manpower requirements, and after-sales service/parts, descriptions of the lots or items) must be prepared to permit the widest possible competition and, at the same time, present a clear statement of the required standards of workmanship, materials, and performance of the goods and services to be procured. Only if this is done will the objectives of transparency, equity, efficiency, fairness, and economy in procurement be realized, responsiveness of bids be ensured, and the subsequent task of bid evaluation and post-qualification facilitated. The specifications should require that all items, materials and accessories to be included or incorporated in the goods be new, unused, and of the most recent or current models, and that they include or incorporate all recent improvements in design and materials unless otherwise provided in the Contract.

Samples of specifications from previous similar procurements are useful in this respect. The use of metric units is encouraged. Depending on the complexity of the goods and the repetitiveness of the type of procurement, it may be advantageous to standardize the General Technical Specifications and incorporate them in a separate subsection. The General Technical Specifications should cover all classes of workmanship, materials, and equipment commonly involved in manufacturing similar goods. Deletions or addenda should then adapt the General Technical Specifications to the particular procurement.

Care must be taken in drafting specifications to ensure that they are not restrictive. In the specification of standards for equipment, materials, and workmanship, recognized Philippine and international standards should be used as much as possible. Where other particular standards are used, whether national standards or other standards, the specifications should state that equipment, materials, and workmanship that meet other authoritative standards, and which ensure at least a substantially equal quality than the standards mentioned, will also be acceptable. The following clause may be inserted in the Special Conditions of Contract or the Technical Specifications.

Sample Clause: Equivalency of Standards and Codes

Wherever reference is made in the Technical Specifications to specific standards and codes to be met by the goods and materials to be furnished or tested, the provisions of the latest edition or revision of the relevant standards and codes shall apply, unless otherwise expressly stated in the Contract. Where such standards and codes are national or relate to a particular country or region, other authoritative standards that ensure substantial equivalence to the standards and codes specified will be acceptable.

Reference to brand name and catalogue number should be avoided as far as possible; where unavoidable they should always be followed by the words "*or at least equivalent*." References to brand names cannot be used when the funding source is the GOP.

Where appropriate, drawings, including site plans as required, may be furnished by the Procuring Entity with the Bidding Documents. Similarly, the Supplier may be requested to

provide drawings or samples either with its Bid or for prior review by the Procuring Entity during contract execution.

Bidders are also required, as part of the technical specifications, to complete their statement of compliance demonstrating how the items comply with the specification.

Technical Specifications

Item	Specification	Statement of Compliance
		[Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]
1.)	One (1) unit of AMMUNITION FILE Specifications: . 30-minute fire rating up to 7600C/1,4000F; . UL listed programmable digital lock; . Emergency access keys; . Adjustable/Removable 14 gun rack; . Scratch resistant powder coat finish; . Predrilled mounting holes; Mounting kit with bolts included; . 5# steel one inch live lock bolts; . Sturdy open/close spindle handle; . carpeted interior and floor; . Temperature and humidity gauges;	

	. Outside Dimension: 59.1 in x	
	22.8in x 19.7in	
	One (1) unit of FORENSIC	
2.)	DIGITAL BULLET	
	COMPARISON MICROSCOPE	
	WITH CRIME IMAGE	
	FORENSIC ANALYSIS	
	SOFTWARE	
	Specifications:	
	- Display: 9.7" LCD Pad Digital	
	Camera with Android operating	
	system	
	- Bullet Holders: Designed to	
	accommodate at least two sets of	
	bullet holders	
	. Magnification: 3.8x-230x	
	. Head: Binocular Head, 300	
	Incline, Interpupilary Distance	
	48-75mm, Diopter±5 Adjustable	
	. Eyepiece: WF 10x/22mm, High	
	Eyepoint	
	WF 20x/12mm, High Eyepoint	
	. Objective: 5 Step Zoom Plan	
	Objective	
	0.8x, 1.25x, 3.2x, 4.8x	
	Auxiliary Lens 0.4x, 2.0x	
	. Working distance: 101mm	
	. View Field: Dia. 2.3~62mm	
	. Magnification Correction:	
	Magnification Correction	
	System, with Correcting Lens	
	. Separation Line Adjusting:	
	Separation Line Adjust System in	
	Black, with special designed adjust driver	
	. Working stage:	
	? Square Manual Working Stage	
	90x90mm, Moving Range	
	54x54x54mm	
	? Round Titable Working Stage	
	Dia. 90mm, 0-450 Inclined, 3600	
	Rotatable	
	? Joint Left/Right Moving Range	
	54mm, Joint Up/down Range	
	60mm	
	. Light source: 2pcs each item	
	? 12V 50W Fan Cooling Strong	
	Halogen Light, Brightness	
	Adjustable	
	? 5W LED cold Light, High	
	Brightness, Adjustable	
	? Coaxial Light Lens. to observe	

	in deep hole, or Smooth Object	
	Surface	
	? Polarizing Light Lens, To	
	Eliminate Flare Light and	
	Dazzling Lights	
	? Ultraviolet Light Lens	
	? Filters: Red, Blue, Yellow,	
	Green (2pcs each color/)	
	. Adapter:	
	? 0.5x CCD Adapter for Digital	
	Camera	
	? Front View Adapter 2.5X for	
	SLR Digital Camera	
	. Power: 240V Wide Range	
	Voltage	
	. Bullet Holde Standard Bullet	
	Holder (2 sets)	
	. Dimension: at least 37*30*63*	
	. LCD Pad Digital Camera: 9.7",	
	Android System	
	Feature:	
	Crime Image Professional	
	Forensic Analysis Software;	
	Capture inspection result in real-	
	time, and create database and	
	can be measure length, angle,	
	area, size and more data, can put	
	your word or mark in any	
	position on image	
	position on image	
	position on image	
	One (1) unit of Gun Executive	
3.)	One (1) unit of Gun Executive	
3.)		
3.)	One (1) unit of Gun Executive Safe with Climate Monitoring	
3.)	One (1) unit of Gun Executive Safe with Climate Monitoring Specifications:	
3.)	One (1) unit of Gun Executive Safe with Climate Monitoring Specifications: Dimensions: . 59.1 inches (H) x 22.8 inches	
3.)	One (1) unit of Gun Executive Safe with Climate Monitoring Specifications: Dimensions:	
3.)	One (1) unit of Gun Executive Safe with Climate Monitoring Specifications: Dimensions: . 59.1 inches (H) x 22.8 inches (W) x 19.7 inches (D)	
3.)	One (1) unit of Gun Executive Safe with Climate Monitoring Specifications: Dimensions: . 59.1 inches (H) x 22.8 inches (W) x 19.7 inches (D) Exterior: . Durable steel construction	
3.)	One (1) unit of Gun Executive Safe with Climate Monitoring Specifications: Dimensions: . 59.1 inches (H) x 22.8 inches (W) x 19.7 inches (D) Exterior: . Durable steel construction . Scratch-resistant powder coat	
3.)	One (1) unit of Gun Executive Safe with Climate Monitoring Specifications: Dimensions: . 59.1 inches (H) x 22.8 inches (W) x 19.7 inches (D) Exterior: . Durable steel construction . Scratch-resistant powder coat finish	
3.)	One (1) unit of Gun Executive Safe with Climate Monitoring Specifications: Dimensions: . 59.1 inches (H) x 22.8 inches (W) x 19.7 inches (D) Exterior: . Durable steel construction . Scratch-resistant powder coat finish . Predrilled mounting holes for	
3.)	One (1) unit of Gun Executive Safe with Climate Monitoring Specifications: Dimensions: . 59.1 inches (H) x 22.8 inches (W) x 19.7 inches (D) Exterior: . Durable steel construction . Scratch-resistant powder coat finish . Predrilled mounting holes for easy installation	
3.)	One (1) unit of Gun Executive Safe with Climate Monitoring Specifications: Dimensions: . 59.1 inches (H) x 22.8 inches (W) x 19.7 inches (D) Exterior: . Durable steel construction . Scratch-resistant powder coat finish . Predrilled mounting holes for easy installation Mounting kit with bolts included	
3.)	One (1) unit of Gun Executive Safe with Climate Monitoring Specifications: Dimensions: . 59.1 inches (H) x 22.8 inches (W) x 19.7 inches (D) Exterior: . Durable steel construction . Scratch-resistant powder coat finish . Predrilled mounting holes for easy installation	
3.)	One (1) unit of Gun Executive Safe with Climate Monitoring Specifications: Dimensions: . 59.1 inches (H) x 22.8 inches (W) x 19.7 inches (D) Exterior: . Durable steel construction . Scratch-resistant powder coat finish . Predrilled mounting holes for easy installation Mounting kit with bolts included . Sturdy open/close spindle	
3.)	One (1) unit of Gun Executive Safe with Climate Monitoring Specifications: Dimensions: . 59.1 inches (H) x 22.8 inches (W) x 19.7 inches (D) Exterior: . Durable steel construction . Scratch-resistant powder coat finish . Predrilled mounting holes for easy installation Mounting kit with bolts included . Sturdy open/close spindle handle Interior:	
3.)	One (1) unit of Gun Executive Safe with Climate Monitoring Specifications: Dimensions: . 59.1 inches (H) x 22.8 inches (W) x 19.7 inches (D) Exterior: . Durable steel construction . Scratch-resistant powder coat finish . Predrilled mounting holes for easy installation Mounting kit with bolts included . Sturdy open/close spindle handle Interior: . Carpeted interior and floor to	
3.)	One (1) unit of Gun Executive Safe with Climate Monitoring Specifications: Dimensions: . 59.1 inches (H) x 22.8 inches (W) x 19.7 inches (D) Exterior: . Durable steel construction . Scratch-resistant powder coat finish . Predrilled mounting holes for easy installation Mounting kit with bolts included . Sturdy open/close spindle handle Interior: . Carpeted interior and floor to protect firearms	
3.)	One (1) unit of Gun Executive Safe with Climate Monitoring Specifications: Dimensions: . 59.1 inches (H) x 22.8 inches (W) x 19.7 inches (D) Exterior: . Durable steel construction . Scratch-resistant powder coat finish . Predrilled mounting holes for easy installation Mounting kit with bolts included . Sturdy open/close spindle handle Interior: . Carpeted interior and floor to	
3.)	One (1) unit of Gun Executive Safe with Climate Monitoring Specifications: Dimensions: . 59.1 inches (H) x 22.8 inches (W) x 19.7 inches (D) Exterior: . Durable steel construction . Scratch-resistant powder coat finish . Predrilled mounting holes for easy installation Mounting kit with bolts included . Sturdy open/close spindle handle Interior: . Carpeted interior and floor to protect firearms . Adjustable/removable 14 gun rack	
3.)	One (1) unit of Gun Executive Safe with Climate Monitoring Specifications: Dimensions: . 59.1 inches (H) x 22.8 inches (W) x 19.7 inches (D) Exterior: . Durable steel construction . Scratch-resistant powder coat finish . Predrilled mounting holes for easy installation Mounting kit with bolts included . Sturdy open/close spindle handle Interior: . Carpeted interior and floor to protect firearms . Adjustable/removable 14 gun rack . Temperature and humidity	
3.)	One (1) unit of Gun Executive Safe with Climate Monitoring Specifications: Dimensions: . 59.1 inches (H) x 22.8 inches (W) x 19.7 inches (D) Exterior: . Durable steel construction . Scratch-resistant powder coat finish . Predrilled mounting holes for easy installation Mounting kit with bolts included . Sturdy open/close spindle handle Interior: . Carpeted interior and floor to protect firearms . Adjustable/removable 14 gun rack	
3.)	One (1) unit of Gun Executive Safe with Climate Monitoring Specifications: Dimensions: . 59.1 inches (H) x 22.8 inches (W) x 19.7 inches (D) Exterior: . Durable steel construction . Scratch-resistant powder coat finish . Predrilled mounting holes for easy installation Mounting kit with bolts included . Sturdy open/close spindle handle Interior: . Carpeted interior and floor to protect firearms . Adjustable/removable 14 gun rack . Temperature and humidity gauges to monitor storage conditions	
3.)	One (1) unit of Gun Executive Safe with Climate Monitoring Specifications: Dimensions: . 59.1 inches (H) x 22.8 inches (W) x 19.7 inches (D) Exterior: . Durable steel construction . Scratch-resistant powder coat finish . Predrilled mounting holes for easy installation Mounting kit with bolts included . Sturdy open/close spindle handle Interior: . Carpeted interior and floor to protect firearms . Adjustable/removable 14 gun rack . Temperature and humidity gauges to monitor storage	

-		
	backup entry	
	Fire Protection:	
	. 30-minute fire rating up to	
	760°C/1,400°F	
	. Protects firearms and valuables	
	from damage in the event	
	of a fire	
	One (1) unit of Enlarger with	
4.)	Lens Kit	
	Specifications:	
	Maximum Film Size: 35mm, 6 x	
	7cm via optional accessory	
	Maximum Height: 39.5" / 1m	
	Baseboard Size: 19 x 14" / 48.3 x	
	35.6cm	
	Maximum Print Size on	
	Baseboard: Approx. 11 x 14"/	
	27.9 x	
	35.6cm	
	Reversible Column: Yes	
	Light Source: Condenser	
	Replacement Lamp: PH 140	
	Voltage: 120VAC	
	<i>Filter Drawer: Yes, for 3.5 x 3.5"</i>	
	/ 8.9 x 8.9cm Filters	
	Modular Head System: 67 VC-W	
	Variable Contrast Head Dichro	
	67	
	Colorhead	
	Colomedu	
5.)	One (1) unit of Folding	
,	Polygraph Examination Chair	
	Specifications:	
	Material: The chair is made of	
	high-quality aluminum alloy,	
	which	
	is strong and durable but also	
	lightweight and portable. The	
	seat	
	and backrest are made of a	
	comfortable and breathable	
	material,	
	such as mesh or vinyl.	
1	Size: The chair is large and	
	Size: The chair is large and comfortable enough to	
	5	
	comfortable enough to	
	comfortable enough to accommodate	
	comfortable enough to accommodate most people. It has a wide seat	
	comfortable enough to accommodate most people. It has a wide seat and backrest, and a high backrest	
	comfortable enough to accommodate most people. It has a wide seat and backrest, and a high	
	comfortable enough to accommodate most people. It has a wide seat and backrest, and a high backrest that provides support for your	
	comfortable enough to accommodate most people. It has a wide seat and backrest, and a high backrest that provides support for your neck and back.	
	comfortable enough to accommodate most people. It has a wide seat and backrest, and a high backrest that provides support for your neck and back. . Portable chair can be folded	
	comfortable enough to accommodate most people. It has a wide seat and backrest, and a high backrest that provides support for your neck and back. . Portable chair can be folded with or without the padded arm	
	comfortable enough to accommodate most people. It has a wide seat and backrest, and a high backrest that provides support for your neck and back. . Portable chair can be folded	

-	T	
	. Double Layer of 600 D strain	
	resistant fabric	
	. Weight: at least 20 lbs	
	. Dimensions: H33" W22" D13"	
	Feature:	
	. Easy Adjustment to raise or	
	lower the arm cushion or arm	
	height position is adjusted by	
	moving the padded arm	
	. Cushion inward toward the	
	body or outward away from the	
	body	
	. Allow the arm cushion be	
	angled to obtain the most stable	
	cardio tracing.	
	Features: The chair has several	
	features that make it ideal for use	
	in a polygraph exam, such as:	
	. A built-in armrest with a writing	
	surface	
	. A footrest	
	. A strap to secure the examinee	
	to the chair	
	. A polygraph machine	
	attachment	
	. The chair is foldable, which	
	makes it easy to store and	
	transport.	
	. The chair is adjustable, so you	
	can customize it to your	
	own comfort level.	
	. The chair comes with a	
	warranty, so you can be sure that	
	<i>it is a well-made product</i>	
6.)	One (1) unit of Fingerprint	
,	Digital Scanner kit	
	Specifications:	
	Kit Contents:	
	. 1x Master carrying case (17"L x	
	12"W x 7"H)	
	. 1x 80z fingerprint ridge builder	
	pump spray	
	. 4x 2oz jars of tissue builder	
	solutionITE	
	M	
	NO.	
	ITEM	
	pad inking tool; 1ea. Postmortem	
	cardholder;	
	50ea. right hand	
	postmortem cards, 50ea. left	
	-	
	hand postmortem cards; 40ea ink	

	remover towelettes; 20ea. nitrile	
	barrier gloves;	
	lea. kit instruction	
	sheet	
	. 5x 6cc disposable syringes	
	. 5x 18g x 1½" needles	
	. 1x Postmortem pad inking tool	
	. 1x Postmortem cardholder	
	. 50x Right hand postmortem	
	cards	
	. 50x Left hand postmortem cards	
	. 40x Ink remover towelettes	
	. 20x Nitrile barrier gloves	
	. 1x Kit instruction sheet	
	. IX All histraction sheet	
	. Pixel Resolution: 512 dpi	
	(average x, y over the scan area)	
	. Scan capture area: 14.6 mm	
	(nom. Width at the center) 18.1	
	mm (nom. Length)	
	. Reader Size: approx.	
	65mmx36mmx15.56mm	
	To Include:	
	. 1pc 8oz fingerprint ridge	
	builder pump spray;	
	. 4 bottles 2oz jars tissue builder	
	solution;	
	. 5pcs. 6cc disposable syringes;	
	. 5 pcs. 18g x 1½" needles;	
	. 1pc. Postmortem pad inking	
	tool;	
	. 1pc. Postmortem cardholder;	
	. 50pcs. right hand postmortem	
	cards,	
	. 50pcs. left hand postmortem	
	cards;	
	. 40pcs. ink remover towelettes;	
	. 20pcs. nitrile barrier gloves;	
	. Ipc. kit instruction sheet	
	. With a Carrying Case	
7.)	One (1) unit of STEREOSCOPIC	
	MICROSCOPE	
	Specifications:	
	. Eyepiece: Pair of WF10x/20	
	mm with eyecups	
	. Head: Binocular or trinocular	
	45° inclined tubes, diopter	
	adjustment on both eyepieces,	
	. Interpupillary distance	
	adjustable between 55mm and	
	75mm	
	. Trinocular head is supplied	
	with a fixed light path beam	
	splitter (50:50)	
	. All optics are anti-fungus	
	treated and anti-reflection coated	
	n canca ana anni rejicciion couled	

for maximum light throughput . With Dual Magnification . Nosepiece with dual 1x/3x or 2x/4x revolving objectives . Magnifications 10x/30x or 20x/40x (can be enlarged to 135x) . Field of view 20mm/6.6mm or 10mm/5mm, . working distance 100mm . Zoom Models: Stereo Zoom 0.7x to 4.5x parfocal objective . Magnification from 7x to 45x, field of view 28.5mm to 4.4mm, . Working distance 100mm . Stands: The rack & pinion and pillar stands are equipped with ergonomically designed flat bases, complete with two object clamps and Ø 60mm transparent and black/white stage plate . Coarse adjustment is equipped	
 Nosepiece with dual 1x/3x or 2x/4x revolving objectives Magnifications 10x/30x or 20x/40x (can be enlarged to 135x) Field of view 20mm/6.6mm or 10mm/5mm, working distance 100mm Zoom Models: Stereo Zoom 0.7x to 4.5x parfocal objective Magnification from 7x to 45x, field of view 28.5mm to 4.4mm, Working distance 100mm Stands: The rack & pinion and pillar stands are equipped with ergonomically designed flat bases, complete with two object clamps and Ø 60mm transparent and black/white stage plate 	
2x/4x revolving objectives. Magnifications 10x/30x or20x/40x (can be enlarged to135x). Field of view 20mm/6.6mm or10mm/5mm,. working distance 100mm. Zoom Models: Stereo Zoom0.7x to 4.5x parfocal objective. Magnification from 7x to 45x,field of view 28.5mm to 4.4mm,. Working distance 100mm. Stands: The rack & pinion andpillar stands are equipped withergonomically designed flatbases, complete with two objectclamps and Ø 60mm transparentand black/white stage plate	
. Magnifications 10x/30x or 20x/40x (can be enlarged to 135x). Field of view 20mm/6.6mm or 10mm/5mm, . working distance 100mm. Zoom Models: Stereo Zoom 0.7x to 4.5x parfocal objective . Magnification from 7x to 45x, field of view 28.5mm to 4.4mm, . Working distance 100mm. Stands: The rack & pinion and pillar stands are equipped with ergonomically designed flat bases, complete with two object clamps and Ø 60mm transparent and black/white stage plate	
. Magnifications 10x/30x or 20x/40x (can be enlarged to 135x). Field of view 20mm/6.6mm or 10mm/5mm, . working distance 100mm. Zoom Models: Stereo Zoom 0.7x to 4.5x parfocal objective . Magnification from 7x to 45x, field of view 28.5mm to 4.4mm, . Working distance 100mm. Stands: The rack & pinion and pillar stands are equipped with ergonomically designed flat bases, complete with two object clamps and Ø 60mm transparent and black/white stage plate	
20x/40x (can be enlarged to 135x) . Field of view 20mm/6.6mm or 10mm/5mm, . working distance 100mm . Zoom Models: Stereo Zoom 0.7x to 4.5x parfocal objective . Magnification from 7x to 45x, field of view 28.5mm to 4.4mm, . Working distance 100mm . Stands: The rack & pinion and pillar stands are equipped with ergonomically designed flat bases, complete with two object clamps and Ø 60mm transparent and black/white stage plate	
 135x) Field of view 20mm/6.6mm or 10mm/5mm, working distance 100mm Zoom Models: Stereo Zoom 0.7x to 4.5x parfocal objective Magnification from 7x to 45x, field of view 28.5mm to 4.4mm, Working distance 100mm Stands: The rack & pinion and pillar stands are equipped with ergonomically designed flat bases, complete with two object clamps and Ø 60mm transparent and black/white stage plate 	
 Field of view 20mm/6.6mm or 10mm/5mm, working distance 100mm Zoom Models: Stereo Zoom 0.7x to 4.5x parfocal objective Magnification from 7x to 45x, field of view 28.5mm to 4.4mm, Working distance 100mm Stands: The rack & pinion and pillar stands are equipped with ergonomically designed flat bases, complete with two object clamps and Ø 60mm transparent and black/white stage plate 	
10mm/5mm, . working distance 100mm . Zoom Models: Stereo Zoom 0.7x to 4.5x parfocal objective . Magnification from 7x to 45x, field of view 28.5mm to 4.4mm, . Working distance 100mm . Stands: The rack & pinion and pillar stands are equipped with ergonomically designed flat bases, complete with two object clamps and Ø 60mm transparent and black/white stage plate	
. working distance 100mm . Zoom Models: Stereo Zoom 0.7x to 4.5x parfocal objective . Magnification from 7x to 45x, field of view 28.5mm to 4.4mm, . Working distance 100mm . Stands: The rack & pinion and pillar stands are equipped with ergonomically designed flat bases, complete with two object clamps and Ø 60mm transparent and black/white stage plate	
. Zoom Models: Stereo Zoom 0.7x to 4.5x parfocal objective . Magnification from 7x to 45x, field of view 28.5mm to 4.4mm, . Working distance 100mm . Stands: The rack & pinion and pillar stands are equipped with ergonomically designed flat bases, complete with two object clamps and Ø 60mm transparent and black/white stage plate	
 0.7x to 4.5x parfocal objective Magnification from 7x to 45x, field of view 28.5mm to 4.4mm, Working distance 100mm Stands: The rack & pinion and pillar stands are equipped with ergonomically designed flat bases, complete with two object clamps and Ø 60mm transparent and black/white stage plate 	
 Magnification from 7x to 45x, field of view 28.5mm to 4.4mm, Working distance 100mm Stands: The rack & pinion and pillar stands are equipped with ergonomically designed flat bases, complete with two object clamps and Ø 60mm transparent and black/white stage plate 	
field of view 28.5mm to 4.4mm, . Working distance 100mm . Stands: The rack & pinion and pillar stands are equipped with ergonomically designed flat bases, complete with two object clamps and Ø 60mm transparent and black/white stage plate	
field of view 28.5mm to 4.4mm, . Working distance 100mm . Stands: The rack & pinion and pillar stands are equipped with ergonomically designed flat bases, complete with two object clamps and Ø 60mm transparent and black/white stage plate	
. Working distance 100mm . Stands: The rack & pinion and pillar stands are equipped with ergonomically designed flat bases, complete with two object clamps and Ø 60mm transparent and black/white stage plate	
. Stands: The rack & pinion and pillar stands are equipped with ergonomically designed flat bases, complete with two object clamps and Ø 60mm transparent and black/white stage plate	
pillar stands are equipped with ergonomically designed flat bases, complete with two object clamps and Ø 60mm transparent and black/white stage plate	
ergonomically designed flat bases, complete with two object clamps and Ø 60mm transparent and black/white stage plate	
bases, complete with two object clamps and Ø 60mm transparent and black/white stage plate	
clamps and Ø 60mm transparent and black/white stage plate	
and black/white stage plate	
with tension control	
. Stands are alloy metal casted	
with hardened coating	
. Illumination: 3W transmitted	
and incident LED illuminators	
which can be used	
simultaneously or adjusted	
separately	
One (1) unit of Fuming Chamber	
(Capture BT)	
Specifications:	
Interior:	
Intertor.	
Type 304 brushed stainless steel	
interior with removable	
perforated floor	
. Four stainless steel hanging	
rods (26.9" long x 3/8" dia)	
. Quick-release sidewall brackets	
mounted at four heights	
. Interior space of 19 cubic feet	
and 58.6" diagonal	
dimension	
. Built-in humidifier and	
compartment with 500mL water	
bottle	
. Built-in CA fuming	
compartment with heater plate	
. Tempered safety glass door with	
electronic door lock to	
prevent opening during the	
fuming cycle	
. Power outage override	
. Interior LED light for	

	illumination	
	. 30-minute end-of-fuming-cycle	
	alert	
	. ECM recirculation blower	
	Exterior:	
	. Powder-coated steel exterior	
	Controls:	
	. Full-color, eye-level LCD	
	control screen for display of	
	programs	
	. Program parameters	
	. Number of completed fuming	
	cycles	
	2	
	. Filter life remaining	
	. Low-level water reservoir and	
	open door alerts	
	. Microprocessor-controlled	
	operating system	
	Operating Parameters:	
	. Chamber humidity: $80\% \pm 5\%$	
	relative humidity	
	. Pre-fuming humidity incubation	
	. Fuming temperature: 424°F	
	within $\pm 1\%$	
	. Fuming and exhaust times	
	Additional Features:	
	. Stores 20 programs	
	. Includes 3 factory set	
	programs: Low Heat, High Heat,	
	Lumincyano	
	. Includes diagnostic mode with	
	-	
	audible/visual alerts for	
	program cycle completion	
	. Acti-Vent Smart Controls with	
	programmable purge time	
	. Standby exhaust mode	
	. Cleaning mode	
	. Drawer: 28"W x 13" D x 1.5" H	
	(71 x 33 x 4cm) with flush-	
	mounted disappearing handle	
	and 5" x 6" platform	
	. One each Prefilter, Carbon	
	Filter, and Humidifier Filter are	
	included and accessible from	
	inside the chamber	
	. Four leveling feet	
	. 10' (3meter) power cord and	
	plug	
	Certifications:	
	. ETL and ETL-C listed	
	. CE conformity marking	
0)	One (1) unit of DSLP Carriera	
9.)	One (1) unit of DSLR Camera	
	Specifications:	
	<i>Type: Single Lens Reflex Digital</i>	
	Camera	

	Sensor Size: At least 23.5 mm x	
	15.6 mm	
	Effective Pixels: At least 24	
	million	
	Focal Length: 18mm - 55mm	
	Lens or Higher with a 3x optical	
	zoom for versatile shooting	
	Lens Aperture: Instant Return,	
	Electronically Controlled	
	Shutter Type: Electronically-	
	Controlled Vertical - Travel	
	Focal-Plane Shutter	
	Maximum Video Resolution:	
	1080P	
	Battery: Replaceable and	
	Rechargeable Lithium-Ion	
	Battery	
	Lens Mount: Support for	
	interchangeable lenses to meet a	
	variety of photographic needs	
	-With Built-in Flash	
	- With at least 64GB (or higher)	
	SD Card	
	-With Camera Bag and Camera	
	Strap	
10)	One (1) with of Traffic Roand	
10.)	One (1) unit of Traffic Board with Frame	
	Specifications:	
	Dimensions: 5 feet x 4 feet	
	Material: Aluminum frame, ½ inch thick whiteboard	
	Surface: Dry erase and magnetic	
	Accessories: Bottom tray, at least	
	6 magnetic cars	
	Features: Common traffic	
	situations, traffic signs, blank	
	traffic	
	lights, lighted turn arrows, crosswalk lights	
	Features:	
	. Dry erase and magnetic surface for versatile teaching and	
	learning	
	. Durable aluminum frame	
	surrounding a 1/2" thick	
	whiteboard	
	. Convenient bottom tray for	
	storing markers, erasers, and other accessories	
	. Depicts common traffic	
	situations and associated signs to	
	enhance road safety education	
	. Includes blank traffic lights,	
	lighted turn arrows, and crosswalk lights for	
1	UIUSSWUIN IIZIIIS JUI	

Section VIII. Checklist of Technical and Financial Documents

Notes on the Checklist of Technical and Financial Documents

The prescribed documents in the checklist are mandatory to be submitted in the Bid, but shall be subject to the following:

- a. GPPB Resolution No. 09-2020 on the efficient procurement measures during a State of Calamity or other similar issuances that shall allow the use of alternate documents in lieu of the mandated requirements; or
- b. Any subsequent GPPB issuances adjusting the documentary requirements after the effectivity of the adoption of the PBDs.

The BAC shall be checking the submitted documents of each Bidder against this checklist to ascertain if they are all present, using a non-discretionary "pass/fail" criterion pursuant to Section 30 of the 2016 revised IRR of RA No. 9184.

Checklist of Technical and Financial Documents

I. TECHNICAL COMPONENT ENVELOPE

Class "A" Documents

Legal Documents

(a) Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages) in accordance with Section 8.5.2 of the IRR;

Technical Documents

- (b) Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid; **and**
- (c) Statement of the bidder's Single Largest Completed Contract (SLCC) similar to the contract to be bid, except under conditions provided for in Sections 23.4.1.3 and 23.4.2.4 of the 2016 revised IRR of RA No. 9184, within the relevant period as provided in the Bidding Documents; and
- (d) Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission <u>or</u> Original copy of Notarized Bid Securing Declaration; <u>and</u>
- (e) Conformity with the Technical Specifications, which may include production/delivery schedule, manpower requirements, and/or after-sales/parts, if applicable; **and**
- (f) Original duly signed Omnibus Sworn Statement (OSS) <u>and</u> if applicable, Original Notarized Secretary's Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder.

Financial Documents

(g) The prospective bidder's computation of Net Financial Contracting Capacity (NFCC) <u>or</u> A committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation.

Class "B" Documents

(h) If applicable, a duly signed joint venture agreement (JVA) in case the joint venture is already in existence <u>or</u> duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.

II. FINANCIAL COMPONENT ENVELOPE

- (i) Original of duly signed and accomplished Financial Bid Form; <u>and</u>
- (j) Original of duly signed and accomplished Price Schedule(s).

Other documentary requirements under RA No. 9184 (as applicable)

- (k) [For foreign bidders claiming by reason of their country's extension of reciprocal rights to Filipinos] Certification from the relevant government office of their country stating that Filipinos are allowed to participate in government procurement activities for the same item or product.
- (1) Certification from the DTI if the Bidder claims preference as a Domestic Bidder or Domestic Entity.

